






OVAL TRACK RACING



AFCORACING.COM

2019
MASTER CATALOG



WHO WE ARE AFCO is an engineering based manufacturing company staffed by experienced professionals who are passionate about the racing industry. AFCO started with a simple need for a better suspension component. Now, after 30 years, we have grown into a full service manufacturing and distribution company that builds industry leading suspension, cooling and brake components. Our products are distributed by the finest automotive aftermarket chassis builders, warehouses, and retailers throughout North America, Europe, Australia and New Zealand. Three decades of working closely with racers and tuners has yielded a team focused on delivering superior performance, quality, and value in every product we make.


PREMIER DESIGN & ENGINEERING

Our great products start with the best design and engineering people. Our engineering team is one of the most experienced in the industry. AFCO products are known for reliability, performance, value and innovation. Before we ever release the first iteration of a new product, we use a combination of: vehicle data collection tools, extensive CAD modeling, finite element analysis testing, laboratory testing and extensive field trials to make sure you are getting the best product for your money. We spend countless hours on the road testing and refining our products at the tracks with our customers so you can be sure our products will work as advertised every time!



MANUFACTURING EXCELLENCE

Our experienced, dedicated manufacturing personnel use automated production machines such as CNC benders, CNC lathes and mills, and laser cutting equipment to give us the ability to produce the highest quality, most consistent products in our industry.



UNRIVALED CUSTOMER SERVICE & TRAINING

We understand the needs of our customers and we respond with outstanding technical support and customer service. Shock schools, chassis seminars, product training, fast and friendly service are all part of what you get when you purchase AFCO products.



WINNING PRODUCTS

The common thread that ties all AFCO products together is performance. AFCO products are built to perform because we love it when our customers win! Our unrelenting passion to be the best is the reason professional racers have relied on AFCO products for over 30 years!



CUSTOMIZATION YOU CAN COUNT ON

We strive to meet our customer's specific needs. We can often build to your custom specifications. We look forward to fulfilling your custom orders.

SUSPENSION



BRAKES



COOLING



CONTACT INFO

MAILING ADDRESS

P.O. Box 548
Boonville, IN 47601

SALES AND TECHNICAL SUPPORT

800-632-2320
Open Daily Monday-Friday
8 a.m. - 5:00 p.m. CST

PHYSICAL ADDRESS

977 Hyrock Blvd.
Boonville, IN 47601

MARKETING PARTNERS



LIMITED WARRANTY

AFCO Performance Group, LLC will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group, LLC makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group, LLC be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group, LLC has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group, LLC by any such person, entity or agent are void. AFCO Performance Group, LLC products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

AFCO TECH ON YOUTUBE

YOUTUBE.COM/USER/AFCODYNATECH



SHOCK VIDEOS

Watch a video clip about our Steel Bulb Gas Shocks!

Listen as Rex Merritt talks about the advantages of our 85/86/87/88 Series Modified Shocks.



Watch a video clip about our Steel Gas Shocks!

Listen as Rex Merritt talks about the advantages of our 83/84 Series Monotube Shocks.



REX MERRITT

- Over 40 years of experience in the racing industry.
- 20+ years of racing shock design and development.
- 36 track championships and 500+ feature wins on both dirt and asphalt.
- Owner of Rex Merritt Racing School.
- Previous racecar chassis builder.



BRAKE VIDEOS

Watch a video clip about Brake Pedal Maintenance!

Listen as Ben Baker talks about maintaining your AFCO Brake Pedals! From initial setup to weekly maintenance, this video will help you get the most life out of your pedals.




Watch a video clip about the AFCO 16+ Rotors!

AFCO's 16+ Ultra Light Rotors are a great way to reduce rotor weight without sacrificing quality. Unique curved vane design reduces weight while retaining surface support to lessen the chance of cupping.



BEN BAKER

- 24 years of racing experience, 10 years as a Dirt Late Model Crew chief with 50+ wins.
- 21 years of chassis tuning experience and 10+ years of service at AFCO Racing Products.
- Mechanical Engineering background including jet engine testing and emissions sampling.



Watch a video clip about AFCO's Brake Fluid!

Listen as Rex Merritt talks about our Brake Fluid offerings and brake fluid tech tips.



COOLING VIDEOS

Watch a video clip about the AFCO Lightweight Double Pass Radiator!

Listen as Rex Merritt talks about the advantages of AFCO's Lightweight Double Pass Radiator.



Watch a video clip about our Cooling Accessories!

Listen as Rex Merritt talks about our cooling accessories for your racecar.



AFCO CATALOG INDEX

Each market section has been color coded for ease of use.

GREEN = Late Model Section.

YELLOW = Modified & Street Stock Section.

RED = Open Wheel Section.

ORANGE = Quarter Midget Section.

LATE MODEL



LATE MODEL

10

MODIFIED & STREET STOCK



MODIFIED & STREET STOCK

64

OPEN WHEEL



OPEN WHEEL

140

QUARTER MIDGET




QUARTER MIDGET

176

FEATURED AFco PRODUCTS

1968-1972 CHEVELLE GM REPLACEMENT FRAME

The AFco 1968-1972 Chevelle GM Replacement Frame Kit is specifically designed for Modified Race Cars! AFco designed this kit to allow chassis builders to produce a very consistent front clip to build cars around. The frame has built-in locating tabs and holes to “lock” the pieces into correct position before welding. Improved steering shaft clearance, radiator clearance and drag link clearance are built in to the design to trim hours of labor and provide the best front clip on the market! Ask your chassis builder to use the AFco frame kit on your next Modified Race Car. For more details on our AFco 1968-1972 Chevelle GM Replacement frame, **please see pages 66-67.**



F44 ALUMINUM METRIC CALIPER



The AFco F44 Aluminum GM Metric Replacement Caliper features reduced pad taper, reduced brake fade, and reduced flex are all part of this expertly designed caliper, making it far superior to stock GM calipers. The F44 uses a 2-piece forged aluminum body with 4 large cross bolts for superior strength and rigidity. It incorporates our highly successful, truly-round 2-1/2" aluminum pistons to reduce brake drag and increase response time, both on and off of the brakes. One-piece bleeders with a durable 7/16" hex reduce the chance of your wrench slipping and ruining the bleeder. Pad taper is reduced by the addition of stainless steel abutment plates that are engineered to protect your caliper from pad and mounting bracket wear. For more details on our AFco F44 Aluminum Metric Caliper, **please see page 116.**

83/84 SERIES SHOCK

The AFCO 83/84 Series 2" diameter monotube shocks are an enhanced version of our successful 73/74 Series shocks. Features and benefits include the new AFCO matte blue finish, new billet piston choices, and jetted shafts for more precise tuning options. All valving combinations and curves are available in 7" and 9" lengths. The 9" stroke versions are ready to accept our 20125A-7KR coil-over kit. For more details on our AFCO 83/84 Series shocks, **please see page 72.**



AFCO 27 SERIES SHOCK



AFCO's 27 Series Aluminum Non-Adjustable shock comes with an extra-strong 1/2" reduced shaft size to diminish rod pressure gain, increase grip, and improve the handling of your race car. At \$174.99, AFCO offers you the best bang for your buck for non-adjustable aluminum monotube shocks! For more details on our AFCO 27 Series shocks, **please see page 18.**

AFCO TECHNOLOGIES "AT" SERIES SHOCK

With a team of engineers led by shock expert Jerry Link, AFCO introduced the AFCO Technologies (AT) Series of remote-canister, double-adjustable shocks. The AT Series is AFCO's premium shock line, using highly refined, high-quality components. An extra-large, yet lightweight canister, with a 42% higher gas volume bladder, allows for less rod pressure build-up. The shock comes with a durable .625" shaft. AFCO uses a five-axis CNC machine to create its billet aluminum pistons. For more details on our AFCO Technologies (AT) Series shocks, **please see pages 12-13.**



FEATURED AFCO PRODUCTS

CNC MACHINED BILLET PISTONS

AFCO's billet CNC machined pistons are designed to provide optimum performance for the most demanding situations. Utilizing the latest 5-axis CNC equipment combined with 100% inspection ensures each piston meets a high level of quality. Likewise, a thorough deburring process is utilized to further ensure damping curves remain consistent build-to-build as well as throughout the life of each shock absorber. Available in linear/linear or linear/digressive configuration, these pistons will fit any 46mm bore AFCO monotube shock (aluminum or steel bodied). For more details on our billet CNC machined pistons, **please see pages 31 and 89.**



SOLID TRACTION ROTOR



Looking to increase your left rear unsprung weight? Need extra left side drive getting off of the corner? AFCO offers 1" and 1.25" solid steel rotors to boost left rear traction and tighten your car on corner exits. For more details on our Solid Traction Rotors, **please see pages 49 and 121.**


16+ ULTRA LIGHT ROTORS

AFCO's 16+ Rotors are a great way to reduce rotor weight without sacrificing quality. Unique curved vane design reduces weight while retaining surface support to lessen the chance of cupping. Available in a slotted or flat faced design, these .810" thick rotors allow the use of standard mounting configurations without using pad spacers. For more details on our lightweight rotors, **please see pages 49, 121 and 164.**



ULTRA LIGHTWEIGHT BLACK COATED SPRINGS

You asked for it and AFCO delivered! Responding to market demand, now you can run high-quality and dependable AFCO springs and still get that “blacked out” look! Now in black coating, you can get the performance you are looking for with the tightest tolerances in the industry. All AFCOILS® are manufactured using ultra-high tensile wire and are guaranteed not to lose more than 1% of free height. Not only are these springs designed to prevent spring lean, the barrel design also prevents spring bow. For more details on our AFCOILS®, **please see pages 32, 92 and 156.**



SINGLE ROW 1.5" TUBE DOUBLE PASS RADIATORS

**CONFIGURATIONS INCLUDING 24"
FOR SOUTHERN SPORT MODS!**



80184FNDP-U - (27-1/2" x 19")

The AFCO lightweight double pass radiator for modifieds is the easiest and most cost effective way to shave as much as 10 pounds off the front of your car, allowing you to concentrate ballast and improve handling. The radiator features a single row 1.5" tube core for improved air-flow. The lightweight double pass radiator has the standard features you have come to trust from AFCO such as: furnace brazed tubes with no epoxy, 100% TIG-welded construction and a standard water pressure bung for easy plumbing. We also offer a wide range of inlets (1.5", -16AN, -20AN, and -20 AN Female) to suit your cooling needs. Chevy or Ford configurations available. These race-proven, lightweight radiators fit the same footprint as our standard radiators and installation is simple with no major modifications needed for mounting. For more details on our AFCO lightweight double pass radiators, **please see page 132.**

VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



LATE MODEL

SHOCKS	12
SUSPENSION	32
BRAKES	42
COOLING	52

Bobbie Richey



LATE MODEL INDEX

SHOCKS

12-31

AT SERIES GAS SHOCKS	12-13
SILVER SERIES GAS SHOCKS	14-15
ALUMINUM GAS SHOCKS	16-18
ALUMINUM TWIN TUBE SHOCKS	19-21

SHOCK REBUILD PARTS AND TOOLS

SHOCK ACCESSORIES	22-24
SHOCK REBUILD TOOLS	25-26
SHOCK REPAIR PARTS	27-31

SPRINGS

32-33

ULTRA LIGHTWEIGHT SPRINGS

COIL-OVER SPRINGS	32-33
DUAL STAGE SPRINGS	32-33

OTHER SPRINGS

TAKE-UP SPRINGS	32-33
TORQUE ARM/FIFTH COIL SPRING	33

FRONT SUSPENSION

34-35

LOW FRICTION BALL JOINTS	34
STANDARD BALL JOINTS	34
BALL JOINT SLEEVES	35
ALUMINUM TUBES	35
TAPER REAMERS	35

STEERING

36-37

ROD ENDS	36-37
U-JOINTS AND COUPLERS	37
COLLAPSIBLE STEERING COLUMN	37
MISC. STEERING COMPONENTS	37

ACCESSORIES

38-41

FUEL FILTER	38
SOLID PANHARD BAR KIT	38
TIRE ACCESSORIES	38
SHIFTERS/THROTTLE PEDALS	39
ENGINE MOUNTS	40
BATTERY BOXES	40
HOOD PINS	40
MISC. ACCESSORIES	40
REAR END FILLER	41
FUEL/CARBURATION ACCESSORIES	41

BRAKES

42-51

BRAKE & CLUTCH PEDALS

REVERSE DUAL SWING BRAKE PEDALS	42
FORWARD DUAL SWING BRAKE PEDALS	42
FORWARD SWING BRAKE/CLUTCH PEDALS	43
FORWARD FLOOR BRAKE/CLUTCH PEDALS	43

MASTER CYLINDERS

INTEGRAL RESERVOIR MASTER CYLINDER	44
INTEGRAL RESERVOIR REBUILD KITS	44
CLUTCH MASTER CYLINDER KIT	45

BRAKE PADS

BRAKE PADS & SETUP	46-47
--------------------	-------

BRAKE ROTORS

PILLAR VANE ROTORS	48
32 VANE ROTORS	48
16+ ULTRA LIGHT CURVED VANE ROTORS	49
SOLID TRACTION ROTORS	49

BRAKE ACCESSORIES

CALIPER PRESSURE BLEEDER ADAPTERS	45
HIGH PERFORMANCE BRAKE FLUID	47
BRAKE SHUT-OFF VALVE	50

BRAKE SYSTEM FITTINGS	50
BRAKE LINES	51
CRANK-TYPE BIAS ADJUSTER	51
KNOB STYLE BIAS ADJUSTER	51

COOLING

52-63

RADIATORS

DOUBLE PASS RADIATORS	54-56
LIGHTWEIGHT SINGLE ROW CORE RADIATORS	57
ECONOMY RADIATORS	57
UNIVERSAL RADIATORS	58
EXTRA CAPACITY PRO & STANDARD RADIATORS	59
ASPHALT RADIATORS & COOLERS	60-61

COOLING ACCESSORIES

TRANSMISSION & ENGINE OIL COOLERS	62
RADIATOR CAPS	62
COOLANT RECOVERY TANK	62
COOLANT ADDITIVE	62
INLINE FILLER	62
MISC. RADIATOR COMPONENTS	63
COOLING FANS & COMPONENTS	63
FITTINGS	63

TUNING GUIDES/TECH 180-183

SHOCK GUIDE	180-181
-------------	---------

APPAREL

184-186

For more information and a complete listing of accessories and repair parts, visit www.AFCOracing.com

AT SERIES SHOCKS ALUMINUM

5/8"
Shaft

DOUBLE ADJUSTABLE

With a team of engineers led by shock expert Jerry Link, AFCO recently introduced the AFCO Technologies (AT) Series of remote-canister, double-adjustable shocks aimed for the dirt late model market.

The AT Series is AFCO's premium shock line, using highly refined, high quality components. An extra-large, yet lightweight canister, with a 42% higher gas volume bladder, allows for less rod pressure build-up. The shock comes with a durable .625" shaft. AFCO uses a five-axis CNC machine to create its billet aluminum pistons. Newly designed adjustment needles and seats promote more precise adjustments shock-to-shock. Racer-friendly coil-over adjuster nuts feature a spring-loaded roller detent and pinch-bolt locking system. Each shock is 100% inspected and built by Jerry Link and his team of shock experts.



FEATURES

■ 5-axis machined aluminum pistons.

■ Pressure balanced base valve design.

■ Large gas volume reservoir bladder.

■ One-piece stainless steel compression adjuster valve body.

■ Premium coil-over adjuster nuts with non-marring detent and locking system.

■ **MADE IN THE U.S.A.**

BENEFITS

■ Enhanced driver feel in the steering wheel and seat.

■ Precise compression adjustments from shock-to-shock.

■ Better feel - easy adjustments and locking.



JERRY LINK

"I've had the opportunity to work with many of the best shock brands and top race teams throughout my career. I was able to work with the talented design team at AFCO Technologies and help create a totally new line of high-end, custom built shocks for the oval track market. Each shock is hand built and personally inspected to ensure maximum performance right out of the gate."

-Jerry Link, AFCO Technologies



Starting at
\$962.⁹⁹ ea.



ORDERING INFORMATION - HOW TO ORDER

AFCO AT Series Shocks are custom-built per application. **To order, call Jerry Link at 800-632-2320 (ext. 6273).** Please be prepared to discuss:

- A) Chassis make/model
- B) Car set-up information
- C) Track location/size/conditions

Given this information, most cars will require a package of either 5 or 6 shocks.

CANISTER MOUNTS



DESCRIPTION	PART #	PRICE
1-1/4" TUBE MOUNT	50330	\$85.99
1-3/8" TUBE MOUNT	50329	\$85.99
1-1/2" TUBE MOUNT	50331	\$85.99
1-3/4" TUBE MOUNT	50332	\$85.99
QUICK PINS (4 PACK)	50334	\$26.99



James Rice



GAS SHOCKS ALUMINUM

DOUBLE ADJUSTABLE

5/8"
Shaft

62 SERIES


The Silver Series Gas Shock is designed for reduced gas pressure gain. These shocks are owner serviceable, or you can take them to any AFCO shock repair center for convenient and fast turnaround. With a number of customizable options, you can tailor your Silver Series Shocks for any late model application.

All 62 Series
double adjustable:

\$561⁹⁹

- Double adjustable.
- Latest technology.
- DURox chrome shaft.
- Owner serviceable.
- Second-to-none technical support.
- Custom valving available at NO EXTRA CHARGE.

SILVER
s e r i e s



STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
6"	12.20"	18.16"
7"	13.20"	20.16"
8"	14.20"	22.16"
9"	15.20"	24.16"



**INCLUDES:
COIL-OVER KIT
HARDWARE**
(20135C - for each shock)

DOUBLE ADJUSTABLE

POPULAR OPTIONS

7" FRONT - ALL	PART#
STANDARD FRONT (3-6 / 3-6)	6270
HIGH SPEED REBOUND (3-6 / 4-8)	6270HSR
SLICK TRACK (2-5 / 4-8)	6270S
RF HIGH SPEED TIE DOWN (3-6 / 5-12)	6270SX2
RF TIE DOWN (3-6 / 9-14 DIGRESSIVE REBOUND)	6270BNR6
RF/LF LINEAR REBOUND	6270-1LIN
RF 800 LBS @ 1"	6270BNR8
RF 1100 LBS @ 1"	6270BNR11
RF 1500 LBS @ 1"	6270BNR15
RF/LF 600 LBS @ 1"	62736-6BNR
RF/LF 900 LBS @ 1"	62736-9BNRZ

9" REAR - 4 LINK / OTHERS	PART#
LEFT REAR ON 4 LINK & OTHERS (SPRING BEHIND)	6290LR
RIGHT REAR ON 4 LINKS & OTHERS	6290RR
SLICK TRACK (3-6 / 3-6)	6290S
RIGHT REAR ON 4 LINKS & OTHERS (5-8 / 1-3)	62958-13LIN

CUSTOM OPTIONS

LENGTH	VALVING	PART#
6"	SPECIFY - CALL FOR DETAILS	6260SP
7"	SPECIFY - CALL FOR DETAILS	6270SP
8"	SPECIFY - CALL FOR DETAILS	6280SP
9"	SPECIFY - CALL FOR DETAILS	6290SP

CANISTER MOUNTS



DESCRIPTION	PART #	PRICE
1-1/4" TUBE MOUNT	50330	\$85.99
1-3/8" TUBE MOUNT	50329	\$85.99
1-1/2" TUBE MOUNT	50331	\$85.99
1-3/4" TUBE MOUNT	50332	\$85.99
QUICK PINS (4 PACK)	50334	\$26.99

UNBELIEVABLY SMART BUNDLE

Receive a full day of Shock School with any SILVER SERIES TRACKPAK PURCHASE! **CALL FOR DETAILS**

4 shocks for only:
\$2,246⁹⁹




4-PACK OPTION

(2) 7" FRONT & (2) 9" REAR	PART#
4 SHOCK TRACKPAK - 4-LINK	6200-199

AFCO TECH: 4-LINK GAS SHOCK RECOMMENDATIONS


Left Front Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6270HSR	2675-610	2775D
	SLICK	6270HSR	2675-610	2775-3D
	ROUGH	6270-1LIN	2675-610	2775D




Right Front Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6270BNR6	2674-610	2775-10
	SLICK	6270BNR6	2673-610	2773-10
	ROUGH	6270-1LIN	2674-610	2774-8




Left Rear Front Traction Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6290LRF	3190CA	21960
	SLICK	6290LRF	3190CA	2196-2
	ROUGH	6290LRF	3190CA	2195-3




Right Rear Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6290S	2694-47	2794
	SLICK	6290S	2693-47	2793-6
	ROUGH	6290S	2693-47	2793-6




Left Rear Behind Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6290LR	2695-36	2194
	SLICK	6290LR	2695-36	2195-3
	ROUGH	6290LR	2695-36	2194-5



Fifth Coil / Torque Arm Shocks

GAS	TRACK CONDITION	DOUBLE ADJ.	SINGLE ADJ.	NON ADJ.
	BASE	6270HSR	2673-47	2773-5
	SLICK	6270HSR	2673-47	2773-7
	ROUGH	6270HSR	2673-47	2773



GAS SHOCKS ALUMINUM

SINGLE ADJUSTABLE

26 SERIES

- Gas pressure single adjustable.
- Available in either compression or rebound adjustable.
- Schrader valve/floating piston design for gas pressure tuning.
- Coil-over kit sold separately. See below.

All 26 Series
single-adjustable:

\$299⁹⁹

DESCRIPTION	COMPRESSED LENGTH	EXTENDED LENGTH
5"	11.40"	15.35"
6"	12.40"	17.35"
7"	13.40"	19.35"
8"	14.40"	21.35"
9"	15.40"	23.35"

HOW TO READ AND ORDER YOUR AFco SHOCKS:

REBOUND ADJUSTABLE	SHOCK SERIES 26 ALUMINUM SINGLE ADJUSTABLE	STROKE LENGTH 9 OPTIONS: 6", 7", 8" or 9"	COMP. VALVE OPTIONS 3 0 to 14 FIXED	-	REB. RANGE OPTIONS 36 3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	ROD END STYLE Z SHORT ROD END	=	PART NUMBER 2693-36Z
COMPRESSION ADJUSTABLE	SHOCK SERIES 26 ALUMINUM SINGLE ADJUSTABLE	STROKE LENGTH 9 OPTIONS: 6", 7", 8" OR 9"	COMP. RANGE OPTIONS 36 3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	-	REB. VALVE OPTIONS 3 0 to 14 FIXED	ROD END STYLE Z SHORT ROD END	=	PART NUMBER 26936-3Z

GAS SHOCK RECOMMENDATIONS - PAGE 15

BIG BODY - ALUMINUM THREADED COIL-OVER ACCESSORIES

21, 26 & 31 SERIES


DESCRIPTION	PART #	PRICE
TAPERED CONE KIT	20135	\$42.99
SPRING SEAT ONLY (TAPERED CONE)	20130	\$21.39
ADJUSTER NUT ONLY	20131A	\$31.99
SNAP RING	10243SR	\$4.27



20135



20130



20131A



10243SR



GAS SHOCKS ALUMINUM

SINGLE ADJUSTABLE

31 SERIES

- Gas pressure single adjustable.
- Available in either compression or rebound adjustable.
- Schrader valve/bladder design for gas pressure tuning and quick response.
- Coil-over kit sold separately. See page 22.

All 31 Series
single-adjustable:

\$352⁹⁹

SPECIAL APPLICATIONS

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH	BODY DIAMETER
7" (3163FC)	14.80"	21.80"	2.17"
9" (3190CA)	16.80"	25.80"	2.17"

DESCRIPTION	7" STROKE
FIFTH COIL (3/4-7)	3163FC
DESCRIPTION	9" STROKE
TRACTION SHOCK (3-6/0)	3190CA

HOW TO READ AND ORDER YOUR AFCO SHOCKS:


REBOUND ADJUSTABLE

SHOCK SERIES 31 ALUMINUM SINGLE ADJUSTABLE	STROKE LENGTH 9 OPTIONS: 6", 7", 8" or 9"	COMP. VALVE OPTIONS 3 0-14 FIXED	-	REB. RANGE OPTIONS 36 3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	ROD END STYLE Z SHORT ROD END	=	PART NUMBER 3193-36Z
--	---	--	---	--	---	---	--------------------------------

COMPRESSION ADJUSTABLE

SHOCK SERIES 31 ALUMINUM SINGLE ADJUSTABLE	STROKE LENGTH 9 OPTIONS: 6", 7", 8" OR 9"	COMP. RANGE OPTIONS 36 3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	-	REB. VALVE OPTIONS 3 0 to 14 FIXED	ROD END STYLE Z SHORT ROD END	=	PART NUMBER 31936-3Z
--	---	---	---	--	---	---	--------------------------------

GAS SHOCK RECOMMENDATIONS - PAGE 15



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



GAS SHOCKS ALUMINUM

NON-ADJUSTABLE

21/27 SERIES

- 21 Series: (5/8" shaft) for greater rod pressure gain.
- 27 Series: (1/2" shaft) for reduced rod pressure gain.
- Fixed valving in a gas pressure design.
- User serviceable/repairable.
- Custom valving available.
- Coil-over kit (#20135) sold separately. See page 22.

All 21/27 Series
non-adjustable:

\$186⁹⁹

DESCRIPTION	7"	9"
COMPRESSED	13.53"	15.53"
EXTENDED	20.47"	24.47"

HOW TO READ AND ORDER YOUR AFCD SHOCKS:

SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. VALVE OPTIONS	D	PART NUMBER
21 ALUMINUM NON-ADJUSTABLE	9 OPTIONS: 6", 7", 8" or 9"	3 0 to 12 FIXED	6 0-14 (LINEAR) or BNRX (DIGRESSIVE) (SEE CHART BELOW)	D	= 2193-6D

HOW TO READ AND ORDER YOUR AFCD SHOCKS:


SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. VALVE OPTIONS	PART NUMBER
27 ALUMINUM NON-ADJUSTABLE NEW!	9 OPTIONS: 6", 7", 8" or 9"	3 0 to 12 FIXED	6 0-14 (LINEAR) or BNRX (DIGRESSIVE) (SEE CHART BELOW)	= 2793-6

WHAT IS BNR VALVING?

AFCD's BNR (BIG NOSE REBOUND) rebound designation offers you an easy way to order your shocks with digressive rebound. The "X" in BNRX allows you to name how stiff (@ 1"/sec.) you want your rebound.

BNRX VALUE =

- BNR4 (400# @ 1"/SEC.)
- BNR6 (600# @ 1"/SEC.)
- BNR8 (800# @ 1"/SEC.)
- BNR10 (1000# @ 1"/SEC.)




NEW!

1/2" Shaft

27 SERIES

5/8" Shaft

21 SERIES



**GAS SHOCK
RECOMMENDATIONS
- PAGE 15**

TWIN TUBE SHOCKS^{ALUMINUM}

DOUBLE ADJUSTABLE

37 SERIES

- Double adjustable shock with no external canister - fits many shock rules.
- Twin Tube design for ultimate traction, when traction is at its worst.
- Includes coil-over hardware kit.
- Custom valving available.

All 37 Series
double adjustable:

\$534⁹⁹

POPULAR OPTIONS

7" FRONT - ALL	PART#
STANDARD FRONT (3-6 / 3-6)	3770Z
HIGH SPEED REBOUND (3-6 / 4-8)	3770HSRZ
SLICK TRACK (2-5 / 4-8)	3770SZ
RF HIGH SPEED TIE DOWN (3-6 / 5-12)	3770SX2Z
RF TIE DOWN (3-6 / 9-14 DIGRESSIVE REBOUND)	3770BNR6Z
RF/LF LINEAR REBOUND	3770-1LINZ
RF 800 LBS @ 1"	3770BNR8Z
RF 1100 LBS @ 1"	3770BNR11Z
RF 1500 LBS @ 1"	3770BNR15Z
RF/LF 600 LBS @ 1"	37736-6BNR
RF/LF 900 LBS @ 1"	37736-9BNRZ

9" REAR - 4 LINK / OTHERS	PART#
RIGHT REAR ON 4 LINKS & OTHERS	3790RZ

9" REAR - SWING ARM	PART#
(3-6 / 3-6)	3790SAZ

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
5"	11.18"	16.10"
6"	12.18"	18.10"
7"	13.18"	20.10"
8"	14.18"	22.10"
9"	15.18"	24.10"

CUSTOM OPTIONS

LENGTH	VALVING	PART#
6"	SPECIFY - CALL FOR DETAILS	3760SPZ
7"	SPECIFY - CALL FOR DETAILS	3770SPZ
8"	SPECIFY - CALL FOR DETAILS	3780SPZ
9"	SPECIFY - CALL FOR DETAILS	3790SPZ

AFCO TECH: 4-LINK TWIN TUBE SHOCK RECOMMENDATIONS

<



TWIN TUBE SHOCKS ALUMINUM

SINGLE ADJUSTABLE

35/36 SERIES

- 35 Series: Compression changes will not affect rebound.
- 36 Series: Rebound changes will not affect compression.
- Includes coil-over hardware kit.

All 35/36 Series
single adjustable:

\$320⁹⁹

CUSTOM OPTIONS

DESCRIPTION	PART#
6" REBOUND ADJ.	3660SPZ
6" COMPRESSION ADJ.	3560SP
7" COMPRESSION ADJ.	3570SP
8" REBOUND ADJ.	3680SPZ
8" COMPRESSION ADJ.	3580SP
9" REBOUND ADJ.	3690SPZ
9" COMPRESSION ADJ.	3590SP

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
5"	11.18"	16.10"
6"	12.18"	18.10"
7"	13.18"	20.10"
8"	14.18"	22.10"
9"	15.18"	24.10"

HOW TO READ AND ORDER YOUR 35 SERIES AFCD SHOCKS:

COMPRESSION ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. RANGE OPTIONS	REB. VALVE OPTIONS	PART NUMBER
	35	9	36	3	35936-3
	ALUMINUM SINGLE ADJUSTABLE	OPTIONS: 6", 7", 8" OR 9"	3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	0 to 14 FIXED	

HOW TO READ AND ORDER YOUR 36 SERIES AFCD SHOCKS:

REBOUND ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. RANGE OPTIONS	ROD END STYLE	PART NUMBER
	36	9	3	36	Z	3693-36Z
	ALUMINUM SINGLE ADJUSTABLE	OPTIONS: 6", 7", 8" or 9"	0 to 14 FIXED	3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	SHORT ROD END	

TWIN TUBE SHOCK RECOMMENDATIONS - PAGE 19

5/8"
Shaft



35 SERIES

36 SERIES

TWIN TUBE SHOCKS_{ALUMINUM}

NON-ADJUSTABLE

13 SERIES

- Shim stack technology gives excellent consistency and repeatability.
- Twin Tube design for best performance on slick and smooth tracks.
- Coil-over kit (#20135) sold separately. See page 22.

All 13 Series
non-adjustable:

\$202⁹⁹

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
6"	12.32"	18.25"
7"	13.32"	20.25"
8"	14.32"	22.25"
9"	15.32"	24.25"

HOW TO READ AND ORDER YOUR 13 SERIES AFco SHOCKS:

NON-ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE	REB. VALVE	DEFLECTIVE DISC DESIGN	PART NUMBER
	13	9	3	6	T	= 1393-6T
	ALUMINUM NON-ADJUSTABLE	6", 7", 8" or 9"	0 to 9 FIXED	0 to 14 FIXED		

TWIN TUBE SHOCK RECOMMENDATIONS - PAGE 19




Corey Earl



SHOCK ACCESSORIES

BIG BODY - ALUMINUM THREADED COIL-OVER KITS




BLUE DELUXE COIL-OVER KIT: 20135PRO

DESCRIPTION	PART #	PRICE
BLUE DELUXE LOCKING COIL-OVER KIT	20135PRO	\$63.99
A) ADJUSTER NUT ONLY	20131APRO	\$53.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130	\$21.39
C) SNAP RING ONLY	10243SR	\$4.27




SILVER DELUXE COIL-OVER KIT: 20135CPRO

DESCRIPTION	PART #	PRICE
SILVER DELUXE LOCKING COIL-OVER KIT	20135CPRO	\$63.99
A) ADJUSTER NUT ONLY	20131ACPRO	\$53.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130C	\$21.39
C) SNAP RING ONLY	10243SR	\$4.27



BLUE STANDARD COIL-OVER KIT: 20135

DESCRIPTION	PART #	PRICE
BLUE STANDARD COIL-OVER KIT	20135	\$42.99
A) ADJUSTER NUT ONLY	20131A	\$31.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130	\$21.39
C) SNAP RING ONLY	10243SR	\$4.27




SILVER STANDARD COIL-OVER KIT: 20135C

DESCRIPTION	PART #	PRICE
SILVER STANDARD COIL-OVER KIT	20135C	\$42.99
A) ADJUSTER NUT ONLY	20131AC	\$31.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130C	\$21.39
C) SNAP RING ONLY	10243SR	\$4.27

COIL-OVER TRAVEL INDICATOR

Great tool to determine what your suspension is doing.



INSTALLS AS SHOWN

DESCRIPTION	PART #	PRICE
COIL-OVER TRAVEL INDICATOR	20116	\$58.99

COIL-OVER MOUNTS


20137
Universal mount20137-1
Narrow universal mount20138
For round tube lower control arm20139
Roll cage mount:
1/2" bolt

DESCRIPTION	PART #	PRICE
BUSHING ONLY	20136B	\$5.34
UNIVERSAL MOUNT	20137	\$24.99
UNIVERSAL MOUNT - NARROW	20137-1	\$14.99
ROUND TUBE MOUNT	20138	\$24.99
ROLL CAGE MOUNT	20139	\$24.99

SHOCK ACCESSORIES

DUAL STAGE COIL-OVER

AFCO's Dual Stage Coil-Over assembly provides variable spring rates that can be used to improve traction and handling in the slickest of conditions. Additionally, the assemblies can help eliminate suspension bottoming problems common with today's dirt late model race cars.



AFCO BIG BODY DUAL STAGE COIL-OVER

DESCRIPTION	PART #	PRICE
BIG BODY DUAL STAGE HARDWARE KIT - INCLUDES (2) 20100-2, 20183-1 & 20183-2	20121-2	\$74.99
DUAL STAGE SPRING SLIDER NYLON	20183-1	\$31.99
DUAL STAGE JAM NUT (REQUIRES 2 PCS.)	20100-2	\$21.39
DUAL STAGE SPRING SLIDER ALUMINUM	20183-2	\$26.99

BLACK DUAL STAGE SPRINGS

DESCRIPTION	PART #	PRICE
SECONDARY SPRING 4" X 300 (2-5/8" ID)	26300B	\$79.99
SECONDARY SPRING 4" X 350 (2-5/8" ID)	26350B	\$79.99
SECONDARY SPRING 4" X 400 (2-5/8" ID)	26400B	\$79.99
SECONDARY SPRING 4" X 600 (2-5/8" ID)	26600B	\$79.99
SECONDARY SPRING 5" X 400 (2-5/8" ID)	26400-3B	\$79.99
SECONDARY SPRING 5" X 500 (2-5/8" ID)	26500-3B	\$79.99
PRIMARY SPRING 8.25" X 600 (2-5/8" ID)	26600-2B	\$79.99
PRIMARY SPRING 8.25" X 700 (2-5/8" ID)	26700-2B	\$79.99



YELLOW DUAL STAGE SPRINGS

DESCRIPTION	PART #	PRICE
SECONDARY SPRING 4" X 350 (2-5/8" ID)	26350	\$79.99
SECONDARY SPRING 4" X 400 (2-5/8" ID)	26400	\$79.99
PRIMARY SPRING 8.25" X 600 (2-5/8" ID)	26600-2	\$79.99



HOW IT WORKS



AFCO Dual Stage Coil-Over assemblies use two coil-over springs, a special nylon slider for small body shocks or a nylon/aluminum slider for big body shocks that fits between the two springs. Also, two special, thin-walled nuts are used to jam the slider assembly in order to "stage" suspension stiffness. When the slider assembly (located between the two springs) is free to slide on its shock, the Dual Stage assembly produces a combined spring rate softer than either rate of the two springs used (see combined spring rate formula below).

Spring Rate Formula: Dual Active Springs

$$\frac{\text{Primary Spring Rate} \times \text{Secondary Spring Rate}}{\text{Primary Spring Rate} + \text{Secondary Spring Rate}} = \text{Actual Spring Rate}$$

$$\text{Example: } \frac{200\#/in. \times 400\#/in.}{200\#/in. + 400\#/in.} = \frac{80,000}{600} = 133.33\#/in.$$

Note: The combination of a 200#/in. and 400#/in. spring works the same as a single 133#/in. spring, as long as both combination springs are active.

However, the spring rate of the Dual Stage assembly stiffens to that of the primary spring, which remains as the sole, active spring whenever the slider assembly contacts the adjustable Dual Stage jam nuts.

POPULAR SETUPS

Left Rear: You can use AFCO's Dual Stage Coil-Over assembly on the left rear to help improve forward bite off the corners in the slickest of conditions. Start out with a 200 #/inch primary and a 400 #/inch secondary spring. The primary springs should be at least 12 inches tall and the secondary springs should be at least 4 inches tall to avoid potential coil-bind problems on left rear suspension applications. Set ride heights with the dual jam nuts not contacting the slider assembly. Adjust the jam nuts to just touch the slider assembly after ride heights have been set. This set-up provides a relatively soft, 133 #/inch spring rate during rebound travel beyond ride height, which lets a chassis hike up easily and develop left rear drive off the corners. However, this set-up produces a stiffened compression rate of 200 #/inch during compression travel beyond ride height. This "staged" rise in spring rate increases weight transfer to the left rear tire during initial acceleration, which helps to improve forward bite. Also, the soft initial spring rate of this dual spring assembly requires additional preloading of the coil-over assembly in order to maintain left rear ride heights. The extra preload helps to keep the coil-over assembly loaded at all times, which can improve overall traction and handling consistency.

Right Rear: Start with a 400 #/inch primary and a 300 #/inch secondary spring to free overall handling in heavy track conditions. Set ride heights with the dual jam nuts not contacting the slider assembly. Adjust the jam nuts to achieve a 2 inch gap (to start) between the jam nuts and slider assembly after ride heights have been set. This set-up provides a 171 #/inch rate at corner entry and a 400 #/inch rate at corner exit. Use 8 inch tall springs to avoid potential coil bind problems.

Right Front: Start out with AFCO's specially designed 26400-3 secondary and 26700-2 primary springs on your right front coil-over. These springs are specially designed to eliminate coil-bind and the need to compress the spring assembly prior to installation onto a 7 inch stroke shock. Set ride heights with the dual jam nuts not contacting the slider assembly. Adjust the jam nuts to achieve a 1.5 inch gap between the jam nuts and slider assembly after ride heights have been set. This set-up provides a 254 #/inch spring rate at corner entry and a 700 #/inch rate at corner exit, which works well in slick conditions to help eliminate loose corner entry deceleration handling and to improve forward bite off the corners. If necessary, you can increase the gap up to approximately 2 inches in .250 inch increments to loosen corner exit handling. This setup also helps to keep right front suspensions from bottoming out during cornering.

*This set-up information applies specifically to dirt late model race cars and in general to other types.

SHOCK ACCESSORIES

SHOCK PROTECTION

COIL-OVER SHOCK COVERS


Sold as a single cover.



DESCRIPTION	PART#	PRICE
10" SHOCK COVER (SINGLE)	OWSCR14	\$36.99
12" SHOCK COVER (SINGLE)	OWSCR19	\$36.99
14" SHOCK COVER (SINGLE)	OWSCR21	\$36.99

SHAFT PROTECTORS

For non coil-over applications.



DESCRIPTION	PART #	PRICE
SHAFT PROTECTOR KIT	20379-1	\$36.99
REPLACEMENT TUBES (1 PAIR)	20379-1S	\$31.99

SHOCK MOUNT PINS



DESCRIPTION	PART #	PRICE
HAIRPIN, 2-1/2"	10156-2	\$11.99
DETENTED, 2-1/2"	10156	\$36.99


CANISTER MOUNTS

Use to mount shock canisters to chassis.



DESCRIPTION	PART #	PRICE
1-1/4" CANISTER MOUNT	50330	\$85.99
1-3/8"	50329	\$85.99
1-1/2"	50331	\$85.99
1-3/4"	50332	\$85.99
QUICK PINS (4 PACK)	50334	\$26.99

SHOCK BUMPERS



20173
Cone

223541
3" Soft

223550
3" Medium

223559
3" Hard

DESCRIPTION	PART #	PRICE
3/4" JOUNCE RUBBER (NOT SHOWN)	A550090035X	\$2.13
CONE FOR CONVOLUTED BUMPER	20173	\$19.99
1.25" BLACK, EXTRA HARD (NOT SHOWN)	100137	\$5.99
2.25" SPEEDTHANE RED BUMPER ONLY (SOFT)	223527	\$26.99
2.25" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223533	\$26.99
2.25" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223539	\$26.99
3" SPEEDTHANE RED BUMPER ONLY (SOFT)	223541	\$26.99
3" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223550	\$26.99
3" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223559	\$26.99

REBUILD TOOLS

TOOLS & SUPPLIES



DESCRIPTION	PART #	PRICE
GAS ROD GUIDE WRENCH	A700500051	\$89.99



DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH	700500180	\$9.99



DESCRIPTION	PART #	PRICE
FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
1/2" SHAFT PISTON HEIGHT GAUGE	700500181	\$52.99



DESCRIPTION	PART #	PRICE
ROD END DETENT WRENCH	A700500035	\$34.99



DESCRIPTION	PART #	PRICE
TWIN-PRONG BLEEDER	A700500058	\$29.99



DESCRIPTION	PART #	PRICE
PRESSURE TUBE INSTALLER	A700500090	\$39.99



DESCRIPTION	PART #	PRICE
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99



DESCRIPTION	PART #	PRICE
HAND BEARING PRESS	A700500076	\$49.99



DESCRIPTION	PART #	PRICE
NEEDLE CLIP INSTALLER	A700500052	\$59.99



SCREWS INCLUDED

DESCRIPTION	PART #	PRICE
CANISTER VISE PLATE	A700500034	\$49.99



DESCRIPTION	PART #	PRICE
NON/SINGLE ADJ. TWIN TUBE JET PLUG	A700500065	\$59.99



DESCRIPTION	PART #	PRICE
TWIN TUBE COMP. HOUSING WRENCH	A700500066	\$69.99



DESCRIPTION	PART #	PRICE
OVERFLOW CUP (SB, BB, & QM)	550000302	\$89.99
2.45" X 1" RUBBER SEAL (3)	55000030203-3	\$11.99
2.45" X 1.38" RUBBER SEAL (3)	55000030202-3	\$11.99
2.45" X 1.63" RUBBER SEAL (3)	55000030201-3	\$11.99





DESCRIPTION	PART #	PRICE
BIG BODY WRENCH HANDLE	700500048	\$499.99
BIG BODY ALUM. SLEEVE	700500147	\$34.99

REBUILD TOOLS

TOOLS & SUPPLIES

ROD GUIDE TOOLS

DESCRIPTION	PART #	PRICE
 ROD GUIDE INSTALLER (5/8" SHAFT)	A700500059	\$24.99
 ROD GUIDE TOOL (1/2" SHAFT)	550000281	\$31.99

SPANNER WRENCH

Used for adjusting coil-over nuts. Spring pressure should be relieved before adjusting.



DESCRIPTION	PART #	PRICE
SPANNER WRENCH	20110	\$42.99

SHOCK VISE AND MOUNTING STAND



DESCRIPTION	PART #	PRICE
SHOCK VISE/MOUNTING STAND	20113	\$299.99

PREMIUM SHOCK OIL

For use in all AFCO rebuildable shocks.



DESCRIPTION	PART #	PRICE
1 QUART	MT59506	\$21.39
5 GALLONS	165006	\$320.99

GAS SHOCK INFLATION GAUGES



DESCRIPTION	PART #	PRICE
GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
GAS SHOCK INFLATION ASSY. 0-30 PSI	20109-8	\$106.99
GAUGE ONLY 0-30 PSI	550090237	\$47.99
ECONOMY SHOCK INFLATION ASSY. 0-300 PSI	GAUGE	\$76.99

COIL-OVER ADJUSTER NUT BEARING KIT

Sold in pairs.



DESCRIPTION	PART #	PRICE
NUT BEARING KIT	20144	\$58.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



13T, 35, 36 & 37 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

ALUMINUM BODY TWIN TUBE



DESCRIPTION	SMOOTH	THREADED	PRICE
6" SHOCK BODY	A550010186X	550010076	\$36.99
7" SHOCK BODY	A550010187X	550010077	\$36.99
8" SHOCK BODY	A550010188X	550010078	\$36.99
9" SHOCK BODY	A550010189X	550010079	\$36.99
END CAP O-RING (QTY. 25)	550060013-25	550060013-25	\$31.99

REPLACEMENT SHAFT ASSEMBLIES

STD. ADJ. ROD END 36 & 37 Series

DESCRIPTION	PART #	PRICE
4"	550140031	\$95.99
5"	550150031	\$95.99
6"	550160031	\$95.99
7"	550170031	\$95.99
8"	550180031	\$95.99
9"	550190031	\$95.99

SHORT ADJ. ROD END 36Z & 37Z Series

DESCRIPTION	PART #	PRICE
4"	550140033	\$101.99
5"	550150033	\$101.99
6"	550160033	\$101.99
7"	550170033	\$101.99
8"	550180033	\$101.99
9"	550190033	\$101.99

NON-ADJ. ROD END 13T & 35 Series

DESCRIPTION	PART #	PRICE
4"	550070074	\$26.99
5"	550070075	\$26.99
6"	550070076	\$26.99
7"	550070077	\$26.99
8"	550070078	\$26.99
9"	550070079	\$26.99



REPLACEMENT BODY CAP ASSEMBLIES

13T & 36 Series

DESCRIPTION	PART #	PRICE
BODY CAP (PLUG, PLUG O-RING & JET NOT INCLUDED)	550010072	\$31.99
NON-ADJ. PLUG	A550090049X	\$6.41
PLUG O-RING	A550060017X	\$2.13
JET-FIXED	A550030070X	\$5.34



550010072

35 & 37 Series

DESCRIPTION	PART #	PRICE
STD. BODY CAP	550100112	\$63.99
REPLACEMENT KNOB	A550040023X	\$10.99
BEARING AND CLIP	1000	\$15.99
BEARING ONLY (5 PACK)	901040009-5	\$52.99



550100112

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100157	\$36.99
COMPLETE ROD GUIDE ASSEMBLY (SILVER)	550100157C	\$36.99
1/2" SHAFT CONVERSION ROD GUIDE ASSEMBLY (SILVER)	550000497	\$42.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	BR57002-5	\$6.41
INNER SHAFT O-RING (5 QTY.)	550060042-5	\$10.99
INNER TEFLON BACKER (5 QTY.)	550060014-5	\$6.41
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34
PRESSURE TUBE O-RING (5 QTY.)	550060034-5	\$10.99
REPLACEMENT SEALS	157SEALKIT	\$6.41



DOUBLE/SINGLE NON-ADJ. TWIN TUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revolve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BASE VALVE/BLEED SHIMS	TTBV/AC	\$320.99
REBUILD KIT - COMPRESSION JETS (11T & 13T SERIES ONLY)	TTJETKIT	\$192.99

REPLACEMENT PRESSURE TUBES

DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
3" PRESSURE TUBE	550010090	\$14.99	8" PRESSURE TUBE	550010095	\$15.99
4" PRESSURE TUBE	550010091	\$14.99	9" PRESSURE TUBE	550010096	\$15.99
5" PRESSURE TUBE	550010092	\$14.99	7" GAS BAG*	550000348	\$10.99
6" PRESSURE TUBE	550010093	\$14.99	9" GAS BAG*	550000791	\$10.99
7" PRESSURE TUBE	550010094	\$14.99			

*Manufactured by The Brown Co.

REPLACEMENT ROD ENDS



DESCRIPTION	SERIES	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (BLUE)	36Z & 37Z	20172	\$79.99
STD. ADJUSTABLE ROD END (BLUE)	36 & 37	20177	\$95.99
ADJUSTABLE ROD END 1" EXT. (BLUE)	36 & 37	20177-1	\$106.99
ADJUSTABLE ROD END 2" EXT. (BLUE)	36 & 37	20177-2	\$106.99
STD. NON-ADJUSTABLE ROD END (BLUE)	13T & 35	20176	\$36.99
NON-ADJUSTABLE ROD END 1" EXT. (BLUE)	13T & 35	20176-1	\$47.99
NON-ADJUSTABLE ROD END 2" EXT. (BLUE)	13T & 35	20176-2	\$47.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
PRESSURE TUBE INSTALLER	A700500090	\$39.99
BIG BODY BLEEDER TOOL "OLD STYLE" (2 PRONG)	A700500058	\$29.99
HEX BLEEDER TOOL	700500180	\$9.99
ROD GUIDE WRENCH	550000665	\$54.99
OVERFLOW CUP	550000302	\$89.99
AFCO PREMIUM SHOCK OIL QUART	MT59506	\$21.39

21, 26 & 31 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

ALUMINUM MONOTUBE BODIES

DESCRIPTION	21, 26 SERIES	31 SERIES	PRICE
6" STROKE THREADED	550010347	550010346	\$58.99
7" STROKE THREADED	550010348	550010347	\$58.99
8" STROKE THREADED	550010349	550010348	\$58.99
9" STROKE THREADED	550010350	550010349	\$58.99
END CAP O-RING (QTY. 25)	550060013-25	550060013-25	\$31.99



REPLACEMENT SHAFT ASSEMBLIES

STD. ADJ. ROD END 26 & 31 Series

DESCRIPTION	PART #	PRICE
4"	550140031	\$95.99
5"	550150031	\$95.99
6"	550160031	\$95.99
7"	550170031	\$95.99
8"	550180031	\$95.99
9"	550190031	\$95.99



SHORT ADJ. ROD END 26Z & 31Z Series

DESCRIPTION	PART #	PRICE
4"	550140033	\$101.99
5"	550150033	\$101.99
6"	550160033	\$101.99
7"	550170033	\$101.99
8"	550180033	\$101.99
9"	550190033	\$101.99



REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	SERIES	PART #	PRICE
BODY CAP	21 & 26	550010072	\$31.99
REPLACEMENT BLADDER	31	550020023	\$21.39
FLOATING PISTON (O-RING INCLUDED)	21	8000096	\$15.99
FLOATING PISTON O-RING ONLY	21	8000006	\$3.20
SCHRADER VALVE	21, 26 & 31	550000050	\$7.48
SCHRADER CAP	21, 26 & 31	MT59080-1	\$2.13
SCHRADER VALVE ADAPTER	21 & 26	A550090195X	\$5.34



NON-ADJ. ROD END 21 Series

DESCRIPTION	PART #	PRICE
4"	550070074	\$26.99
5"	550070075	\$26.99
6"	550070076	\$26.99
7"	550070077	\$26.99
8"	550070078	\$26.99
9"	550070079	\$26.99



26 & 31
SERIES
(STD.)



26Z & 31Z
SERIES
(SHORT Z STYLE)



21
SERIES
(NON-ADJ.)

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100158	\$36.99
COMPLETE ROD GUIDE ASSEMBLY (SILVER)	550100158C	\$36.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	BR57002-5	\$6.41
SCRAPER RETAINING RING (5 QTY.)	550000449-5	\$2.99
T SEAL (5 QTY.)	550060055-5	\$21.39
REPLACEMENT SEALS	158SEALKIT	\$10.99



MONOTUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revalve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99

REPLACEMENT ROD ENDS



DESCRIPTION	SERIES	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (BLUE)	26Z	20177	\$95.99
STD. ADJUSTABLE ROD END (BLUE)	26 & 31	20177-1	\$106.99
ADJUSTABLE ROD END 1" EXT. (BLUE)	26 & 31	20177-2	\$106.99
ADJUSTABLE ROD END 2" EXT. (BLUE)	26 & 31	20172	\$79.99
STD. NON-ADJUSTABLE ROD END (BLUE)	21	20176	\$36.99
NON-ADJUSTABLE ROD END 1" EXT. (BLUE)	21	20176-1	\$47.99
NON-ADJUSTABLE ROD END 2" EXT. (BLUE)	21	20176-2	\$47.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
OVERFLOW CUP	550000302	\$89.99
MONOTUBE INFLATION ASSEMBLY	20109	\$106.99
HEXED ROD GUIDE WRENCH	A700500051	\$89.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
HAND BEARING PRESS	A700500052	\$59.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
BIG BODY ALUM. SLEEVE	700500147	\$34.99
FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
AFCO PREMIUM SHOCK OIL QUART	MT59506	\$21.39

SHOCK ACCESSORIES

ALUMINUM THREADED C/O KIT - (BLUE CONICAL CONE)

DESCRIPTION	PART #	PRICE
TAPERED CONE KIT	20135	\$42.99
SPRING SEAT ONLY (TAPERED CONE)	20130	\$21.39
ADJUSTER NUT ONLY	20131A	\$31.99
SNAP RING	10243SR	\$4.27



20135



10243SR



20130



20131A

27 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

ALUMINUM MONOTUBE BODIES

DESCRIPTION	27 SERIES	PRICE
6" STROKE THREADED	550010347	\$58.99
7" STROKE THREADED	550010348	\$58.99
8" STROKE THREADED	550010349	\$58.99
9" STROKE THREADED	550010350	\$58.99
END CAP O-RING (QTY. 25)	550060013-25	\$31.99



REPLACEMENT 1/2" SHAFT ASSEMBLIES

DESCRIPTION	PART #	PRICE
6" STROKE 1/2" NON-ADJ. SHAFT	55000011860	\$36.99
7" STROKE 1/2" NON-ADJ. SHAFT	55000011870	\$36.99
8" STROKE 1/2" NON-ADJ. SHAFT	55000011880	\$36.99
9" STROKE 1/2" NON-ADJ. SHAFT	55000011890	\$36.99



REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	SERIES	PART #	PRICE
BODY CAP	27	550010072	\$31.99
FLOATING PISTON (O-RING INCLUDED)	27	8000096	\$15.99
FLOATING PISTON O-RING ONLY	27	8000006	\$3.20
SCHRADER VALVE	27	550000050	\$7.48
SCHRADER CAP	27	MT59080-1	\$2.13
SCHRADER VALVE ADAPTER	27	A550090195X	\$5.34



550010072

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100156	\$36.99
OUTER ROD GUIDE O-RING (5 QTY.)	BR57002-5	\$6.41
REPLACEMENT SEALS	156SEALKIT	\$8.99



550100156

SHOCK ACCESSORIES

ALUMINUM THREADED C/O KIT - (BLUE CONICAL CONE)

DESCRIPTION	PART #	PRICE
TAPERED CONE KIT	20135	\$42.99
SPRING SEAT ONLY (TAPERED CONE)	20130	\$21.39
ADJUSTER NUT ONLY	20131A	\$31.99
SNAP RING	10243SR	\$4.27



20135



10243SR



20130



20131A

NON-ADJ. MONOTUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/valve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99

REPLACEMENT ROD ENDS

DESCRIPTION	SERIES	PART #	PRICE
NON-ADJUSTABLE STANDARD LENGTH (ALUM.)	27	550000141	\$39.99
NON-ADJUSTABLE 1" EXTENDED LENGTH (BLUE)	27	550000241-1	\$39.99
1/2" DIAMETER SHAFT - 1" EXTENSION	27	55000049801	\$11.99
1/2" DIAMETER SHAFT - 2" EXTENSION	27	55000049802	\$11.99
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99
JAM NUT (10 PACK)	27	550000140-10	\$63.99



550000141



550000241-1

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
OVERFLOW CUP	550000302	\$89.99
MONOTUBE INFLATION ASSEMBLY	20109	\$106.99
HEXED ROD GUIDE WRENCH	A700500051	\$89.99
ROD GUIDE INSTALLATION CONE	7005000281	\$31.99
HAND BEARING PRESS	A700500076	\$49.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
BIG BODY ALUM. SLEEVE	700500147	\$34.99
FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
AFCO PREMIUM SHOCK OIL QUART	MT59506	\$21.39



A700500076



550000281



550000302



A700500051



700500048 & 700500147



A700500136



20109



MT59506

32 & 62 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

ALUMINUM MONOTUBE BODIES

32 Series



62 Series



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
6" STROKE THREADED	550010346	\$58.99	6" STROKE THREADED	550010346C	\$58.99
7" STROKE THREADED	550010347	\$58.99	7" STROKE THREADED	550010347C	\$58.99
8" STROKE THREADED	550010348	\$58.99	8" STROKE THREADED	550010348C	\$58.99
9" STROKE THREADED	550010349	\$58.99	9" STROKE THREADED	550010349C	\$58.99
10" STROKE THREADED	550010350	\$58.99	10" STROKE THREADED	550010350C	\$58.99
END CAP O-RING (QTY. 25)	550060013-25	\$31.99	END CAP O-RING (QTY. 25)	550060013-25	\$31.99

REPLACEMENT SHAFT ASSEMBLIES

STD. ADJ. ROD END

32 & 62 Series



SHORT ADJ. ROD END

32Z & 62Z Series



LENGTH	PART #	PRICE	LENGTH	PART #	PRICE
4"	550140031	\$95.99	4"	550140033	\$101.99
5"	550150031	\$95.99	5"	550150033	\$101.99
6"	550160031	\$95.99	6"	550160033	\$101.99
7"	550170031	\$95.99	7"	550170033	\$101.99
8"	550180031	\$95.99	8"	550180033	\$101.99
9"	550190031	\$95.99	9"	550190033	\$101.99



32 & 62
SERIES
(STD.)



32Z & 62Z
SERIES
(SHORT Z
STYLE)

REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	PART #	PRICE
BODY CAP SILVER	550100117C	\$47.99
BODY CAP BLUE	550100117	\$47.99
REPLACEMENT BANJO STUD	A550020028X	\$15.99
BEARING AND CLIP	1000	\$15.99
BEARING ONLY (5 PACK)	901040009-5	\$52.99



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100158	\$36.99
COMPLETE ROD GUIDE ASSEMBLY (SILVER)	550100158C	\$36.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	BR57002-5	\$6.41
SCRAPER RETAINING RING (5 QTY.)	550000449-5	\$2.99
T SEAL (5 QTY.)	550060055-5	\$21.39
REPLACEMENT SEALS	158SEALKIT	\$10.99




REPLACEMENT ADJ. ROD ENDS



DESCRIPTION	SERIES	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (BLUE)	32Z	20172	\$79.99
STD. ADJUSTABLE ROD END (BLUE)	32	20177	\$95.99
ADJUSTABLE ROD END 1" EXT. (BLUE)	32	20177-1	\$106.99
ADJUSTABLE ROD END 2" EXT. (BLUE)	32	20177-2	\$106.99
Z STYLE ROD END WITH SIDE KNOB (SILVER)	62Z	20172C	\$52.99
STD. ADJUSTABLE ROD END (SILVER)	62	20177C	\$95.99
ADJUSTABLE ROD END 1" EXT. (SILVER)	62	20177-1C	\$106.99
ADJUSTABLE ROD END 2" EXT. (SILVER)	62	20177-2C	\$106.99

DOUBLE ADJUSTABLE MONOTUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revalve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99
REBUILD KIT - BASE VALVE/BLEED SHIMS	MTBV/AC	\$320.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
MONOTUBE INFLATION ASSEMBLY	20109	\$106.99
HEXED ROD GUIDE WRENCH	A700500051	\$89.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
OVERFLOW CUP	550000302	\$89.99
AFCO PREMIUM SHOCK OIL QUART	MT59506	\$21.39
RETENTION BUSHING REMOVER	A700500131	\$39.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
BIG BODY ALUM. SLEEVE	700500147	\$34.99
HAND BEARING PRESS	A700500076	\$49.99

CANISTER REPLACEMENT PARTS

DESCRIPTION	PART #	PRICE
HOSE ASSEMBLY (17.5")	A550200016X	\$85.99
HOSE ASSEMBLY (23.5")	A550200015X	\$95.99
HOSE SNAP RING	A550010027X	\$2.13
COMPRESSION KNOB	A550040023X	\$10.99
END CAP O-RING	A550060019X	\$2.13
CANISTER BLADDER	A550020010X	\$21.39
SCHRADER VALVE	550000050	\$7.48
SCHRADER VALVE CAP	MT59080-1	\$2.13
BANJO STUD	A550020016X	\$21.39

PISTONS REPLACEMENT PARTS

MACHINED BILLET PISTONS

NEW!

AFCO's new billet CNC machined pistons are designed to provide optimum performance for the most demanding situations. Utilizing the latest 5-axis CNC equipment combined with 100% inspection ensures each piston meets a high level of quality. Likewise, a thorough deburring process is utilized to further ensure damping curves remain consistent build-to-build as well as throughout the life of each shock absorber. Available in linear/linear or linear/digressive configuration, these pistons will fit any 46mm bore AFCO monotube shock (aluminum or steel bodied). In addition a performance-matched base valve is available for all 55-56, 75-76, and 85-86 Series Modified Steel Bulb Gas Shocks.



FEATURES AND BENEFITS

- 46mm piston size is compatible with AFCO 46mm bore monotube shocks.
- Anodized billet aluminum construction.
- Developed, optimized, and tested using an in-house EMA dyno.
- Machined in-house with state-of-the-art 5-axis CNC machinery.
- Developed and manufactured to be repeatable and consistent.
- 100% inspected and precision deburred.
- Linear/Linear or Linear/Digressive piston options.
- Performance matched base valve (85-88 Series).

DESCRIPTION	PART #	PRICE
46MM BILLET 3 PORT LINEAR/6 PORT LINEAR PISTON	550000682	\$63.99
46MM 3 PORT LINEAR/3 PORT LINEAR NEW!	550001139	\$63.99
46MM BILLET 6 PORT LINEAR/DIGRESSIVE PISTON	550000934	\$63.99
46MM 3 PORT LINEAR/DIGRESSIVE NEW!	550001140	\$63.99
PISTON GUIDE RING (5 PACK)	550060026-5	\$36.99
PISTON GUIDE O-RING (5 PACK)	550060021-5	\$10.99

SHOCK PISTONS & ACCESSORIES

MONOTUBE PISTONS & ACCESSORIES

Monotube (5/8" & 1/2" Shafts)

DESCRIPTION	PART#	PRICE
STANDARD MAIN PISTON (QTY. 2)	550010022-2	\$42.99
STANDARD MAIN PISTON (QTY. 10)	550010022-10	\$213.99
STANDARD FLOATING PISTON	8000096	\$15.99
SINGLE POPPET PISTON (QTY. 2)	550090086-2	\$69.99
SINGLE POPPET PISTON (QTY. 10)	550090086-10	\$341.99
DOUBLE POPPET PISTON (QTY. 2)	550090172-2	\$63.99
DOUBLE POPPET PISTON (QTY. 10)	550090172-10	\$320.99
DIGRESSIVE SPACER (QTY. 2)	550090031-2	\$6.41
DIGRESSIVE SPACER (QTY. 10)	550090031-10	\$31.99
0.060" POPPET JET	A550030040X	\$11.99
RESTRICTOR PORT MT PISTON	A550090213X	\$21.39
BLANK POPPET	A550030049X	\$10.99
0.125" POPPET JET	A550030045X	\$10.99
PISTON / O-RING (QTY. 5)	550060021-5	\$10.99
PISTON / O-RING (QTY. 25)	550060021-25	\$21.39
PISTON / GUIDE RING (QTY. 5)	550060026-5	\$36.99
PISTON / GUIDE RING (QTY. 25)	550060026-25	\$179.99
MAIN PISTON STOP WASHER	550090146-5	\$21.39
MAIN PISTON STOP WASHER	550090146-25	\$82.99
PRECISION SHOCK NUT 1/2"-20	550000291-5	\$15.99

TWIN TUBE PISTONS & ACCESSORIES

Twin Tube (5/8" Shaft)

DESCRIPTION	PART#	PRICE
STANDARD MAIN PISTON (QTY. 2)	550010031-2	\$42.99
STANDARD MAIN PISTON (QTY. 10)	550010031-10	\$213.99
TWIN TUBE POPPET PISTON	100051	\$58.99
TWIN TUBE DOUBLE POPPET PISTON	100052	\$63.99
MAIN PISTON O-RING (QTY. 1)	A550060012X	\$2.13
RESTRICTOR PORT MT PISTON (QTY. 25)	550060012-25	\$11.99
PISTON BAND (QTY. 1)	A550060023X	\$6.41
SHIM RESTRICTOR 3 HOLE	550090201	\$15.99
SHIM RESTRICTOR 5 HOLE	A550090202X	\$11.99
SHIM 3 HOLE (QTY. 5)	550080203-5	\$21.39
SHIM 3 HOLE (QTY. 25)	550080203-25	\$90.99
LINEAR TWIN TUBE BASE VALVE	A550030142X	\$21.39
DIGRESSIVE 35 MM SPACER	8000061	\$21.39



AFCO SUSPENSION

ULTRA LIGHTWEIGHT BLACK COATED SPRINGS (2-5/8" ID)

NEW!

You asked for it and AFCO delivered! Responding to market demand, now you can run high-quality AFCO springs and still get that "blackened out" look!

- **AFCOIL® Springs featuring all new black coating!**
- *Get the performance you are looking for with the tightest tolerances in the industry.*
- *All AFCOILS® are manufactured using ultra-high tensile wire.*
- *These springs are guaranteed not to lose more than 1% of free height.*
- *Engineered design resists spring lean and bow.*
- *Best warranty in the industry!*

4" BLACK COATED		10" BLACK COATED		12" BLACK COATED		14" BLACK COATED	
RATE	PART #	RATE	PART #	RATE	PART #	RATE	PART #
300	26300B	100	23100B	80	22080B	100	24100B
400	26400B	125	23125B	100	22100B	125	24125B
600	26600B	150	23150B	110	22110B	150	24150B
		175	23175B	125	22125B	160	24160B
		200	23200B	150	22150B	175	24175B
		225	23225B	160	22160B	185	24185B
		250	23250B	175	22175B	200	24200B
		275	23275B	185	22185B	225	24225B
		300	23300B	200	22200B	250	24250B
		325	23325B	225	22225B	275	24275B
		350	23350B	250	22250B	300	24300B
		375	23375B	275	22275B	350	24350B
		400	23400B	300	22300B		
		425	23425B	325	22325B		
		450	23450B	350	22350B		
		500	23500B	375	22375B		
		525	23525B	400	22400B		
		550	23550B	425	22425B		
		575	23575B	450	22450B		
		600	23600B	500	22500B		
		650	23650B	525	22525B		
				550	22550B		
				600	22600B		
				650	22650B		

NOTE: ALL 12" & 14" SPRINGS (UP TO 600 LBS./IN.) HAVE EXTRA SHOCK CLEARANCE WOUND INTO THE ACTIVE COILS. THE END COILS STILL TAKE STANDARD COIL-OVER HARDWARE.


MADE IN THE U.S.A.
Black Coated Springs
\$79⁹⁹

DUAL STAGE SPRINGS (2-5/8" ID)

See page 23 for set-up details.

DESCRIPTION	PART #	PRICE
SECONDARY SPRING 4" X 300	26300B	\$79.99
SECONDARY SPRING 4" X 350	26350B	\$79.99
SECONDARY SPRING 4" X 400	26400B	\$79.99
SECONDARY SPRING 4" X 600	26600B	\$79.99
SECONDARY SPRING 5" X 400	26400-3B	\$79.99
SECONDARY SPRING 5" X 500	26500-3B	\$79.99
PRIMARY SPRING 8.25" X 600	26600-2B	\$79.99
PRIMARY SPRING 8.25" X 700	26700-2B	\$79.99

NEW!


TAKE-UP SPRINGS

Used when suspension travel unloads coil-over assembly during travel.

DESCRIPTION	PART #	PRICE
2-5/8" TAKE-UP SPRING	27005B	\$54.99
2-5/8" SPRING GUIDE	20183-1	\$31.99

NEW!


ULTRA LIGHTWEIGHT YELLOW COATED SPRINGS

The AFKOIL® yellow coating is recognized for quality and dependable performance. Here's why top racers demand AFKOILS®:

- Manufactured using ultra-high tensile wire.
- Tightest tolerances in the industry – Get the performance you deserve.
- Best warranty in the industry – guaranteed not to lose more than 1% of free height.
- 2-5/8" I.D. designed to prevent spring lean and bow.
- Barrel design to prevent spring bow.

MADE IN THE U.S.A.

Yellow Coated Springs

\$79⁹⁹



4" YELLOW COATED	
RATE	PART #
400	26400

8" YELLOW COATED	
RATE	PART #
300	28300-1
425	28425-1
475	28475-1
500	28500-1

10" YELLOW COATED	
RATE	PART #
100	23100
225	23225
350	23350
400	23400
425	23425
525	23525
550	23550
575	23575
600	23600

12" YELLOW COATED	
RATE	PART #
100	22100
125	22125
150	22150
175	22175
185	22185
225	22225
250	22250
275	22275
300	22300
375	22375
425	22425
450	22450
525	22525
550	22550
600	22600

14" YELLOW COATED	
RATE	PART #
100	24100
125	24125
150	24150
200	24200
225	24225
300	24300
325	24325

NOTE: ALL 12" & 14" SPRINGS (UP TO 600 LBS./IN.) HAVE EXTRA SHOCK CLEARANCE WOUND INTO THE ACTIVE COILS. THE END COILS STILL TAKE STANDARD COIL-OVER HARDWARE.

DUAL STAGE SPRINGS

See page 23 for set-up details.

DESCRIPTION	PART #	PRICE
SECONDARY SPRING 4" X 350 (2-5/8" ID)	26350	\$79.99
SECONDARY SPRING 4" X 400 (2-5/8" ID)	26400	\$79.99
PRIMARY SPRING 8.25" X 600 (2-5/8" ID)	26600-2	\$79.99
PRIMARY SPRING 8.25" X 700 (2-5/8" ID)	26700-2	\$79.99



11" X 2 5/8" I.D. PROGRESSIVE RATE TORQUE ARM / FIFTH COIL SPRING

- Wide range of preload adjustment (165 lbs. - 675 lbs.).
- Soft primary rate (improves forward bite).
- Stiff secondary rate (provides quick application of engine torque to rear tires).



DESCRIPTION	PART #	PRICE
11" X 2-5/8" I.D. PROGRESSIVE RATE TORQUE ARM / FIFTH COIL SPRING	20087PR	\$89.99

TAKE-UP SPRING GUIDE

Used when suspension travel unloads coil-over assembly during travel.



DESCRIPTION	PART #	PRICE
2-5/8" SPRING GUIDE	20183-1	\$31.99

AFKOIL LIFETIME WARRANTY

AFKOIL® springs are manufactured using the finest spring material available. They are designed for extended life and consistent performance. They are guaranteed to do the job for which they are designed for as long as they are owned by the original purchaser.

COIL-OVER SPRINGS: AFKO will replace any AFKOIL® spring that ever exceeds the maximum allowable 1% loss of free height from original nominal specification. One way freight is included.

CONVENTIONAL SPRINGS: AFKO will replace any AFKOIL® spring that ever exceeds the maximum allowable 2% loss of free height from original nominal specification. One way freight is included.

1. Guarantee applies to original retail purchaser only.
2. Damaged springs not covered by warranty.
3. Spring must be returned to AFKO freight prepaid along with a copy of the original invoice.
4. No other warranty, either expressed or implied, applies to AFKOIL® springs. (Warranty not valid without invoice.)

SUSPENSION

LOW FRICTION BALL JOINTS

AFCO's low friction ball joints are designed with 2 ft. lbs. of resistance, the force required to move the stud of the ball joint. Compare this with standard replacement joints, with as high as 50 ft. lbs. of resistance.

- **Only 2 ft. lbs. of resistance and less bind = lower lap times.**
- Road inputs are controlled more effectively by the shock and spring instead of the tire, which improves traction.
- Precision-machined to tight tolerances, providing consistent resistance throughout the travel of the ball joint, to deliver consistent performance.
- Frees up suspension for more consistent, repeatable chassis tuning.
- Removes suspension bind and allows shock and spring to have more precise wheel control.
- Meets or exceeds standard ball joint strength.
- Improves weight transfer.
- Provides more accurate set-ups during vehicle scaling.
- Stock appearing.
- Lower input steering efforts and faster steering wheel return.
- Extended lengths will raise roll center and improve camber curves.



20036LF
LOWER
BALL JOINT



20031LF
20031-2LF
UPPER
BALL JOINT



20034LF
20034-2LF
UPPER
BALL JOINT

PART #	STYLE	BODY	PIN	PRICE
20031LF	4-BOLT UPPER	FITS MOST FABRICATED UPPER ARMS	POPULAR FOR FABRICATED SPINDLE	\$39.99
20031-2LF	4-BOLT UPPER	SAME AS 20031LF	SAME AS 20031LF, BUT +1/2" LONGER	\$39.99
20034LF	SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST TUBULAR UPPERS	FITS MOST FABRICATED SPINDLES	\$39.99
20034-2LF	SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST TUBULAR UPPERS	SAME AS 20034LF, BUT +1/2" LONGER	\$39.99
20036LF	SCREW IN LOWER	BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS)	BIG CHRYSLER STYLE FOR FABRICATED SPINDLES	\$39.99

STANDARD BALL JOINTS

Not all ball joints are created equal. That's why we choose the best components from the top U.S. manufacturers. There are many different design characteristics and manufacturing processes that account for the quality and performance of ball joints. We choose the best to give you the AFCO Advantage.



20036
LOWER
BALL JOINT



20031
UPPER
BALL JOINT



20034
UPPER
BALL JOINT



20034-1
UPPER
BALL JOINT



20035
UPPER
BALL JOINT

RACING & HYBRIDS APPLICATION GUIDE

UPPER BALL JOINTS APPLICATION	INT#*	STANDARD	PRICE	LOW FRICT.	PRICE
FITS AFCO CONTROL ARM	K6024	20031	\$24.99	20031LF	\$39.99
SMALL SCREW IN; 1.83" BODY AT THREAD;					
(USED IN UPPER & LOWER AFTERMARKET CONTROL ARMS; FITS PINTO TAPER)	K772	20034	\$24.99	20034LF	\$39.99
SAME AS 20034 EXCEPT .200" LONGER STUD USED TO RAISE THE ROLL CENTER	N/A	20034-1	\$24.99	•	•
SAME BODY AS 20034 EXCEPT LARGER STUD	K719	20035	\$29.99	•	•

LOWER BALL JOINTS APPLICATION	INT#*	STANDARD	PRICE	LOW FRICT.	PRICE
LARGE SCREW IN; 2.00" BODY AT THREAD	K727	20036	\$34.99	20036LF	\$39.99

*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS.

CROSS REFERENCE GUIDE

AFCO PART #	INT.NUMBER	TYPE
20031	K6024	BOLT-IN
20034	K772	SCREW-IN
20034-1	N/A	SCREW-IN
20035	K719	SCREW-IN
20036	K727	SCREW-IN

SUSPENSION

BALL JOINT SLEEVES

DESCRIPTION	I.D.	O.D.	HEIGHT	WEIGHT	PART #	PRICE
LARGE THREADED FOR 20036	2.005"	2.375"	1.00"	.35LB	20042	\$19.99
SMALL THREADED FOR 20034, 20035	1.830"	2.250"	1.00"	.35LB	20043	\$19.99



LARGE THREADED
FOR
20036
20042




SMALL THREADED
FOR
20034, 20035
20043

TAPER REAMERS

- Manufactured from superior-quality high-speed tool steel.
- Six flute spiral design allows smooth boring operation & minimizes tool wear.
- Two designs to cover most popular racing applications.

DESCRIPTION	APPLICATION	PART #	PRICE
1-1/2" TAPER (PER FOOT)	MOST TIE ROD, SHOCK EYES & 20031, 33, 34, 35, 36 BALL JOINTS	80770	\$159.99
2" TAPER (PER FOOT)	20032, 32-1, 32-2, 38, 38-1, 39 BALL JOINTS	80771	\$159.99



ALUMINUM TUBES

Insist on 6061-T6 drawn tubing for strength, durability, and precise fit. Extruded tubing looks similar but is not as strong or as durable. Extruded parts are prone to failure, while drawn parts keep performing. Drawn material offers the same strength as hex without the additional weight.

- Black Anodized.
- 6061-T6 aluminum drawn tubing.
- 7/8" O.D. has 5/8" -18 RH and LH threads.
- 1" O.D. has 3/4" -16 RH and LH threads.



7/8" O.D. (5/8")		
LENGTH	PART #	PRICE
7"	58007	\$15.99
8"	58008	\$15.99
9"	58009	\$15.99
10"	58010	\$15.99
11"	58011	\$15.99
12"	58012	\$15.99

7/8" O.D. (5/8")		
LENGTH	PART #	PRICE
13"	58013	\$15.99
14"	58014	\$15.99
15"	58015	\$15.99
16"	58016	\$15.99
17"	58017	\$15.99
18"	58018	\$15.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



STEERING

ROD ENDS


STANDARD

Excellent for use as a medium-duty suspension rod end.



BORE	SHANK	TYPE	RH	LH	PRICE
3/8"	3/8"	MALE	10460	10461	\$9.99
3/8"	3/8"	FEM	10462	•	\$9.99
1/2"	1/2"	MALE	10440	10441	\$14.99
1/2"	1/2"	FEM	10442	10443	\$14.99
5/8"	5/8"	MALE	10430	10431	\$14.99
5/8"	5/8"	FEM	•	10433	\$19.99
3/4"	3/4"	MALE	10420	10421	\$19.99
3/4"	3/4"	FEM	10422	10423	\$19.99

AIRCRAFT QUALITY



- Designed for high-stress usage.
- Ideal for panhard bar or drag components.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	1/2"	MALE	10444	10445	\$29.99
5/8"	5/8"	MALE	10434	10435	\$39.99
3/4"	3/4"	MALE	10424	10425	\$54.99

STEERING



- Extra-heavy duty and won't loosen up.
- 5/8" bore and 5/8" shank.
- 3/4" sized body.
- Made for steering use.

DESCRIPTION	PART #	PRICE
LH THREAD	10401	\$24.99
RH THREAD	10402	\$24.99

OVERSIZED



- .007" oversized to slide on 3/4" steering shaft.

DESCRIPTION	PART #	PRICE
STEEL	10400	\$19.99

HD SHANK



- Used under potentially rough conditions.
- Bore size is one size smaller than shank and body.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	5/8"	MALE	10448	10449	\$24.99
5/8"	3/4"	MALE	10438	10439	\$29.99

CHROME MOLY



- Chrome moly body — 2 piece design.
- Designed for heavy duty application.

BORE	SHANK	TYPE	RH	LH	PRICE
5/8"	5/8"	MALE	10456	10457	\$24.99
3/4"	3/4"	MALE	10458	10459	\$29.99

SOLID ROD ENDS




BORE	THREAD	PART #	PRICE
3/4"	3/4" - RH	10820	\$19.99
1/2"	3/4" - RH	10821	\$24.99

SOLID ROD ENDS SOLD SEPARATELY.

ROD END AND SPACER KIT

Required for rod end style lower control arms. Kit includes: 1- rod end, 1-jam nut & 2 bushings.



DESCRIPTION	PART #	PRICE
3/4" ROD END WITH SPACERS (2)	20023K	\$29.99
5/8" ROD END WITH SPACERS (2)	20013K	\$29.99
INNER ROD END SPACER - ALUMINUM (5/8") FOR ROUND LOWER ARM	10276	\$10.99
INNER ROD END SPACER - ALUMINUM (3/4") FOR ROUND LOWER ARM	10277	\$10.99

ROD END APPLICATION CHART

DESIGN	STANDARD 2 PIECE	CHROME MOLY 2 PIECE	AIRCRAFT 3 PIECE	HEAVY DUTY 3 PIECE
BALL	CASE HARDENED STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED
RACE	N/A	N/A	HEAT TREATED STEEL ALLOY ZINC PLATED	HEAT TREATED STEEL ALLOY
BODY	LOW CARBON STEEL CHROMATE TREATED	4130 CHROME MOLY	HEAT TREATED STEEL ALLOY CAD OR ZINC PLATED	LOW CARBON STEEL CAD OR ZINC PLATED
MAX STATIC	(5/8") 11,169#	(5/8") 18,000#	(5/8") 17,950#	(5/8") 16,500#
RADIAL LOAD	(3/4") 16,338#	(3/4") 25,000#	(3/4") 28,000#	(3/4") 22,800#
APPLICATIONS	STANDARD SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD	HIGH STRESS (PANHARD BAR) DRAG CAR SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD

STEERING

STEEL STEERING SUPPORT ROD END

- .007" oversized to slide on 3/4" steering shaft.



DESCRIPTION	PART #	PRICE
.757" BORE X 3/4"	10400	\$19.99

STEEL JAM NUTS



SIZE	THICK	RH	LH	PRICE
1/4" - 28	7/32"	10136	•	\$0.99
3/8" - 24	1/4"	10138	10139	\$0.99
1/2" - 20	5/16"	10144	10145	\$1.99
5/8" - 18	3/8"	10142	10143	\$1.99
5/8" - 18	NYLOCK	10142N	•	\$2.99
3/4" - 16	7/16"	10140	10141	\$1.99
3/4" - 16	NYLOCK	10140N	•	\$2.99

STEERING SUPPORT BEARINGS

Self-aligning bearing can be installed in firewall or mid-plate to support steering shaft.



BEARING DESCRIPTION	PART #	PRICE
.757" BORE WITH FLANGED BEARING	30321	\$19.99

PUSH-BUTTON QUICK RELEASE HUB

This hub features a spring-loaded button-style release. Unit fits 3/4" shaft and a standard three bolt steering wheel pattern.




- 5/16" coarse thread.
- Aluminum .55 lbs.

DESCRIPTION	PART #	PRICE
PUSH BUTTON ECONOMY QR HUB	30373	\$29.99
REPLACEMENT COUPLER	30373B	\$13.99

STEERING SHAFT MOUNT

This 12-gauge steel mount is remarkably sturdy yet lightweight. Slot allows use of 3/4" rod end.



DESCRIPTION	PART #	PRICE
STEERING SHAFT MOUNT	30380	\$18.99

POWER STEERING RESERVOIR

- 10 AN outlet / -6 AN return.
- Integral firewall mount .75 lbs. or clamp on roll bar mount 1.2 lbs.
- Internal diffuser to prevent fluid aeration.
- 3" O.D. - 9" tall.
- Spun aluminum.
- 22 oz. capacity.



POWER STEERING RESERVOIR DESCRIPTION	PART #	PRICE
FIREWALL MOUNT	37152	\$119.99
ROLL BAR MOUNT	37156	\$119.99
ROLL BAR MOUNT WITH VENTED CAP	37156V	\$119.99
REPLACEMENT CAP	37151	\$16.99
REPLACEMENT VENTED CAP	37151V	\$14.99

U-JOINTS & COUPLERS

The splined U-joints feature a set screw & lock-nut. These are the best U-joints you can buy.

- Greased needle bearing with Teflon seal.
- 1-1/8" O.D. x 3-3/4" length.
- Broached spline for better fit.
- Heat-treated forgings.
- Forged 1045 steel.



U-JOINT BORE	DESCRIPTION	PART #	PRICE
3/4"	SMOOTH BOTH ENDS	30303	\$64.99
3/4" - 36	GM STANDARD, PINTO P.S.	30305	\$69.99
3/4" - 20	FITS 37304 STEERING COLUMN & WOODWARD RACK	30305B	\$69.99
13/16" - 36	EARLY GM (THRU '76) POWER STEERING	30306	\$69.99
9/16" - 26	PINTO/MUSTANG II MANUAL	30307	\$79.99
3/4" - 30	LATE ('77 & UP) GM P.S. (APPLETON P.S.)	30308	\$69.99
5/8" - 36	VEGA MANUAL	30309	\$64.99

COUPLER BORE	DESCRIPTION	PART #	PRICE
3/4" - 36	GM STANDARD, PINTO P.S.	30315	\$18.99
3/4" - 20	37304 COLUMN	30316	\$18.99

COLLAPSIBLE STEERING COLUMN

- 22-1/2" to 32" column measured from the end of the shaft to the base of the quick release hub.
- O.D. of the main body is 1.125" & O.D. of the bottom shaft is .750" and 20" spline.
- Quick release hub adds an additional 2" to the overall length.
- Splined end accepts a variety of U-joints for attachment to your steering shaft or gear.



LENGTH	DESCRIPTION	PART #	PRICE
22-1/2"-32"	SLIDING STEERING COLUMN	37304	\$249.99

AFCO ACCESSORIES

AFCO FUEL FILTER

AFCO in-line fuel filters are available with either paper or stainless steel filter elements. The paper element is compatible with most racing gas products, but should not be used with alcohol. Paper elements are so efficient in separating water from fuel that "icing" or blockage can occur with alcohol. Stainless elements should be used with alcohol.

- Paper element 7 micron.
- Stainless steel element 63 micron.
- Brackets to mount filter to round tubing included.
- Available with -8 AN or -10 AN.
- 6061-T6 CNC machined components.



84020-8



84028

DESCRIPTION	PART #	PRICE
ASSEMBLY-STEEL FILTER -1.3LBS. - 8 ENDS	84020-8	\$89.99
ASSEMBLY - 10 ENDS	84020-10	\$89.99
ASSEMBLY PAPER FILTER 1.15LBS - 8 ENDS	84021-8	\$49.99
ASSEMBLY PAPER FILTER 1.15LBS - 10 ENDS	84021-10	\$49.99
STEEL ELEMENT -63 MICRON (ALCOHOL)	84022	\$39.99
PAPER ELEMENT -7 MICRON (GAS)	84023	\$19.99
1-1/2" ROUND BRACKETS (PAIR)	84028	\$34.99

TIRE GROOVER

Pistol grip-style with a 250 watt heating capacity, 7' cord, & #5 head. The solid brass head keeps the heat "just ahead" of the cutting blade. This, in effect, pre-conditions the rubber and makes for speed, ease, accuracy, & consistency in grooves. The depth of the cut is controlled by the adjustable blade.

- Complete with #5 head and blades.
- 250 watts.
- 7' cord.



DESCRIPTION	PART #	PRICE
GROOVER - W/ #5 HEAD AND 12 BLADES	ID125	\$119.99

GROOVER HEAD & BLADES



SIZE	WIDTH	HEAD	PRICE	BLADE (12PK)	PRICE
#1	(.053")	IDHD01	\$15.99	•	N/A
#2	(.090")	IDHD02	\$15.99	IDBL02	\$15.99
#3	(.125")	IDHD03	\$15.99	IDBL03	\$15.99
#4	(.215")	IDHD04	\$15.99	IDBL04	\$15.99
#5	(.290")	IDHD05	\$15.99	IDBL05	\$15.99
#6	(.375")	IDHD06	\$15.99	•	N/A

SOLID PANHARD BAR KIT

- Made to fit over driveshaft.
- Uses long bar for special length applications.
- Cut to length and install bushing.




20224K, 20224K-1

DESCRIPTION	B LENGTH	PART #	PRICE
J-BAR KIT (LOOSE ROD END AND BUSHING)	3-1/2"	20224K	\$99.99
J-BAR KIT (LOOSE ROD END AND BUSHING)	5-1/2"	20224K-1	\$119.99
BUSHING		20224B	\$11.99

OVAL TRACK ACCESSORIES

ADJUSTABLE THROTTLE PEDAL

Now AFco control begins with the throttle. We've re-engineered one of the most fundamental components of the race car to provide greater precision, improved comfort, and more driver control than ever. Fully sealed bearings, double splined shaft and adjustable angle on the throttle lever means secure adjustability in a maintenance-free package.



- **Greater precision, improved comfort & more driver control.**
- Provides better feel for smoother operation.
- Mounting instructions and tuning guide included.
- Double splined shaft.
- Fully sealed bearings.
- Durable anodized finish.

DESCRIPTION	PART #	PRICE
ADJUSTABLE THROTTLE PEDAL	40292	\$139.99
ADJUSTABLE THROTTLE PEDAL FOR 15° ANGLE	40294	\$149.99
REPLACEMENT THROTTLE ARM	A480030002X	\$24.99
REPLACEMENT THROTTLE PEDAL	A480030003X	\$54.99
REPLACEMENT THROTTLE ARM THREADED INSERT	A480030010X	\$19.99
REPLACEMENT THROTTLE PEDAL ROLLERS (2 NEEDED)	A480030006X	\$7.99
REPLACEMENT THROTTLE SHAFT	A480030004X	\$24.99
REPLACEMENT SNAP RING (2 NEEDED)	A901080001X	\$0.99
REPLACEMENT SHAFT SNAP RING (2 NEEDED)	A901080002X	\$0.99



TUBE-STYLE SIDE MOUNT GAS PEDAL

Popular styled steel tubular design, mounts to side tunnel and utilizes a positive return.

- Adjustable linkage attachment.
- Black finish.
- Mounting instructions and tuning guide included.



DESCRIPTION	PART #	PRICE
FIRE WALL MOUNT GAS PEDAL	40291	\$24.99

SHIFTERS

- 2 lever standard / 1-16" & 1-24" rods.
- 3 lever standard / 1-16" & 2-24" rods.
- Each rod uses (2) 10460 3/8" RHM rod ends.

DESCRIPTION	PART #	PRICE
UNIVERSAL 2-LEVER ASSEMBLY	64000	\$79.99
SHIFTER ROD 16"	64001-16	\$19.99
SHIFTER ROD 20"	64001-20	\$19.99
SHIFTER ROD 24"	64001-24	\$19.99
SHIFTER ROD 30"	64001-30	\$19.99
SHIFTER ROD 36"	64001-36	\$19.99
SHIFTER ROD 42"	64001-42	\$19.99
BUSHING KIT (4)	64002	\$9.99



OVAL TRACK ACCESSORIES

FRONT AND REAR CHEVY ENGINE MOUNTS



DESCRIPTION	PART #	PRICE
STEEL FRONT (PAIR)	80651	\$29.99
STEEL REAR (PAIR)	80652	\$29.99

FORD ENGINE MOUNTS (SMALL BLOCK)

- Sold as pair.
- Powder coated.



DESCRIPTION	PART #	PRICE
FRONT (PAIR)	80659	\$34.99

HOOD PIN COMPONENTS



DESCRIPTION	PART #	PRICE
FLIP CLIP - 3/16"	10183	\$2.99
HAIR PIN CLIP - 5/32"	10185	\$1.99
SCUFF PLATE	10188	\$2.99
THREADED HOOD PIN BOSS	10190X-1	\$2.99

WELD-IN BATTERY BOX

- Lightweight steel construction.
- 9-1/2" or 11" size.
- 5/16" side bolts pivot to accommodate different battery sizes.



DESCRIPTION	PART #	PRICE
BATTERY BOX (9-1/2")	50302	\$34.99
BATTERY BOX (11")	50301	\$34.99

BOLT-IN BATTERY BOX

- Holds 10-3/4" x 7" battery.
- Lightweight steel.
- Includes 3/8" bolts.



DESCRIPTION	PART #	PRICE
BOLT-IN BATTERY BOX	50303	\$39.99


HOOD PIN KITS

Steel kits include 1-torsion (flip) pin or hair pin, 1-scuff plate, 2-jam nuts and 1-stud.



DESCRIPTION	PART #	PRICE
STEEL KIT W/ 3/16" CLIP	10151	6.99

BALLAST BRACKETS



DESCRIPTION	PART #	PRICE
1-1/4" ROUND TUBE	50320	\$19.99
1-1/2" ROUND TUBE	50321	\$19.99
1-3/4" ROUND TUBE	50323	\$19.99

YOKE U-BOLT

- Includes nuts.
- Fits Q.C. yoke only.



DESCRIPTION	PART #	PRICE
YOKE U-BOLT-PAIR	60125	\$14.99

ECONOMY TIRE TAPE

- Highly visible orange housing.
- Magnet on back.
- 1/4" wide x 10' locking blade.
- Double-riveted end tab to hold on tire.



DESCRIPTION	PART #	PRICE
ECONOMY TAPE	80741	\$9.99

FUEL SHUT-OFF VALVE

Install in your fuel line so fuel flow can be shut off.

- 1/2" female NPT.



DESCRIPTION	PART #	PRICE
VALVE	84040	\$69.99

DELUXE MUD SCRAPER

- 32" padded, ergonomic handle.
- 4-1/2" blade.



DESCRIPTION	PART #	PRICE
MUD SCRAPER	80715	\$19.99

LUDWIG CLAMPS

- Secures hinged lids, panels, etc.
- Held in place by a single rivet.



DESCRIPTION	PART #	PRICE
LUDWIG CLAMPS 4 PK	50401	\$6.99
LUDWIG CLAMPS 100	50403	\$79.99

OVAL TRACK ACCESSORIES

SURE SEAL AIR CLEANER HOUSING

- Spun aluminum.
- Fits Holley.
- Housing to carb O-ring seal.
- 14" diameter filter.
- Housing assembly weighs 2.1 lbs.



DESCRIPTION	PART #	PRICE
SURE SEAL HOUSING KIT (INCLUDES TOP & BOTTOM)	80550	\$69.99
TOP- SURE SEAL HOUSING	80550X	\$29.99
BOTTOM - SURE SEAL HOUSING WITH O-RING ASSY.	80550X-3	\$49.99
REPLACEMENT O-RING	80553	\$9.99

REAR END FILLER

- All aluminum.
- 1/4 - turn cap.
- 8-1/2" overall height.
- 10 AN outlet.
- Low profile above sheet metal.



DESCRIPTION	PART #	PRICE
REAR END FILLER	60090	\$39.99

THROTTLE ROD & KITS

- 1/4" plated steel rod.
- Kit includes: carb bushings, rod ends, jam nuts, & rod.

NOTE: Extra-long thread allows more adjustment.



LENGTH	ASSY RANGE	KIT	PRICE	ROD ONLY	PRICE
18"	19-1/8" - 19-7/8"	10175-18	\$39.99	10176-18	\$12.99
21"	22-1/8" - 22-7/8"	10175-21	\$39.99	10176-21	\$12.99
24"	25-1/8" - 25-7/8"	10175-24	\$39.99	10176-24	\$12.99

COMPONENTS	PART#	PRICE
1/4" RH THREADED THROTTLE ROD ENDS MALE	10480S	\$14.99
1/4" RH THREADED THROTTLE ROD ENDS FEMALE	10482S	\$14.99
BUSHING KIT WITH RH THREADED MALE ROD END	10170	\$14.99
BUSHING KIT WITH RH THREADED FEMALE ROD END	10171	\$14.99
CARBURETOR BUSHINGS (PAIR)	10174	\$11.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER




AFCO BRAKES

PEDALS

6.25:1 REVERSE DUAL SWING PEDALS

- Extra long bias adjuster to allow even more adjustment.
- H-beam forged aluminum pedal design.
- Ultra high strength bias bar; same strength of 7/16" bias bar in the traditional 3/8" size.
- New snap ring gives more bias rod clearance and eliminates thread interference.
- Ultra-strong upper mount has 52% less flex than the competition.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6.25:1 Pedal ratio.
- 4.36 lbs.
- AFCO master cylinders sold separately (see pages 44-45).



AFCO Master Cylinders sold separately. See Pages 44-45 for more info.



Exclusive bias "tie-bar" adds strength and sets clevis spacing for proper master cylinder function.

DESCRIPTION	PART #	PRICE
REVERSE DUAL SWING BRAKE PEDALS	6610000	\$249.99

6.25:1 FORWARD DUAL SWING PEDALS

- Extra long bias adjuster to allow even more adjustment.
- H-beam forged aluminum pedal design.
- Ultra high strength bias bar; same strength of 7/16" bias bar in the traditional 3/8" size.
- New snap ring gives more bias rod clearance and eliminates thread interference.
- Ultra-strong upper mount has 52% less flex than the competition.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6.25:1 Pedal ratio.
- 4.36 lbs.
- AFCO master cylinders sold separately (see pages 44-45).



AFCO Master Cylinders sold separately. See Pages 44-45 for more info.



Exclusive bias "tie-bar" adds strength and sets clevis spacing for proper master cylinder function.

DESCRIPTION	PART #	PRICE
FORWARD DUAL SWING PEDALS	6610001	\$249.99

7:1 FORWARD SINGLE SWING PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 7:1 Pedal ratio allows for better braking power.
- Brake pedal weight: 2.36 lbs.
- Clutch pedal weight: 1.64 lbs.
- AFCO master cylinders sold separately (see pages 44-45).



AFCO Master
Cylinders sold
separately.
See Pages 44-45
for more info.

DESCRIPTION	PART #	PRICE
7:1 FORWARD SINGLE SWING BRAKE PEDAL	6610003	\$139.99
7:1 FORWARD SINGLE SWING CLUTCH PEDAL	6610004	\$89.99

6:1 FORWARD SINGLE FLOOR PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6:1 Pedal ratio.
- Brake pedal weight: 2.20 lbs.
- Clutch pedal weight: 1.46 lbs.
- AFCO master cylinders sold separately (see pages 44-45).



AFCO Master
Cylinders sold
separately.
See Pages 44-45
for more info.

DESCRIPTION	PART #	PRICE
6:1 FORWARD SINGLE FLOOR BRAKE PEDAL	6610005	\$139.99
6:1 FORWARD SINGLE FLOOR CLUTCH PEDAL	6610006	\$89.99

REPLACEMENT BIAS BAR KITS

DESCRIPTION	PART #	PRICE
BIAS BAR KIT FOR REVERSE MOUNT PEDAL	6610010	\$49.99
BIAS BAR KIT FOR FORWARD MOUNT PEDAL	6610011	\$49.99



AFCO BRAKES

MASTER CYLINDERS

INTEGRAL RESERVOIR MASTER CYLINDER

The AFCO engineering team started with a clean sheet when designing our master cylinders. AFCO's master cylinders offer the same great performance that customers have come to expect from AFCO. With a one-piece design that incorporates a high-capacity reservoir and precisely machined/polished cylinder bore, the piece makes efficient use of space and materials.

- External return spring maintains positive pedal feel and helps prolong pad life by ensuring quick reaction to released pedal force.
- Precise-fitting lid held firmly in place by heavy gauge retainer.
- Slim design rubber boot allows easy installation into most pedal assemblies.
- Aluminum bore with hard anodized pistons.
- Unique, built-in minimum and maximum fill tabs are easy to read and make quick work of checking fluid even in dark pit areas.
- Common dual-mounting bolt patterns for most racing applications.
- Models come in 3/4", 7/8", and 1" bores.
- Designed for standard 1/8" NPT fittings for easy replacement.




External return spring.

Fluid level indicator marks.



DESCRIPTION	PART #	PRICE
3/4" BORE INTEGRAL MASTER CYLINDER	6620010	\$54.99
7/8" BORE INTEGRAL MASTER CYLINDER	6620011	\$54.99
1" BORE INTEGRAL MASTER CYLINDER	6620012	\$54.99



INTEGRAL MASTER CYLINDER SERVICE PARTS & REBUILD KITS

MASTER CYLINDER PARTS	PART #	PRICE
STRAIGHT FITTING (1/8"NP X 3/16"IF)	7010-0026	\$2.99
90° FITTING (1/8"NP X 3/16"IF)	7010-0027	\$2.99
MASTER CYL. KIT (INCLUDES LID, GASKET, WIRE)	6690048	\$15.99
MASTER CYL. KIT (INCLUDES PUSH ROD, SPRING, BOOT)	6690049	\$10.99

MASTER CYLINDER PARTS	PART #	PRICE
REBUILD KIT - 3/4" NEW AFCO M/C	6690110*	\$39.99
REBUILD KIT - 7/8" NEW AFCO M/C	6690111*	\$39.99
REBUILD KIT - 1" NEW AFCO M/C	6690112*	\$39.99

* KITS FOR AFCO MASTER CYLINDER MANUFACTURED AFTER JAN 2013

CLUTCH MASTER CYLINDER

- Compact design.
- Fits popular clutch and small brake applications.
- 1.4 oz. reservoir.
- Fits most pedal assemblies. See our pedals on pages 42-43.



DESCRIPTION	PART #	PRICE
CLUTCH MASTER CYLINDER 3/4"	2011-1912	\$54.99

MASTER CYLINDER ACCESSORIES

CALIPER PRESSURE BLEEDER ADAPTERS FOR GM METRIC CALIPERS

- Accurately determine optimal settings for balance bars and proportioning valves.
- Needed to troubleshoot your brake system.
- For use with caliper pressure gauges.



DESCRIPTION	PART #	PRICE
ADAPTER KIT	6670150	\$15.99

Billy Moyer Jr.



AFCO BRAKES

BRAKE PADS

AFCO proudly offers its line of racing and high performance brake pads. These brake pads have gone through extensive development and testing in the toughest racing environments. Our racing brake pads are derived from the latest materials in friction products and utilize the latest technologies in brake pad manufacturing.

- Improved stopping power.
- High torque with excellent control qualities.
- Exceptional high temperature performance.
- User friendly/easy break-in.
- Exceptional pad and rotor wear.
- Available in five compounds (32, C1, 33, C2 and 34) to fit popular caliper styles.



MADE IN THE U.S.A.

5 COMPOUNDS TO CHOOSE FROM!


Compound 32 - This compound was designed and developed for the right front of dirt cars where low grip is needed. Each high quality 32 pad is made one pad at a time to improve consistency from pad to pad. With lower grip, the 32 is an excellent brake pad for RF dirt cars.

Compound C1 - This compound was designed and developed to meet the braking needs of medium to high temperature racing applications. As brake system temperatures quickly increase and decrease, C1 provides consistent performance while remaining very fade resistant. C1 has proven to be extremely rotor friendly and provides exceptional pad life without requiring lengthy pad break-in (bedding) procedures. C1 is widely used in dirt track racing and is the ultimate pad choice for all medium temperature applications. Recommended temperature use: 400 to 900 degrees.


Compound 33 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 33's improved stopping power, you can expect less rotor wear. Each high quality 33 pad is made one pad at a time to improve consistency from pad to pad. With more heat range and less glazing, the 33 is an excellent brake pad for front and rear dirt cars and rear asphalt cars. Recommended temperature use: 200 to 1200 degrees.

Compound C2 - This compound provides exceptional high temperature performance. C2 is designed to withstand wide-ranging temperature changes, giving the driver predictable pedal feel and excellent control qualities lap after lap. C2 is high in torque value yet has very long pad wear. Compound C2 is the perfect choice for all higher temperature applications. Recommended temperature use: 500 to 1200 degrees.

Compound 34 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 34's improved stopping power, you can expect less rotor wear. Each high quality 34 pad is made one pad at a time to improve consistency from pad to pad. With more heat range, less glazing and less rotor wear, the 34 is an excellent brake pad for rear dirt cars and front asphalt cars. Recommended temperature use: 200 to 1600 degrees.



F88 / SL



F22 / Narrow DL

LESS AGGRESSIVE

MORE AGGRESSIVE

	COMPOUND 32		COMPOUND C1		COMPOUND 33		COMPOUND C2		COMPOUND 34	
	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE
F88 / SL BRAKE PADS	6651002	\$189.99	6651011	\$149.99	6651012	\$189.99	6651021	\$159.99	6651022	\$189.99
F22 / NARROW DL BRAKE PADS	6652002	\$149.99	1251-1002	\$79.99	6652012	\$149.99	1251-2002	\$99.99	6652022	\$149.99

DIRT LATE MODEL BRAKE PAD RECOMMENDATIONS

RECOMMENDED F88 / SL BRAKE PADS

Left Front

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	6651011	\$149.99
COMPOUND C2	BETTER	6651021	\$159.99
COMPOUND 33	BEST	6651012*	\$189.99

Right Front

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	6651011	\$149.99
COMPOUND C2	BETTER	6651021	\$159.99
COMPOUND 32	BEST	6651002*	\$189.99

Left Rear

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	6651011	\$149.99
COMPOUND C2	BETTER	6651021	\$159.99
COMPOUND 34	BEST	6651022	\$189.99

Right Rear

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	6651011	\$149.99
COMPOUND C2	BETTER	6651021	\$159.99
COMPOUND 34	BEST	6651022	\$189.99

RECOMMENDED F22 / NARROW DL BRAKE PADS

Left Front

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	1251-1002	\$79.99
COMPOUND C2	BETTER	1251-2002	\$99.99
COMPOUND 33	BEST	6652012**	\$149.99

Right Front

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	1251-1002	\$79.99
COMPOUND C2	BETTER	1251-2002	\$99.99
COMPOUND 32	BEST	6652002**	\$149.99

Left Rear

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	1251-1002	\$79.99
COMPOUND C2	BETTER	1251-2002	\$99.99
COMPOUND 34	BEST	6652022	\$149.99

Right Rear

RECOMMENDED BRAKE PADS		PART #	PRICE
COMPOUND C1	GOOD	1251-1002	\$79.99
COMPOUND C2	BETTER	1251-2002	\$99.99
COMPOUND 34	BEST	6652022	\$149.99

HIGH PERFORMANCE BRAKE FLUID

HIGH PERFORMANCE HTX BRAKE FLUID

The HTX fluid has been engineered to meet the demanding requirements of super late model (dirt and asphalt) as well as dirt modified and "outlaw" open wheel modified racing. HTX fluid offers superior performance where high brake system temperatures for an extended time period are experienced. AFco High Performance Brake Fluid will exceed your expectations!

- Dry boiling point of 600°+.
- A "must have" for asphalt cars.
- Non-silicone fluid.
- Sealed in steel can for longer shelf life.
- Best value in brake fluid on the market.



HIGH PERFORMANCE HT BRAKE FLUID

Better performing brake systems start with superior brake fluid. The HT fluid has been designed to provide enhanced performance for applications ranging from street stocks to open wheel modifieds to drag racing and is value priced. AFco HT Brake Fluid will out-perform comparable fluids.

- Dry boiling point 500°+.
- Non-silicone fluid.
- Eliminates brake fade due to fluid failure caused by heat.



DESCRIPTION	PART #	PRICE
HTX SINGLE 16.9 OZ. CAN	6691903	\$19.99
HTX CASE (12 CANS)	6691904	\$224.99


DESCRIPTION	PART #	PRICE
HT SINGLE 12 OZ. BOTTLE	6691901	\$5.99
HT CASE (12 CANS)	6691902	\$69.99

AFCO BRAKES

ROTORS

PILLAR VANE

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.
- 8 X 7" bolt circle.



FLAT PILLAR VANE



THICK	DIA	WEIGHT	PART #	PRICE
.810"	11.75"	8.1 LBS.	6640100	\$54.99

SLOTTED PILLAR VANE



THICK	DIA	WEIGHT	PART #	PRICE
RH .810"	11.75"	8.1 LBS.	6640104	\$79.99
LH .810"	11.75"	8.1 LBS.	6640105	\$79.99
RH 1"	12.19"	9.2 LBS.	6640121	\$79.99
LH 1"	12.19"	9.2 LBS.	6640122	\$79.99
RH 1.25"	11.75"	9.6 LBS.	6640106	\$79.99
LH 1.25"	11.75"	9.6 LBS.	6640107	\$79.99

DRILLED PILLAR VANE



THICK	DIA	WEIGHT	PART #	PRICE
.810"	11.75"	7.6 LBS.	6640112	\$79.99
1"	11.75"	8.2 LBS.	6640123	\$49.99
.810"	12.19"	8.3 LBS.	6640116	\$79.99

32 VANE

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.
- 8 X 7" bolt circle.



FLAT LIGHTWEIGHT 32 VANE



THICK	DIA	WEIGHT	PART #	PRICE
1.25"	11.75"	8.91 LBS.	9850-6020	\$39.99
.810"	11.75"	8.28 LBS.	9850-6021	\$39.99

DRILLED LIGHTWEIGHT 32 VANE



THICK	DIA	WEIGHT	PART #	PRICE
1.25"	11.75"	7.9 LBS.	9850-6120	\$39.99

**DON'T FORGET YOUR
HIGH PERFORMANCE
BRAKE FLUID!**



SEE PAGE 47.

NEW!**16+ ULTRA LIGHT CURVED VANE**

- Ultra-lightweight rotor has 16 curved vanes plus additional supports to reduce cupping.
- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Curve vaned for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.
- Thickness allows standard mounting configurations without use of pad spacers.
- 8 X 7" bolt circle.



AFCO's 16+ Rotors are a great way to reduce rotor weight without sacrificing quality. Unique curved vane design reduces weight while retaining surface support to lessen the chance of cupping. Available in slotted or flat faced design, these .810" thick rotors allow use of standard mounting configurations without using pad spacers.



6640145 (16+ FLAT ROTOR LH)
6640146 (16+ FLAT ROTOR RH)




6640147 (16+ SLOTTED ROTOR LH)
6640148 (16+ SLOTTED ROTOR RH)

**16+ ULTRA LIGHT CURVED VANE**

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
16+ FLAT ROTOR LH	.810"	11.75"	6.08 LBS.	6640145	\$79.99
16+ FLAT ROTOR RH	.810"	11.75"	6.08 LBS.	6640146	\$79.99
16+ SLOTTED ROTOR LH	.810"	11.75"	6.03 LBS.	6640147	\$119.99
16+ SLOTTED ROTOR RH	.810"	11.75"	6.03 LBS.	6640148	\$119.99

NEW!**SOLID TRACTION**

- Solid rotor for increased left rear unsprung weight.
- Retains wedge in car during dynamic weight transfer.
- 8 X 7" bolt circle.


**SOLID TRACTION**

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
SOLID ROTOR	1"	11.75"	21 LBS.	6640149	\$249.99
SOLID ROTOR	1.25"	11.75"	25.6 LBS.	6640150	\$299.99

AFCO BRAKES

BRAKE ACCESSORIES

BRAKE SYSTEM FITTINGS



DESCRIPTION	APPLICATION	PART #	PRICE
1. 1/8" NP TO -4 AN	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0001	\$3.99
1A. 1/8" NP TO -3 AN	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0002	\$4.99
2. 3/16" LINE TO -3 AN	CHASSIS MOUNT	7010-0003	\$8.99
2A. 3/16" LINE TO -4 AN	CHASSIS MOUNT	7010-0004	\$8.99
3. 1/8" NP TO -4 AN TALL (90°)	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0017	\$10.99
4. 3/16" LINE TO -4 AN	LONG CHASSIS MOUNT	7010-0005	\$8.99
5. 1/8" NP BLEED VALVE	AFCO METRIC ALUMINUM CALIPERS	7010-0022	\$4.99
6. 3/16" INV. FLARE TEE	3/16" BRAKE LINE	40251	\$4.99
7. 1/8" FP TEE	BRAKE LINE	85100X	\$9.99
8. 1/8" MP X (2) 3/16" INV FL	BRAKE BIAS PANEL	85160X-3	\$14.99
9. 1/8" FP X 1/4" FP	BRAKE GAUGES	85160X-2	\$9.99
10. 1/8" MP X 3/16" INV FL FP	STRAIGHT MASTER CYLINDER LINE FITTING	7010-0026	\$2.99
11. 1/8"-NPT MALE - 3 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680001	\$7.99
11A. 1/8"-NPT MALE - 4 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680002	\$7.99
12. 1/8"-NPT MALE - 3 MALE	ALUMINUM BRAKE CALIPER FITTING	6680003	\$7.99
12A. 1/8"-NPT MALE - 4 MALE	ALUMINUM BRAKE CALIPER FITTING	6680004	\$7.99
13. 1/8"-NPT MALE - 3 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680005	\$7.99
13A. 1/8"-NPT MALE - 4 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680006	\$7.99
14. MT 10 MALE - 3 AN MALE	ALUMINUM BRAKE CALIPER FITTING	6680007	\$7.99

*THESE FITTINGS REQUIRE SEALING WASHERS AND ARE SHIPPED WITH WASHERS INCLUDED.

CALIPER PRESSURE BLEEDER ADAPTERS


- Accurately determine optimal settings for balance bars and proportioning valves.
- Needed to troubleshoot your brake system.
- For use with caliper pressure gauges.



DESCRIPTION	PART #	PRICE
ADAPTER KIT 4 PACK	6670150	\$15.99

BRAKE SHUT-OFF VALVE

- Stainless steel ball.



DESCRIPTION	PART #	PRICE
BRAKE SHUT-OFF VALVE	40199	\$79.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



BRAKE LINES

90° KEVLAR BRAKE LINE - 3 AN & 4 AN



DESCRIPTION	END TYPES	PART #	PRICE
12" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-12	\$24.99
18" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-18	\$29.99
24" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-24	\$29.99
30" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-30	\$29.99
12" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-12	\$24.99
18" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-18	\$29.99
24" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-24	\$29.99
30" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-30	\$29.99

1/8" NPT KEVLAR BRAKE LINE - 3 AN & 4 AN



DESCRIPTION	END TYPES	PART #	PRICE
24" KEVLAR LINE	(1) AN 3 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684057-24	\$19.99
24" KEVLAR LINE	(1) AN 4 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684058-24	\$19.99
30" KEVLAR LINE	(1) AN 3 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684057-18	\$19.99
30" KEVLAR LINE	(1) AN 4 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684058-18	\$19.99

Fits Rocket Chassis & others.

KEVLAR BRAKE LINE - 3 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 3 ENDS	6684053-12	\$19.99	24" AN 3 ENDS	6684053-24	\$24.99
14" AN 3 ENDS	6684053-14	\$19.99	30" AN 3 ENDS	6684053-30	\$24.99
16" AN 3 ENDS	6684053-16	\$19.99	34" AN 3 ENDS	6684053-34	\$24.99
18" AN 3 ENDS	6684053-18	\$19.99	38" AN 3 ENDS	6684053-38	\$29.99
22" AN 3 ENDS	6684053-22	\$24.99	48" AN 3 ENDS	6684053-48	\$34.99

KEVLAR BRAKE LINE - 4 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 4 ENDS	6684054-12	\$19.99	24" AN 4 ENDS	6684054-24	\$24.99
14" AN 4 ENDS	6684054-14	\$19.99	30" AN 4 ENDS	6684054-30	\$24.99
16" AN 4 ENDS	6684054-16	\$19.99	34" AN 4 ENDS	6684054-34	\$24.99
18" AN 4 ENDS	6684054-18	\$19.99	38" AN 4 ENDS	6684054-38	\$29.99
22" AN 4 ENDS	6684054-22	\$24.99	48" AN 4 ENDS	6684054-48	\$34.99

STEEL BRAIDED BRAKE LINE - AN 3 & AN 4



DESCRIPTION	END TYPE	PART #	PRICE
18" AN 3	STRAIGHT ENDS	40265-18	\$11.99
24" AN 3	STRAIGHT ENDS	40265-24	\$12.99
18" AN 3	90 DEG ON 1 END	40264-18	\$15.99
AN 4	STRAIGHT ENDS	40262-18	\$11.99
24" AN 4	STRAIGHT ENDS	40262-24	\$12.99
36" AN 4	STRAIGHT ENDS	40262-36	\$13.99
18" AN 4	90 DEG ON 1 END	40263-18	\$15.99
24" AN 4	90 DEG ON 1 END	40263-24	\$16.99

**DON'T FORGET YOUR
HIGH PERFORMANCE
BRAKE FLUID!**



SEE PAGE 47.

BRAKE BIAS ADJUSTERS

KNOB STYLE REMOTE
BRAKE BIAS ADJUSTER

NEW!

- Cable designed to cut to proper length.



DESCRIPTION	PART #	PRICE
REMOTE BRAKE BIAS ADJUSTER - 5' LONG MAX	6690001	\$59.99

CRANK-TYPE BIAS ADJUSTER

Steel adjuster is supplied with loose weld-on mount tab, which will allow a custom fit for each application.




DESCRIPTION	PART #	PRICE
28"	40217	\$34.99
30-1/2"	40217G	\$34.99
35"	40218	\$34.99

AFCO COOLING

ALUMINUM RADIATORS

Every AFCO radiator is built from detailed, computer-designed specifications and use precision CNC laser-cut parts for exact tolerances. We never stamp tanks. Our tanks are either laser-cut and precision-welded or formed using a "drawn" technique that keeps a uniform thickness and eliminates weak spots.

AFCO understands the vital role the radiator plays in protecting the investment you have in your car. That is why we make no excuses or compromises in constructing the best aftermarket radiators in the industry. Don't trust your pride and joy to anything less than AFCO quality!



FROM CORE TO FINISHED PRODUCT...

AFCO is the ONLY RACING COMPANY that controls the ENTIRE MANUFACTURING PROCESS!

MADE IN THE USA

Quality control and strict production tolerances are key to developing a premium product. Controlling these aspects in-house means AFCO radiators are produced to the highest standards without compromise.



100% ALUMINUM CONSTRUCTION

By using a modern furnace-brazed process, all AFCO radiators feature all-aluminum construction without the need for epoxy. Not only does this make for a lighter radiator, but the common material bonding provides for increased thermal efficiency as well.



ADVANCED MANUFACTURING

Our robotic welding cell for high volume production features a new Fanuc Robot and CMT technology. We also have water jet, laser cut, CNC brake and other capabilities. Our engineering professionals use the most advanced platforms, such as CREO, to design the most innovative products in the industry.



PREMIUM QUALITY

AFCO produces high quality radiators and cores. These cores are epoxy free and defect free. Each part goes through our stringent quality control process. We pressure-test every one of our radiators to ensure that our customers will keep their cool on the track.





SPECIAL APPLICATIONS

In-house design and fabrication allows us to conceptualize, prototype, test, and manufacture custom cooling systems for a wide variety of applications. If you have a specialty radiator need, AFCO can deliver.



STATE-OF-THE-ART ALUMINUM BRAZING




FURNACE SPECIFICATIONS

30" Wide Belt
8" Pass Height
18-22 Cores/Hour

STAINLESS STEEL "HOTBOX" DATA RECORDER

Brazing profiles are created for each core based on the total mass weight. The furnace temperatures and belt speeds are adjusted based on feedback from a data recorder. The hotbox ensures a quality braze profile for each core.



FURNACE CONTROLS

The furnace is controlled via a touch screen HMI panel. Each component uses a unique brazing profile that is developed and saved as a recipe. This recipe includes belt speed, zone temperatures, and nitrogen flow. The system software also provides features such as historical brazing data and maintenance scheduling.



OUR CORE STANDARDS


Every part of a core is important, but the quality of the headers is an absolute must. The tube slots must be punched with a maximum of .002" clearance for a precise tube fit. While others use single sided clad material, AFCO uses double sided clad for all the headers. This provides a fillet joint around the tube on both sides of the header, doubling the strength of the joint. You simply cannot build a better, stronger core. The use of .080 double clad material and extruded side channels provides a core strong enough to handle over one million pressure cycles, without a tube-to-header joint failure.



Serpentine
Louvered
Fin @ 16psi



Clad Fillets
on Both
Sides




Double
Clad
.080 Headers

DOUBLE PASS RADIATORS


AFCO double pass radiators give increased cooling over standard type radiators, with less than 2 oz. of added weight. Common temperature drops are 10-20° F when replacing a standard configuration radiator with equal core size. This keeps your mind off the water temperature and puts it on the race track.

HOW IT WORKS



Double pass radiators gain their efficiency by first passing the fluid through the top half of the radiator and then the bottom half, giving the radiator the ability to dissipate heat twice.

We use our exclusive 360 degree TIG-welded baffle that splits the radiator core into two sections. This 360 degree baffle in a sense creates two radiators out of one and assures that you won't have any coolant that has entered the radiator but never made it across the core. This is superior to utilizing silicone to seal internal baffles, or worse, a partial weld that allows the coolant to bypass the radiator core completely.



80101NDP

27-1/2" (w) x 19" (h) \$274.99

Available in "Thermal Coating" - Call for details.

SWIVEL-NECK THERMOSTAT HOUSINGS

This aluminum housing allows for easy installation of Double Pass Radiators.

80312-15 (15° Neck)

\$39.99



FITTINGS



SEE PAGE 63

All AFCO Late Model Radiators are available with an optional black "Thermal Coating" finish for improved cooling. Call AFCO Racing at 800-632-2320 for more information.

LIGHTWEIGHT 1 ROW X 1.5" TUBE CORE DOUBLE PASS RADIATORS

AFCO Racing Products is proud to announce our new lightweight double pass radiator for late models. This is the easiest and most cost effective way to shave as much as 10 pounds off the front of your car, allowing you to concentrate ballast and improve handling. The radiator features a new 1.5" thick core for improved air-flow. The new lightweight double pass radiator has the standard features you have come to trust from AFCO, such as furnace brazed tubes with no epoxy. These race proven lightweight radiators fit the same footprint as our standard radiators and installation is simple with no major modifications needed for mounting.

- **Shaves 10 lbs. from the front of your car.**
- **Features an increased number of tubes and fins in the same height package.**
- **100% pressure tested & 100% TIG-welded with no epoxy.**
- **Optimum fin per inch ratio promotes maximum cooling.**
- **Standard water pressure bung for easy plumbing.**
- **Wide range of inlets 1.5", -16AN, -20AN, and -20 AN Female.**
- **Available in 19" X 27-1/2" with 1-3/4" outlets.**



80185NDP-UA - (27-1/2" x 19")



80185NDP-UB - (27-1/2" x 19")



80185FNDP-UD - (27-1/2" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	ADDITIONAL BUNGS	DRY WEIGHT	PART #	PRICE
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT & 1/8" FPT - L	13.1 LBS.	80185NDP-UA	\$324.99
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	3/8" FPT & 1/2" FPT - L	13.1 LBS.	80185NDP-UB	\$324.99
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	(2) 20 AN-F L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	13.1 LBS.	80185FNDP-UD	\$324.99


LIGHTWEIGHT 1 ROW X 1.5" TUBE CORE DOUBLE PASS RADIATORS




80185NDP - (27-1/2" x 19")



80185NDP-16 - (27-1/2" x 19")



80185NDP-20 - (27-1/2" x 19")



80185NDP-U - (27-1/2" x 19")



80185FNDP - (27-1/2" x 19")




80185FNDP-16 - (27-1/2" x 19")



80185FNDP-20 - (27-1/2" x 19")




80185FNDP-U - (27-1/2" x 19")



80185NDP-UNF - (27-1/2" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	ADDITIONAL BUNGS	DRY WEIGHT	PART #	PRICE
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	1-1/2" R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP	\$324.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	16 AN-M R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-16	\$324.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	20 AN-M R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-20	\$324.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-U	\$324.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	1-1/2" L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	10 LBS.	80185FNDP	\$324.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	16 AN-M L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	10 LBS.	80185FNDP-16	\$324.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	20 AN-M L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	10 LBS.	80185FNDP-20	\$324.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	20 AN-F L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	10 LBS.	80185FNDP-U	\$324.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	NONE	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-U	\$324.99

DOUBLE PASS 2 ROW X 1" TUBE CORE RADIATORS



80101NDP - (27-1/2" x 19")



80101NDP-16 - (27-1/2" x 19")



80101NDP-20 - (27-1/2" x 19")



80102NDP-16 - (31-3/4" x 19")



80123N - (27-1/2" x 19")



80124N - (27-1/2" x 19")



80124N-16 - (27-1/2" x 19")



80124N-20 - (27-1/2" x 19")



No filler neck.

80133N - (27-1/2" x 16")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	ADDITIONAL BUNGS	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" R	N/A	30°/10°	13.7 LBS.	80101NDP	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	16 AN-M R	1-3/4" R	N/A	30°/10°	13.7 LBS.	80101NDP-16	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	20 AN R	1-3/4" R	N/A	30°/10°	13.6 LBS.	80101NDP-20	\$274.99
21"	27-1/2"	18-1/2"	31-3/4"	31"	3"	L	16 AN-M R	1-3/4" R	N/A	30°/10°	15 LBS.	80102NDP-16	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(1)16 AN-F R	1-3/4" R	N/A	30°/10°	13.3 LBS.	80123N	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)16 AN-F R	1-3/4" R	1/2" FPT - L	30°/10°	13.3 LBS.	80124N	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)16 AN-M R	1-3/4" R	1/2" FPT - L	30°/10°	13.3 LBS.	80124N-16	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)20 AN-M R	1-3/4" R	1/2" FPT - L	30°/10°	13.3 LBS.	80124N-20	\$274.99
16"	22-3/8"	16"	27-1/2"	27-1/2"	3"	NONE	1-1/4" R	1-1/2" R	1/2" FPT - L	0°	13.2 LBS.	80133N *	\$324.99


*NOTE: 80133N DOES NOT HAVE A FILLER NECK. THE RADIATOR COMES WITH ONE 1/4"-18 NPT & ONE 1/2"-14 NPT TEMP BUNG.

Added features and unique options make these radiators the pro's choice. AFCO quality and a wide range of sizes make them perfect for many applications. Available in 16 AN & 20 AN inlets.

LIGHTWEIGHT 1 ROW X 1.25" TUBE CORE RADIATORS

At almost half the weight of a 2-row radiator, single row radiators are ideal for alcohol fueled cars or cars with limited cooling requirements.

- **1/2 the weight of a 2-row core!**
- 100% pressure tested.
- Optimum fin per inch ratio for maximum cooling.



80111FN - (27-1/2" x 19")

80111N - (27-1/2" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	CORE THICKNESS	PART #	PRICE
18-5/8"	23-1/2"	18-1/2"	27-3/8"	27-3/8"	2-3/8"	L	1-1/2" R	1-3/4" L	30°/10°	11 LBS.	1-1/4"	80111FN	\$224.99
18-5/8"	23-1/2"	18-1/2"	27-3/8"	27-3/8"	2-3/8"	R	1-1/2" L	1-3/4" R	30°/10°	11 LBS.	1-1/4"	80111N	\$224.99

ECONOMY 2 ROW X 1" TUBE CORE RADIATORS

Same great fit & performance for the budget-minded racer.

- **Save money & maintain performance!**
- 100% pressure tested.
- Optimum fin per inch ratio for maximum cooling.



OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.6 LBS.	80101A	\$189.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



UNIVERSAL 2 ROW X 1" TUBE CORE RADIATORS

Universal Radiators are built with two 1" rows for a total core thickness of 2-1/4" and feature 3" tanks.


- 100% pressure tested.
- Optimum fin per inch ratio for maximum cooling.
- TIG-welded with no epoxy.



80101FN - (27-1/2" x 19")



80101N - (27-1/2" x 19")



No filler neck.

80101-1N - (27-1/2" x 19")



80101N-16 - (27-1/2" x 19")



80116N - (27-1/2" x 16")



80130N (28"x 18-1/2")



80130N-16 - (28" x 19")




80130N-20 (28"x 19")


OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" L	0°	13.6 LBS.	80101FN	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.6 LBS.	80101N	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	NONE	1-1/2" L	1-3/4" R	30°/10°	13.7 LBS.	80101-1N	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	16 AN-M L	1-3/4" R	30°/10°	13.6 LBS.	80101N-16	\$224.99
17-5/16"	22-3/8"	15-7/8"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.1 LBS.	80116N	\$274.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.3 LBS.	80130N	\$224.99
19-9/16"	24-3/8"	18-1/2"	28-3/4"	28"	3"	R	16 AN R	1-3/4" R	30°/10°	14.3 LBS.	80130N-16	\$224.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	20 AN L	1-3/4" R	30°/10°	14.3 LBS.	80130N-20	\$224.99


NOTE: 80101-1N DOES NOT HAVE A FILLER NECK.

28" EXTRA CAPACITY PRO RADIATORS

The AFCO 28" radiator is built with a 24-3/8" core for optimal cooling in a confined space. This radiator provides an **additional 36 square inches of core area** while increasing overall width by just half an inch.



- Crate series. 
- Great for 604 Engines.
- Cars with limited air flow.
- Available in Chevy or Ford configurations.
- Standard or double pass.
- Maximized efficiency.



80130FN (28"x 19")



80130FNDP (28"x 19")




80130N (28"x 19")




80130N-16 (28"x 19")



80130N-20 (28"x 19")



80130NDP (28"x 19")



80130NDP-16 (28"x 19")



80130NDP-20 (28"x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	NOTES	PART #	PRICE
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	L	1-1/2" R	1-3/4" L	0°	14.3 LBS.	A	80130FN	\$224.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	1-1/2" L	1-3/4" L	0°	14.3 LBS.	A	80130FNDP	\$274.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.3 LBS.		80130N	\$224.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	16 AN L	1-3/4" R	30°/10°	14.3 LBS.		80130N-16	\$224.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	R	20 AN L	1-3/4" R	30°/10°	14.3 LBS.		80130N-20	\$224.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	L	1-1/2" R	1-3/4" R	30°/10°	14.3 LBS.		80130NDP	\$274.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	L	16 AN R	1-3/4" R	30°/10°	14.3 LBS.		80130NDP-16	\$274.99
19-9/16"	24-3/8"	18-1/2"	29"	28"	3"	L	20 AN R	1-3/4" R	30°/10°	14.3 LBS.		80130NDP-20	\$274.99

NOTE A: DESIGN INCLUDES A 1/2" NPT FEMALE BUNG FOR TEMP PROBE.

ASPHALT COOLING

SINGLE ROW LIGHTWEIGHT ASPHALT RADIATOR

- 27.50" wide x 18.00" tall x 2.00" deep, single row 1.50" core.
- Double pass radiator.
- 16AN male inlet, 1.75" outlet.
- One 1/4" NPT and one 3/8" NPT bung.
- Mounting bungs on the radiator to attach AFCO Oil Coolers (80420, 80421, 80422).
- 100% TIG-welded with no epoxy.
- 100% pressure tested.

DESCRIPTION	PART#	PRICE
SINGLE ROW 1.50" 27.50" WIDE LIGHTWEIGHT ASPHALT RADIATOR	80195NDP-16	\$349.99



DUAL ROW ASPHALT RADIATOR

- 29.38" wide x 15.50" tall x 3.00" deep, dual row 1.00" core.
- Double pass radiator.
- 16AN male inlet, 1.75" outlet.
- One 1/4" NPT and one 3/8" NPT bung.
- Mounting bungs on the radiator to attach AFCO Oil Coolers (80420, 80421, 80422).
- 100% TIG-welded with no epoxy.
- 100% pressure tested.

DESCRIPTION	PART#	PRICE
DUAL ROW 1.00" 29.50" WIDE ASPHALT RADIATOR	80196NDP-16	\$324.99



Daniel Keene, Jr.

ASPHALT OIL COOLER NO FANS

- 25.63" wide x 10.00" tall x 2.00" deep, single row 1.56" oil core.
- Double pass oil cooler.
- 12AN male inlet and outlet.
- Laser cut tanks and brackets.
- 100% TIG-welded with no epoxy.
- 100% pressure tested.
- Mounts to 80195NDP-16 and 80196NDP-16 radiators.
- No fans.

DESCRIPTION	PART#	PRICE
ASPHALT OIL COOLER NO FANS	80420	\$274.99



ASPHALT OIL COOLER WITH SINGLE FAN

- 25.63" wide x 10.00" tall x 2.00" deep, single row 1.56" oil core.
- Double pass oil cooler.
- 12AN male inlet and outlet.
- Laser cut tanks and brackets.
- 100% TIG-welded with no epoxy.
- 100% pressure tested.
- Mounts to 80195NDP-16 and 80196NDP-16 radiators.
- Single 10" fan.

DESCRIPTION	PART#	PRICE
ASPHALT OIL COOLER WITH SINGLE FAN	80421	\$374.99



ASPHALT OIL COOLER WITH DUAL FANS

- 25.63" wide x 10.00" tall x 2.00" deep, single row 1.56" oil core.
- Double pass oil cooler.
- 12AN male inlet and outlet.
- Laser cut tanks and brackets.
- 100% TIG-welded with no epoxy.
- 100% pressure tested.
- Mounts to 80195NDP-16 and 80196NDP-16 radiators.
- Dual 10" fans.

DESCRIPTION	PART#	PRICE
ASPHALT OIL COOLER WITH DUAL FANS	80422	\$474.99



CUSTOM OVAL TRACK RADIATORS

AFCO Racing Products offers custom built radiators. Call 800-632-2320 for more details or to order your custom radiator!

- Built with formed tanks.
- Any inlet/outlet size and configuration.
- Common core sizes for any application.

DESCRIPTION	PART #	PRICE
SINGLE PASS RADIATOR	80007-NA	\$224.99
DOUBLE PASS RADIATOR	80008-NA	\$274.99



AFCO COOLING ACCESSORIES

LONG TRANSMISSION/ENGINE/OIL COOLER

- Patented "Stacked Plate" cooler construction turns every inch of material into a cooling surface for maximum efficiency per cubic inch of package space.
- Can be used as an economy engine oil cooler.
- Embossed plate design maintains excellent performance with low pressure drop.



NUMBERS OF PASSES	SIZE	FITTING TYPE	PART#	PRICE
12	2.75" X 11" X 1.5"	1/2NPTF	LB7B	\$49.99
24	5.75" X 11" X 1.5"	1/2NPTF	LL7B	\$79.99
36	8.0" X 11" X 1.5"	1/2NPTF	LM7B	\$99.99
48	11.0" X 11" X 1.5"	1/2NPTF	LH7B	\$119.99

DECK MOUNT OIL COOLER

- Double pass design.
- Available with 10AN, 12AN & 16AN inlets and outlets.
- 1 QT. capacity.
- Internal oil turbulator & louvered fins ensure unparalleled efficiency.
- 1/2" FPT for oil temp. sending unit.
- 6-1/2"(w) x 14-1/2"(h) and 3" in thickness.



DESCRIPTION	PART#	PRICE
#10AN DECK MOUNT OIL COOLER	80268-10	\$274.99
#12AN DECK MOUNT OIL COOLER	80268-12	\$274.99
#16AN DECK MOUNT OIL COOLER	80268-16	\$274.99

COOLANT ADDITIVE

- Glycol Free.
- Premium quality water/coolant additive that promotes increased heat transfer.
- 40% reduction of surface tension compared to plain water.
- More complex additive package than competition to protect against corrosion and rust.
- 100% biodegradable in its unused form.
- Specifically engineered for all aluminum engine systems.




DESCRIPTION	PART #	PRICE
HIGH PERFORMANCE ADDITIVE (1 PINT)	100002	\$11.99

RADIATOR CAPS


Quality radiator caps help prevent the loss of coolant that can lead to overheating.



A 21-25 lbs. Pressure



B 20 lbs. Pressure



C 29-31 lbs. Pressure

DESCRIPTION	PART #	PRICE
A) STANT 21-25 LBS. CAP	80153	\$19.99
B) RADIATOR CAP-20 LBS.	80151	\$19.99
C) RADIATOR CAP-29-31LBS.	80050	\$19.99

COOLANT RECOVERY TANK

- Aluminum construction.
- Catches radiator overflow.
- Completes a closed system.
- 1 quart capacity.



DESCRIPTION	PART #	PRICE
COOLANT RECOVERY TANK (ALUMINUM)	80158	\$99.99

INLINE FILLER

- Installs in upper radiator hose.
- 100% aluminum construction.



DESCRIPTION	PART #	PRICE
ALUMINUM 1-1/2" O.D.	80155	\$44.99

SCREW-IN FITTINGS



DESCRIPTION	PART #	PRICE
1 1/2" HOSE TO 20 AN SCREW IN	80071	\$29.99
16AN TO 20AN SCREW IN	80072	\$29.99
20AN TO 20AN SCREW IN	80073	\$29.99

WELD-ON FITTINGS



MALE	PART #	PRICE	FEMALE	PART #	PRICE
6AN FITTING	700050040	\$9.99	1/8" FP FITTING	80128X12	\$14.99
8AN FITTING	700050041	\$9.99	1/4" FP FITTING	80128X5	\$14.99
10AN FITTING	700050037	\$9.99	3/8"-18 FP FITTING	80128X10	\$14.99
12AN FITTING	80128X8	\$14.99	1/2"-14 FP FITTING	80128X11	\$14.99
16AN FITTING	80128X9	\$14.99	3/4" FP FITTING	80128X6	\$17.99
20AN FITTING	80128X20	\$17.99	1" FP FITTING	80128X7	\$17.99

HD COOLING FANS

- 33° pitch.
- Dual bolt pattern to fit most pumps.
- 6 steel blades.



DESCRIPTION	PART #	PRICE
GM 15"	80182	\$39.99
GM 17"	80181	\$39.99

4 BLADE FAN

- 4 steel blades for greater air flow.
- Designed with the proper blade pitch to move the maximum amount of air possible.
- Dual bolt pattern to fit most pumps.



DESCRIPTION	PART #	PRICE
4 BLADE FAN 18"	80183	\$49.99

FAN SPACER KITS

- Billet aluminum.
- Anodized black.
- Fits 5/8" or 3/4" drive.
- Kit comes with bolts, bushing and washers.



DESCRIPTION	PART #	PRICE
1-1/2" FAN SPACER	80191	\$29.99
2" FAN SPACER	80192	\$29.99
2-1/2" FAN SPACER	80193	\$29.99
3" FAN SPACER	80194	\$34.99

1-3/4" FLOW RESTRICTOR

Restricts flow in lower hose.



DESCRIPTION	PART #	PRICE
1-3/4" FLOW RESTRICTOR	80068	\$39.99

ALUMINUM THERMOSTAT HOUSINGS

- Polished aluminum construction.
- Uses o-ring for quality seal to intake.
- Allows 360° rotation.
- Includes bolts.



DESCRIPTION	PART #	PRICE
15° NECK SBC / BBC	80312-15	\$39.99

AN FEMALE O-RING WELD ON STYLE BUNG



DESCRIPTION	PART #	PRICE
10 AN FITTING	80128X-10AN	\$14.99
12 AN FITTING	80128X-12AN	\$14.99
16 AN FITTING	80128X-16AN	\$14.99
20 AN FITTING	80128X-20AN	\$17.99

*O-RINGS SOLD SEPARATELY.

RADIATOR REPAIR KIT

Repairs small leaks in aluminum radiators.



DESCRIPTION	PART #	PRICE
EPOXY SOLDER	80161	\$9.99

RADIATOR FILLER



DESCRIPTION	PART #	PRICE
BILLET FILLER NECK	80154BK	\$32.99

MODIFIED & STREET STOCK

SHOCKS	68
SUSPENSION	92
BRAKES	116
COOLING	130



MODIFIED & STREET STOCK INDEX

AFCO FRAME KIT 66-67

COMPLETE FRAME	67
REPLACEMENT RIGHT HAND FRAME HORN	67
REPLACEMENT LEFT HAND FRAME HORN	67
REPLACEMENT RIGHT HAND RAIL	67
REPLACEMENT LEFT HAND RAIL	67
REPLACEMENT LOWER CONTROL ARM MOUNTS	67

SHOCKS 68-91

BULB SHOCKS	68-71
GAS SHOCKS	72-73
TWIN TUBE SHOCKS	74-75, 79
STOCK MOUNT SHOCKS	76-78
SHOCK ACCESSORIES	80-81
REBUILD KITS AND PARTS	82-90
REPAIR TOOLS	91

SUSPENSION 92-109

FRONT & REAR SPRINGS	92-93
PROGRESSIVE LIFT BAR SPRINGS	93
TORQUE LINK SPRINGS	93
CONTROL ARM COMPONENTS	94
COIL SPRING ACCESSORIES	94
WEIGHT JACKS	95
TIE ROD ENDS	96
STOCK STUB STEERING	96
CALIPER BRACKETS	96
SPINDLES	97
LOW FRICTION BALL JOINTS	98
STANDARD BALL JOINTS	99
CONTROL ARM BUSHINGS	100
BALL JOINT SLEEVES	101
LOW FRICTION BALL JOINT & BUSHING KITS	101
TAPER REAMERS	101
ROD ENDS	102
SWAGED STEEL TUBES	103
LEAF SPRINGS	104
LEAF SPRING ACCESSORIES	105-106
TORQUE LINKS & ACCESSORIES	107-108
PROGRESSIVE RATE TORQUE LINK SPRING	108
SUSPENSION LIMITER	108
SOLID PANHARD BAR KIT	109
COLLARS, COIL MOUNTS & RETAINER RINGS	109
PANHARD PINION MOUNTS	109

STEERING 110-111

POWER STEERING MOUNTS	110
POWER STEERING COOLER	110
POWER STEERING RESERVOIR	110
STEERING SUPPORT BEARINGS	111
QUICK RELEASE HUB	111
STEERING SHAFT MOUNT	111
U-JOINTS & COUPLERS	111
SMALL BODY STEERING QUICKENER	111

ACCESSORIES 112-115

GEAR REDUCTION MINI STARTER	112
GM MINI SPOOL	112
SHIFTERS	112
YOKE U-BOLT	112
THROTTLE PEDALS	113
COIL-OVER CLAMP BRACKETS	113
TRAILING ARM BRACKETS	113
ENGINE MOUNTS	114
BATTERY BOXES	114
HOOD PINS	114
TIRE ACCESSORIES	114
FUEL/CARBURATION ACCESSORIES	115

BRAKES 116-129

ALUMINUM METRIC CALIPERS	116
STEEL PAD SPACERS	116
CALIPER BRACKETS	117
OVER-SIZED METRIC CALIPERS	117
INTEGRAL RESERVOIR MASTER CYLINDER	118
INTEGRAL RESERVOIR REBUILD KITS	118
CLUTCH MASTER CYLINDER KIT	119
HYBRID ROTORS	120
16+ ULTRA LIGHT CURVED VANE ROTORS	121
SOLID TRACTION ROTORS	121
PILLAR VANE ROTORS	122
32 VANE ROTORS	123
REVERSE SWING DUAL BRAKE PEDALS	124
FORWARD SWING DUAL BRAKE PEDALS	124
FORWARD SWING BRAKE/CLUTCH PEDALS	125
FORWARD FLOOR BRAKE/CLUTCH PEDALS	125
REPLACEMENT BIAS BAR KITS	125
BRAKE PADS	126

HIGH PERFORMANCE BRAKE FLUID	127
BRAKE SETUP GUIDE	127
CALIPER PRESSURE BLEEDER ADAPTERS	128
CRANK-TYPE BIAS ADJUSTER	128
KNOB STYLE BIAS ADJUSTER	128
BRAKE SYSTEM FITTINGS	128
BRAKE FITTING CLIP	129
BRAKE SHUT-OFF VALVE	129
BRAKE LINES	129
CLAMP-ON CALIPER BRACKETS	129

COOLING 130-139

LIGHTWEIGHT DOUBLE PASS RADIATORS	132
LIGHTWEIGHT SINGLE ROW CORE RADIATORS	133
DOUBLE PASS RADIATORS	133-134
ECONOMY RADIATORS	135
UNIVERSAL RADIATORS	136-137
OIL COOLERS	138
COOLANT ADDITIVE	138
RADIATOR CAPS	138
INLINE FILLER TUBE	138
RECOVERY TANKS	138
COOLING FANS	139
FAN SPACER KITS	139
RADIATOR REPAIR KIT	139
ALUMINUM THERMOSTAT HOUSINGS	139
FITTINGS	139

TUNING GUIDES/TECH 180-183

SHOCK GUIDE	180-181
TUNING GUIDES	182

APPAREL 184-186

For more information and a complete listing of accessories and repair parts, visit www.AFCOracing.com

AFCO FRAME KIT

AFCO RACING INTRODUCES

1968-1972 CHEVELLE

GM REPLACEMENT FRAME KIT



*ASSEMBLY REQUIRED.
PICTURE SHOWS
ASSEMBLED PRODUCT.

APPROVED BY ALL MAJOR SANCTIONING BODIES!

- Saves up to 6 hours of build time.
- Locating tabs for easy assembly.
- Excellent drag link and radiator clearance.
- Replacement parts available!
- Factory steering bolts directly on.
- Pre-cut spring pockets.

MATERIAL: The AFCO Chevelle frame kit is legal in all major Modified sanctioning bodies! The frame kit is a readily available, consistent product that is the same weight and strength of OEM frames and is made with the same cuts. The parts weld together beautifully with no grinding or other time-wasting prep work needed. The final product will drop right into a stock frame jig.

CROSS MEMBER: Designed with Modifieds in mind! The cross member has been shaved to provide excellent radiator and drag link clearance. To save even more time in your build, we engineered better steering shaft clearance into the left upper side of the cross member. Cross member and frame horns have 5/16" locating holes to position the cross member precisely in place. Cross member halves also include tabs to "lock together" in the proper position for welding---no worries about squeezing these pieces too far!

FRAME HORNS: Front horns are notched in the spring pocket area to ease spring changes. Frame horns and the lower control arm rear mounts have two 5/16" locating holes to easily position for proper placement. Frame horn tabs locate the halves in the proper position for welding---no worries about squeezing them out of place!

ASSEMBLY: Consistent positive feedback! Professional chassis builders tell us that using the AFCO Chevelle Frame Kit is saving around 6 hours of labor to assemble versus OEM and other frame kits. This kit results in a better looking and much more dependable product when finished.

CRASH REPAIR: No cutting up donor frames! We have replacement individual frame horns and frame rails available for crash repair. These replacement parts will work with AFCO frames, GM 68'-72' Chevelle OEM frames, and others.

Here's what builders are saying about the AFCO Frame!



"I have been very pleased with the quality and consistency of the kits. The material welds good and since they go together so well, this saves us a lot of time. The AFCO kits already have the customized work done to them that we would normally have to do, which saves us even more time. When completed, the kit looks well-formed, clean, and is more polished. The more we build, the more people are asking for the AFCO frame kit for their cars." - **Allen Bristol, GRT Race Cars**



"We're really happy with the new AFCO front clip. The greatest benefit is that the pieces are ready to assemble right out of the box, saving us hours worth of prep-time. Overall, we've saved over 6 hours on each frame. I feel this kit will give the car more strength and in the event of a crash, will make repairs very easy." - **Kyle Brown, Harris Auto Racing**



"The new AFCO replacement frame is outstanding! The parts fit perfectly together and it is so easy to assemble. The quality of the metal is fantastic, which makes it easy to weld with no special work or grinding to be done. I also like that AFCO offers replacement crash parts. Thanks to the quality and the consistent design of the parts, we can easily replace sections without unnecessary patching of old frame pieces to make it fit. This saves time and gives us strong quality frames." - **Bob Harris, Bob Harris Enterprises**



"We used to spend a great deal of time fabricating and manipulating frames to fit our needs. AFCO has incorporated those changes to their new kits, saving us countless hours. The AFCO replacement crash parts have also made our workload much easier. Instead of cutting out 1 part from a good frame to fix another, AFCO gives us exactly what we need and it fits right in. The kits are perfect for us." - **David Rieks, Billy Moyer Victory Racecars**



"I would like to thank AFCO for the research and development they've done on the new AFCO Chevelle Frame Kit. The frame kit is a quality product and is second-to-none. Using the AFCO frame gives us an all-around nicer end product and significantly reduces our build times." - **Don Jumper, Impressive Race Cars**



"It's not very often in the world of dirt racing that you can say a certain product literally changes the game. The AFCO clip is just that! From start to finish, it's hands down the best product available. It literally cut the clip build time in half and still stepped up overall quality of the build. I wouldn't even consider using another product!" - **David Reutimann, Beakbuilt Chassis**

Complete Frame Kit

PROFESSIONAL CHASSIS BUILDER DISCOUNT AVAILABLE - CALL FOR PRICING!



#40000 - \$949⁹⁹

* ASSEMBLY REQUIRED. PICTURE SHOWS ASSEMBLED PRODUCT.

Replacement Parts

PROFESSIONAL CHASSIS BUILDER DISCOUNT AVAILABLE - CALL FOR PRICING!



#40013 - \$99⁹⁹

Lower control arm mounts.



#40014 - \$199⁹⁹

Cross member replacement.



#40015 - \$274⁹⁹

Right hand frame horn replacement kit.



#40016 - \$274⁹⁹

Left hand frame horn replacement kit.



#40017 - \$179⁹⁹

Right hand rail replacement kit.

#40018 - \$179⁹⁹

Left hand rail replacement kit.

GAS SHOCKS *STEEL BULB*

DIRT MODIFIED

85/86/87/88 SERIES

NEW!
1/2" Shaft

The new 85-88 Series AFCO shocks were specifically developed to bring optimum performance, quality, and tunability to the Modified racing market. The shocks incorporate flow-matched billet aluminum pistons and base valves that were developed in-house using 5-axis CNC machining technology and EMA dyno capability. Each piston and base valve was developed together to minimize hysteresis and utilizes premium quality hardware and shims for balanced response. The steel gas reservoir, or "bulb", has been weight and size optimized for better fit without increasing pressure gain. The 86 and 88 Series IMCA legal shocks utilize the new IMCA "universal" fill port that can be easily changed to a Schrader valve application when sanctioning rules allow. The shocks are 100% owner serviceable or can be serviced by any AFCO shock tuning center for convenient and fast turnaround.



BILLET ALUMINUM PISTONS & BASE VALVES
SEE PAGE 89 FOR MORE INFORMATION.

ADDITIONAL FEATURES

- New smaller 2.5" bulb for better clearance and lighter weight!
- New anodized billet aluminum pistons and base valves.
- 1/2" (12.7mm) Ultra strong DURox chrome shaft design.
- Optimized gas reservoir is nearly a half pound lighter than AFCO 75-78 Series shocks.
- Available with Schrader valve or the new IMCA Universal Fill Port.
- Robust sealing system withstands high temperature and heavy debris.
- Nickel plated shock exterior provides un-matched durability and long term cosmetic appearance.
- Available with or without a base valve.

BASE VALVE

\$459⁹⁹

STROKE	COMP. LENGTH	EXT. LENGTH
7"	13.25"	19.44"
9"	15.25"	23.44"

NON BASE VALVE

\$406⁹⁹

STROKE	COMP. LENGTH	EXT. LENGTH
7"	13.25"	20.20"
9"	15.25"	24.20"



COIL-OVER KITS AVAILABLE
SEE PAGE 84 FOR MORE INFORMATION.



**Watch a video clip about
our Steel Bulb Gas Shocks!**





HOW TO READ AND ORDER YOUR AFco SHOCKS:

SHOCK SERIES	STROKE LENGTH	COMPRESSION	REBOUND	
85 Base Valve Version w/ Schrader Valve	- 9 Choose either 7" or 9"	- 2 Choose Any Valve Between 0 - 14	- 12 Choose Any Valve Between 0 - 14	► 85-9-2-12 EXAMPLE PART#
86 Base Valve Version <small>IMCA Legal</small>	- 7 Choose either 7" or 9"	- 4 Choose Any Valve Between 0 - 14	- 6 Choose Any Valve Between 0 - 14	► 86-7-4-6 EXAMPLE PART#
87 Non-Base Valve Version w/ Schrader Valve	- 7 Choose either 7" or 9"	- 5 Choose Any Valve Between 0 - 14	- 5 Choose Any Valve Between 0 - 14	► 87-7-5-5 EXAMPLE PART#
88 Non Base Valve Version <small>IMCA Legal</small>	- 9 Choose either 7" or 9"	- 10 Choose Any Valve Between 0 - 14	- 3 Choose Any Valve Between 0 - 14	► 88-9-10-3 EXAMPLE PART#

ORDER YOUR SHOCKS THE WAY YOU WANT THEM
NO EXTRA CHARGE FOR SPECIAL BUILDS

UNBELIEVABLY SMART BUNDLE

Receive a full day of Shock School
with any four shock Silver Series
purchase!

CALL FOR DETAILS.



4 shocks starting at:
\$1,627.96

RECOMMENDED 4-LINK GAS SHOCKS

BASE VALVE				Left Front Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	86-7-4-6	85-7-4-6	
	SLICK	86-7-5-3	85-7-5-3	
	ROUGH	86-7-4-4	85-7-4-4	

BASE VALVE				Right Front Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	86-7-3-8	85-7-3-8	
	SLICK	86-7-3-5	85-7-3-5	
	ROUGH	86-7-4-6	85-7-4-6	

NO BASE VALVE				Left Rear Shocks (w/Spring Behind)
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	88-9-8-2	87-9-8-2	
	SLICK	88-9-9-2	87-9-9-2	
	ROUGH	88-9-6-3	87-9-6-3	

BASE VALVE				Right Rear Spring Ahead Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	86-9-3-4	86-9-3-4	
	SLICK	86-9-3-5	85-9-3-5	
	ROUGH	86-9-4-4RT	85-9-4-4	

BASE VALVE				Right Rear Shocks Behind (w/Spring Ahead)
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	86-9-4-6	85-9-4-6	
	SLICK	86-9-3-7	85-9-3-7	
	ROUGH	86-9-5-5	85-9-5-5	



**CUSTOMIZATION
YOU CAN COUNT ON**

WE LOOK FORWARD TO FULFILLING YOUR CUSTOM ORDERS.

GAS SHOCKS **STEEL BULB**

DIRT MODIFIED

1/2"
Shaft

75/76/77/78 SERIES

Looking for a better feel on the race track? The Silver Series Bulb Gas Shock is designed for reduced gas pressure gain. The robust sealing system and 1/2" (12.7 mm) Ultra strong DURox chrome shaft creates a 36% reduction in rod force and pressure gain compared to the 5/8" shaft shocks. These shocks are owner serviceable, or you can take them to any AFCO shock tuning center for convenient and fast turnaround. With a number of customizable options, you can tailor your Silver Series Shock for any Modified application.

SILVER
s e r i e s

ADDITIONAL FEATURES

- 1/2" (12.7 mm) Ultra strong DURox chrome shaft design displaces less oil when compressed.
- Available with a Schrader valve or without for IMCA legal applications.
- Available with IMCA gas port = legal in most sanctioning bodies.
- Available with or without a base valve - get the feel you need!
- Bulb design for reduced gas pressure gain.
- Improved rod guide design.
- Robust sealing system withstands high temperature and heavy debris.
- Nickel plating = extremely durable finish and virtually eliminates wear.
- 36% reduction in rod force and pressure gain (over 5/8" shaft shocks).

BASE VALVE

\$352⁹⁹

STROKE	COMP. LENGTH	EXT. LENGTH
7"	13.25"	19.44"
9"	15.25"	23.44"

NON BASE VALVE

\$299⁹⁹

STROKE	COMP. LENGTH	EXT. LENGTH
7"	13.25"	20.20"
9"	15.25"	24.20"



**Watch a video clip
about our Steel
Monotube Shocks!**







COIL-OVER
KITS
AVAILABLE



SEE PAGE 80 FOR MORE INFO.

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

SHOCK SERIES	STROKE LENGTH	COMPRESSION	REBOUND	
75 Base Valve Version w/ Schrader Valve	- 9 Choose either 7" or 9"	- 2 Choose Any Valve Between 0 - 14	- 12 Choose Any Valve Between 0 - 14	▶ 75-9-2-12 EXAMPLE PART#
76 Base Valve Version 	- 7 Choose either 7" or 9"	- 4 Choose Any Valve Between 0 - 14	- 6 Choose Any Valve Between 0 - 14	▶ 76-7-4-6 EXAMPLE PART#
77 Non-Base Valve Version w/ Schrader Valve	- 7 Choose either 7" or 9"	- 5 Choose Any Valve Between 0 - 14	- 5 Choose Any Valve Between 0 - 14	▶ 77-7-5-5 EXAMPLE PART#
78 Non Base Valve Version 	- 9 Choose either 7" or 9"	- 10 Choose Any Valve Between 0 - 14	- 3 Choose Any Valve Between 0 - 14	▶ 78-9-10-3 EXAMPLE PART#

ORDER YOUR SHOCKS THE WAY YOU WANT THEM
NO EXTRA CHARGE FOR SPECIAL BUILDS

UNBELIEVABLY SMART BUNDLE


Receive a full day of Shock School
with any four shock Silver Series
purchase!


CALL FOR DETAILS.





4 shocks starting at:
\$1199.96


RECOMMENDED 4-LINK GAS SHOCKS

BASE VALVE				Left Front Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	76-7-4-6	75-7-4-6	
	SLICK	76-7-5-3	75-7-5-3	
	ROUGH	76-7-4-4	75-7-4-4	

NO BASE VALVE				Left Rear Shocks (w/Spring Behind)
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	78-9-8-2	77-9-8-2	
	SLICK	78-9-9-2	77-9-9-2	
	ROUGH	78-9-6-3	77-9-6-3	

BASE VALVE				Right Rear Shocks Behind (w/Spring Ahead)
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	76-9-4-6	75-9-4-6	
	SLICK	76-9-3-7	75-9-3-7	
	ROUGH	76-9-5-5	75-9-5-5	

BASE VALVE				Right Front Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	76-7-3-8	75-7-3-8	
	SLICK	76-7-3-5	75-7-3-5	
	ROUGH	76-7-4-6	75-7-4-6	

BASE VALVE				Right Rear Spring Ahead Shocks
GAS	TRACK CONDITION	IMCA LEGAL	SCHRADER VALVE	
	BASE	76-9-3-4	76-9-3-4	
	SLICK	76-9-3-5	75-9-3-5	
	ROUGH	76-9-4-4RT	75-9-4-4	



CUSTOMIZATION
YOU CAN COUNT ON

WE LOOK FORWARD TO FULFILLING YOUR CUSTOM ORDERS.

GAS SHOCKS STEEL

NON-ADJUSTABLE

83/84 SERIES


NEW!

AFCO introduces the new 83/84 Series, 2" Diameter Monotube Shocks. These shocks are an enhanced version of our successful 73/74 Series Shocks. Features and benefits include, new AFCO matte blue finish, new billet piston choices, and jetted shafts for more precise tuning options. All valving combinations and curves are available in 7" and 9" lengths. The 9" stroke versions are ready to accept our 20125A-7KR coil-over kit.

1/2" Shaft

All 83 Series
non-adjustable:

\$213⁹⁹


COIL-OVER KITS
AVAILABLE

SEE PAGE 80
FOR MORE INFO.

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

83 SERIES

- SCHRADER VALVE
- CUSTOMER SERVICEABLE
- NON-ADJUSTABLE
- 7" OR 9" STROKE

SHOCK SERIES (FIRST 2 DIGITS)	STROKE LENGTH (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
83	9	3	5
STEEL BODY NON-ADJ. 7" or 9" STROKE GAS W/ SCHRADER		0 thru 14 COMP. RANGE	0 thru 14 REB. RANGE

83-9-3-5
EXAMPLE PART#

84 SERIES

- IMCA LEGAL
- NON-SCHRADER VALVE
- NON-ADJUSTABLE
- 7" OR 9" STROKE

SHOCK SERIES (FIRST 2 DIGITS)	STROKE LENGTH (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
84	9	3	5
STEEL BODY NON-ADJ. GAS	7" or 9" STROKE	0 thru 14 COMP. RANGE	0 thru 14 REB. RANGE

84-9-3-5
EXAMPLE PART#

All 84 Series
non-adjustable

\$213⁹⁹


NEW IMCA PORT



Watch a video clip about
our Steel Gas Shocks!



GAS SHOCKS **STEEL**

NON-ADJUSTABLE

73 SERIES

STEEL NON ADJUSTABLE W/ SCHRADER VALVE

- Schrader valve allows tuning with gas pressure.
- Bodies grooved for coil-over applications.
- Performance at its best on fast or rough tracks.
- Available in 5/8" shaft upon request.

	7" STROKE	9" STROKE
COMPRESSED	12.95"	14.95"
EXTENDED	19.85"	23.85"

HOW TO READ AND ORDER YOUR AFco SHOCKS:

SHOCK SERIES (FIRST 2 DIGITS)	STROKE LENGTH (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
73	9	3	5
STEEL BODY NON-ADJ. GAS W/ SCHRADER	7" or 9" STROKE	0 thru 14 COMP. RANGE	0 thru 14 REB. RANGE

▶ **73-9-3-5**
EXAMPLE PART#



COIL-OVER KITS
AVAILABLE

SEE PAGE 80
FOR MORE INFO.

1/2"
Shaft

All 73 Series
non-adjustable:

\$159⁹⁹



74 SERIES



NEW!

STEEL NON ADJUSTABLE IMCA LEGAL

- IMCA legal gas pressure shock.
- Non-Schrader valve.
- Performance at its best on fast or rough tracks.
- Custom valving available.
- Bodies grooved for coil-over applications.
- Available in 5/8" shaft upon request.

	7" STROKE	9" STROKE
COMPRESSED	12.95"	14.95"
EXTENDED	19.85"	23.85"

HOW TO READ AND ORDER YOUR AFco SHOCKS:

SHOCK SERIES (FIRST 2 DIGITS)	STROKE LENGTH (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
74	9	3	5
STEEL BODY NON-ADJ. GAS	7" or 9" STROKE	0 thru 14 COMP. RANGE	0 thru 14 REB. RANGE

▶ **74-9-3-5**
EXAMPLE PART#



COIL-OVER KITS
AVAILABLE

SEE PAGE 80
FOR MORE INFO.

1/2"
Shaft

All 74 Series
non-adjustable

\$159⁹⁹



NEW IMCA PORT



TWIN TUBE SHOCKS **STEEL**

NON-ADJUSTABLE

19 SERIES


STEEL BIG BODY REBUILDABLE 2.02" OD

- Twin Tube design for those "hard-to-get-a-hold-of" tracks.
- Owner rebuildable and serviceable.
- Shim stack technology provides consistent results.
- 5/8" Shaft.
- Grooved for use in coil-over applications.

All 19 Series rebuildable:
\$159⁹⁹

HOW TO READ AND ORDER YOUR 19 SERIES AFCO SHOCKS:

SHOCK SERIES	STROKE LENGTH	COMP. VALVE	REB. VALVE	PART NUMBER
19	9	3	6	1993-6
STEEL NON-ADJUSTABLE	7" or 9"	0 to 9 FIXED	0 to 14 FIXED	EXAMPLE PART#

Note: When compression and rebound are the same valving, there will be no 5th digit and the 4th digit denotes compression and rebound. (EXAMPLE: 1993 is a 3 valve compression and 3 valve rebound.)


COIL-OVER KITS AVAILABLE

SEE PAGE 80 FOR MORE INFO.

	7" STROKE	9" STROKE
COMPRESSED	12.85"	14.85"
EXTENDED	19.76"	23.76"

5/8" Shaft


10 SERIES


STEEL BIG BODY NON-ADJUSTABLE 2.02" OD

- Precision 3 piece replaceable bearing ends.
- 360° weld-on eye ring for superior strength.
- 5/8" shaft for added strength.
- Coil-over groove.

All 10 Series non-adjustable:
\$117⁹⁹
CHOOSE YOUR PART NUMBER

VALVING	7" PART#	9" PART#
3 VALVE	1073	1093
3-5 VALVE	1073-5	1093-5
4 VALVE	1074	1094
4-6 VALVE	1074-6	•
4-8 VALVE	1074-8	•
4-9 VALVE	1074-9	•
4-10 VALVE	1074-10	•
4-12 VALVE	1074-12	•
5 VALVE	1075	1095
5-3 VALVE	1075-3	•
5-9 VALVE	1075-9	•
6 VALVE	1076	•
6-2 VALVE	1076-2	•
8 VALVE	1078	•
AXLE DAMPER	1079-1	•


COIL-OVER KITS AVAILABLE

SEE PAGE 80 FOR MORE INFO.

	7" STROKE	9" STROKE
COMPRESSED	12.50"	14.50"
EXTENDED	19.50"	23.50"

5/8" Shaft


TWIN TUBE SHOCKS **STEEL**

NON-ADJUSTABLE

12 SERIES



FIXED BEARING SEALED BODY 2.02" OD

- Economical sealed body.
- Welded bearing design.
- 5/8" Shaft.
- Designed for non-coil-over applications.

5/8" Shaft

All 12 Series fixed bearing:

\$85⁹⁹



CHOOSE YOUR PART NUMBER

VALVING	7" PART#	9" PART#
3 VALVE	1273FB	1293FB
3-5 VALVE	•	1293-5FB
4 VALVE	1274FB	1294FB
5 VALVE	1275FB	1295FB
5-3 VALVE	1275-3FB	•
6 VALVE	1276FB	•
6-2 VALVE	1276-2FB	•
6-4 VALVE	1276-4FB	•
AXEL DAMPER	1279-1FB	•

	7" STROKE	9" STROKE
COMPRESSED	12.50"	14.50"
EXTENDED	19.50"	23.50"

14 SERIES



FIXED BEARING SEALED BODY COIL-OVER 2.02" OD

- Economical sealed body.
- Best twin tube value on the market.
- 9/16" Shaft.
- Grooved for use in coil-over applications.

9/16" Shaft

All 14 Series fixed bearing:

\$85⁹⁹



CHOOSE YOUR PART NUMBER

VALVING	7" PART#	9" PART#
3 VALVE	1473	1493
3-5 VALVE	1473-5	1493-5
4 VALVE	1474	1494
4-6 VALVE	1474-6	•
5 VALVE	1475	1495
5-3 VALVE	1475-3	1495-3
6 VALVE	1476	1496
6-2 VALVE	1476-2	•
7 VALVE	1477	•
7-2 VALVE	•	1497-2
9-1 VALVE	1479-1	•

COIL-OVER KITS AVAILABLE

SEE PAGE 80 FOR MORE INFO.

	7" STROKE	9" STROKE
COMPRESSED	12.50"	14.50"
EXTENDED	19.50"	23.50"

GAS SHOCKS STEEL

EXTERNALLY-FILLED STOCK MOUNT

70 SERIES

AFCO Racing Products is proud to announce our new Monotube racing shock technology in a stock mount shock application. This new stock mount shock offers great consistency, tunability, and is available in any valve combination. All AFCO Racing Shocks are 100% dyno tested.

- Great for street stock classes that allow take apart stock mounted shocks.
- Externally filled, take-apart design.
- Easy gas pressure adjustments with new fill tool shown below.
- 1/2" hard chrome piston rod.
- Stock mount legal tie-bars and bushings.
- 100% Dyno tested.
- Custom tuned shock packages available for rules requiring the stock mounting points.

70 Series Shock
\$159⁹⁹

1/2" Shaft

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

70-1 1973-1988 A/G BODY GM FRONT SHOCK

- 1.50" BODY DIAMETER
- 9.27" COMPRESSED
- 13.97" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
70	1	3	5
STOCK MOUNT MONOTUBE	A/G FRONT	0 thru 9 COMP. RANGE	0 thru 14 REB. RANGE

70-1-3-5
EXAMPLE PART#

70-2 1973-1988 A/G BODY GM REAR SHOCK

- 2.00" BODY DIAMETER
- 12.73" COMPRESSED
- 20.00" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
70	2	3	5
STOCK MOUNT MONOTUBE	A/G REAR	0 thru 9 COMP. RANGE	0 thru 9 REB. RANGE

70-2-3-5
EXAMPLE PART#

70-3 1970-1981 CAMARO REAR SHOCK

- 2.00" BODY DIAMETER
- 13.38" COMPRESSED
- 21.26" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
70	3	3	5
STOCK MOUNT MONOTUBE	CAMARO REAR	0 thru 9 COMP. RANGE	0 thru 9 REB. RANGE

70-3-3-5
EXAMPLE PART#

70-4 1979-1993 MUSTANG REAR SHOCK

- 2.00" BODY DIAMETER
- 13.21" COMPRESSED
- 21.09" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. RANGE (4TH DIGIT)	REB. RANGE (5TH DIGIT)
70	4	3	5
STOCK MOUNT MONOTUBE	MUSTANG REAR	0 thru 9 COMP. RANGE	0 thru 9 REB. RANGE

70-4-3-5
EXAMPLE PART#

70 SERIES FILL TOOL

DESCRIPTION	PART #	PRICE
GAS SHOCK INFLATION ASSY.*	550000740	\$95.99
*REQUIRED TO ADAPT FILL PORT ON SHOCK TO USE #20109 INFLATION GAUGE ASSEMBLY (SEE PAGE 91).		



Watch a video
clip about our
70 Series Shocks!



GAS SHOCKS STEEL

INTERNALLY-FILLED STOCK MOUNT

NEW!**1/2"**
Shaft

71 SERIES



AFCO's new 71 Series monotube racing shock, was designed and engineered with the IMCA Hobby Stock style class in mind! This shock is a spin off of the highly successful 70 Series shock, but **features an internal fill port design to meet the "no external gas port rules"**. This shock features special tuned gas pressure and valving for the stock mount Hobby Stock and Stock car rules. All AFCO Racing Shocks are 100% dyno tested.

- No external fill port - legal in most classes including IMCA Hobby Stock.
- Custom tuned shock packages available for rules requiring the stock mounting points.
- Great for street stock classes that require sealed stock mounted shocks.
- Stock mount legal tie-bars and bushings.
- 1/2" hard chrome piston rod.
- 100% Dyno tested.

71 Series Shock
\$159⁹⁹



HOW TO READ AND ORDER YOUR AFCO SHOCKS:

71-1 1973-1988 A/G BODY GM FRONT SHOCK

- 1.50" BODY DIAMETER
- 9.27" COMPRESSED
- 13.97" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. VALVE (4TH DIGIT)	REB. VALVE (5TH DIGIT)
71	1	3	5
STOCK MOUNT MONOTUBE	A/G FRONT	0 thru 9 FIXED	0 thru 14 FIXED

71-1-3-5
EXAMPLE PART#

71-2 1973-1988 A/G BODY GM REAR SHOCK

- 2.00" BODY DIAMETER
- 12.73" COMPRESSED
- 20.00" EXTENDED LENGTH

SHOCK SERIES (FIRST 2 DIGITS)	APPLICATION (3RD DIGIT)	COMP. VALVE (4TH DIGIT)	COMP. VALVE (5TH DIGIT)
71	2	3	5
STOCK MOUNT MONOTUBE	A/G REAR	0 thru 9 FIXED	0 thru 14 FIXED

71-2-3-5
EXAMPLE PART#

STREET STOCK SHOCKS **STEEL**

NON-ADJUSTABLE STOCK MOUNT

10 SERIES



Whatever your street stock choice, AFCO has the stock mount shock for you. These gas charged twin tube shocks are built with the valving you need for racing, but are assembled in a "stock" configuration body to meet most track rules. The split-valve shocks offer additional tuning capabilities over the standard valving.

All 10 Series
Stock Mount Shocks:

\$85⁹⁹

GM FULL-SIZE AND MID-SIZE - '70-'81 CAMARO, FIREBIRD,
'65-'86 FORD FULL-SIZE AND MID-SIZE - MERC MONTEGO AND COUGAR



	COMPRESSION	EXTENSION	MOUNT	PART#
7 VALVE (EX HEAVY)	9-3/8"	13-3/8"	FRONT	1020
6 VALVE (HEAVY)	9-3/8"	13-3/8"	FRONT	1021
7-4 VALVE (SLICK)	9-3/8"	13-3/8"	FRONT	1022

ALL '70-'81 CAMARO AND FIREBIRD



	COMPRESSION	EXTENSION	MOUNT	PART#
5 VALVE (MEDIUM)	14-1/2"	22-1/2"	REAR	1032
6 VALVE (HEAVY)	14-1/2"	22-1/2"	REAR	1033
3-5 VALVE (SLICK)	14-1/2"	22-1/2"	REAR	1034

'55-'86 GM FULL-SIZE AND MID-SIZE - '63-'86 MALIBU, CHEVELLE,
MONTE CARLO, CUTLASS, GRAND PRIX, GTO TEMPEST, REGAL, '68-'79 NOVA



	COMPRESSION	EXTENSION	MOUNT	PART#
5 VALVE (MEDIUM)	13"	21"	REAR	1030
6 VALVE (HEAVY)	13"	21"	REAR	1031
3-5 VALVE (SLICK)	13"	21"	REAR	1035

MUSTANG II '74-'78



	COMPRESSION	EXTENSION	MOUNT	PART#
5 VALVE (MEDIUM)	11-1/4"	17"	REAR	1042

MUSTANG '79-'83, MOST FORDS



	COMPRESSION	EXTENSION	MOUNT	PART#
5 VALVE (MEDIUM)	13"	21-1/2"	REAR	1043

AVAILABLE SPLIT-VALVES

- **1022** is a "split valve - easy up" shock used on the front to promote weight transfer under acceleration. This will enhance forward traction.
- **1034** and **1035** are split-valve shocks for rear applications. Soft compression helps weight transfer. In oval track applications used on the left rear, these shocks tend to tighten corner exit handling. When used on the right rear, these shocks tend to tighten corner entry handling.



Brad Kadrmas

TWIN TUBE SHOCKS **STEEL**

NON-ADJUSTABLE

15 SERIES



9/16"
Shaft

STEEL SMALL BODY NON-ADJUSTABLE 1.64" OD

- Economical sealed body.
- Replaceable 3 piece bearings.
- 9/16" Shaft.
- Grooved for use in coil-over applications.
- Small body design for better clearance.

All 15 Series
non-adjustable:

\$106⁹⁹

**CHOOSE YOUR
PART NUMBER**

VALVING	6" PART#	7" PART#
2 VALVE	1562	•
2-4 VALVE	1562-4	•
3 VALVE	1563	•
3-1 VALVE	1563-1	•
3-5 VALVE	•	1573-5
4 VALVE	1564	1574
5 VALVE	•	1575
5-3 VALVE	•	1575-3
6-2 VALVE	•	1576-2
6-4 VALVE	•	1576-4

6" STROKE 7" STROKE

COMPRESSED	11.50"	12.50"
EXTENDED	17.50"	19.50"



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER




SHOCK ACCESSORIES

COIL-OVER HARDWARE

ALUMINUM COIL-OVER KIT FOR STEEL BIG BODY (5" O.D. SPRING)

10 & 14 Series

DESCRIPTION	PART #	PRICE
7" KIT	20125A-7K	\$143.99
A) SPRING SEAT ONLY	20128	\$31.99
B) ADAPTER SPRING SEAT ONLY	20118	\$21.39
C) ADJUSTER NUT ONLY	20118-1X	\$61.99
D) 7" SLEEVE	20134-7	\$36.99
E) SNAP RING	10242	\$3.20
F) PIN	10157	\$5.34




TAPERED CONE KIT: 20125A-7K

ALUMINUM COIL-OVER KIT FOR STEEL BIG BODY (5" O.D. SPRING)

19, 23, 24, 25, 55, 56, 57, 58, 73, 74, 75, 76, 77, 78, 83, 84, 85, 86, 87 & 88 Series

DESCRIPTION	PART #	PRICE
7" KIT	20125A-7KR	\$143.99
A) SPRING SEAT ONLY	20130	\$21.39
B) ADAPTER SPRING SEAT ONLY	20118	\$21.39
C) ADJUSTER NUT ONLY	20118-1X	\$61.99
D) 7" SLEEVE	20134-7	\$36.99
E) SNAP RING	10242	\$3.20
F) SPRING CLIP	10243SR	\$4.27
G) SQUARE RING	20122-4	\$3.20



BLUE SPRING KIT: 20125A-7KR

BLACK SPRING KIT: 20125B-7KR

ALUMINUM COIL-OVER KIT FOR STEEL BIG BODY (2 1/2" - 2 5/8" I.D. SPRING)

10 & 14 Series

DESCRIPTION	PART #	PRICE
7" KIT	20125A-7	\$90.99
A) SPRING SEAT ONLY	20128	\$31.99
B) ADJUSTER NUT ONLY	20133	\$31.99
C) 7" SLEEVE	20134-7	\$36.99
D) SNAP RING	10242	\$3.20
E) PIN	10157	\$3.20
F) TIE WRAPS	20132	\$1.06
G) SQUARE RING	20122-4	\$3.20




7" SLEEVE KIT: 20125A-7

ALUMINUM COIL-OVER KIT FOR STEEL BIG BODY (2 1/2" - 2 5/8" I.D. SPRING)

19, 23, 24, 25, 55, 56, 57, 58, 73, 74, 75, 76, 77, 78, 85, 86, 87 & 88 Series

DESCRIPTION	PART #	PRICE
7" KIT	20125A-7R	\$85.99
A) SPRING SEAT ONLY	20130	\$21.39
B) ADJUSTER NUT ONLY	20133	\$31.99
C) 7" SLEEVE	20134-7	\$36.99
D) SPRING CLIP	10243SR	\$4.27
E) SNAP RING	10242	\$3.20
F) TIE WRAPS	20132	\$1.06



7" SLEEVE KIT: 20125A-7R

COIL-OVER MOUNTS

DESCRIPTION	PART #	PRICE
BUSHING ONLY	20136B	\$5.34
UNIVERSAL MOUNT	20137	\$24.99
UNIVERSAL MOUNT - NARROW	20137-1	\$14.99
ROUND TUBE MOUNT	20138	\$24.99
ROLL CAGE MOUNT	20139	\$24.99

20137
Universal mount20137-1
Narrow universal mount20138
For round tube lower control arm20139
Roll cage mount: 1/2" bolt

SHOCK MOUNT PINS

DESCRIPTION	PART #	PRICE
HAIRPIN, 2-1/2"	10156-2	\$11.99
DETENTED, 2-1/2"	10156	\$36.99



SHOCK ACCESSORIES

MISCELLANEOUS

SHAFT PROTECTORS

For non coil-over applications.

DESCRIPTION	PART #	PRICE
SHAFT PROTECTOR KIT	20379-1	\$36.99
REPLACEMENT TUBES (1 PAIR)	20379-1S	\$31.99



BODY PROTECTORS

Simulated carbon fiber shock body protector for big body shocks. Sold individually.

DESCRIPTION	PART #	PRICE
BIG BODY (SINGLE)	20379-4	\$42.99



SHOCK BUMPERS



20173 - Cone 223541 - 3" Soft 223550 - 3" Medium 223559 - 3" Hard

DESCRIPTION	PART #	PRICE
3/4" JOUNCE RUBBER (NOT SHOWN)	A550090035X	\$2.13
CONE FOR CONVOLUTED BUMPER	20173	\$19.99
1.25" BLACK, EXTRA HARD (NOT SHOWN)	100137	\$5.99
2.25" SPEEDTHANE RED BUMPER ONLY (SOFT)	223527	\$26.99
2.25" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223533	\$26.99
2.25" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223539	\$26.99
3" SPEEDTHANE RED BUMPER ONLY (SOFT)	223541	\$26.99
3" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223550	\$26.99
3" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223559	\$26.99

5" O.D. SPRING COVERS

Sold as a single cover.



DESCRIPTION	PART#	PRICE
11"/13"/16"	OWSCB16	\$29.99

Devin Gilpin



85, 86, 87 & 88 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES



DESCRIPTION	PART #	PRICE
7" BODY BASE VALVE	550010387Z	\$52.99
7" BODY NON-BASE VALVE	550010377Z	\$52.99
9" BODY BASE VALVE	550010389Z	\$52.99
9" BODY NON-BASE VALVE	550010379Z	\$52.99

REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SOLID SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE BASE VALVE	55000029262	\$26.99
7" STROKE NON BASE VALVE	55000029270	\$26.99
9" STROKE BASE VALVE	55000029282	\$26.99
9" STROKE NON BASE VALVE	55000029290	\$26.99

NON-ADJ. INDEPENDENT BLEED JET SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE BASE VALVE	55000011862	\$36.99
7" STROKE NON BASE VALVE	55000011870	\$36.99
9" STROKE BASE VALVE	55000011882	\$36.99
9" STROKE NON BASE VALVE	55000011890	\$36.99

REPLACEMENT BODY CAP ASSEMBLIES

• Now accepts 5/16" Schrader or 5/16" IMCA Fill Port, sold below.

DESCRIPTION	PART #	PRICE
ENDCAP - 63 MM X 5/16" WITH BEARING	550000824	\$155.99
FLOATING PISTON ASSEMBLY	8000096	\$15.99



DESCRIPTION	PART #	PRICE
5/16" NON-SCHRADER FILL PORT (4)	55000079310-4	\$26.99
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY (BLACK)	550000093	\$26.99
ROD SCRAPER (5 QTY.)	550000148-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550000147-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	550000008-5	\$10.99
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



550000093

1/2" Shaft

REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
1/2" DIAMETER SHAFT - ROD END (STEEL)	550000485B	\$21.39
1/2" DIAMETER SHAFT - 1" EXTENSION	55000049801	\$11.99
1/2" DIAMETER SHAFT - 2" EXTENSION	55000049802	\$11.99
SPECIAL WASHER FOR COIL-OVER	A550090151B	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/revolve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
HAND BEARING PRESS	A700500076	\$49.99
1/2" SHAFT PISTON HEIGHT GAUGE	700500181	\$52.99
1/2" ROD GUIDE INSTALLATION CONE	550000281	\$31.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
OVERFLOW CUP	550000302	\$89.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
STEEL MONOTUBE SLEEVE FOR BODY WRENCH	700500147	\$34.99

DESCRIPTION	PART #	PRICE
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99

75, 76, 77 & 78 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES



DESCRIPTION	PART #	PRICE
7" BODY BASE VALVE	550010387Z	\$52.99
7" BODY NON-BASE VALVE	550010377Z	\$52.99
9" BODY BASE VALVE	550010389Z	\$52.99
9" BODY NON-BASE VALVE	550010379Z	\$52.99

REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SOLID SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE BASE VALVE	55000029262	\$26.99
7" STROKE NON BASE VALVE	55000029270	\$26.99
9" STROKE BASE VALVE	55000029282	\$26.99
9" STROKE NON BASE VALVE	55000029290	\$26.99

NON-ADJ. INDEPENDENT BLEED JET SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE BASE VALVE	55000011862	\$36.99
7" STROKE NON BASE VALVE	55000011870	\$36.99
9" STROKE BASE VALVE	55000011882	\$36.99
9" STROKE NON BASE VALVE	55000011890	\$36.99

REPLACEMENT BODY CAP ASSEMBLIES

• Now accepts 5/16" Schrader or 5/16" IMCA Fill Port, sold below.

DESCRIPTION	PART #	PRICE
ENDCAP - 63 MM X 5/16" WITH BEARING	550000824	\$155.99
FLOATING PISTON ASSEMBLY	8000096	\$15.99

DESCRIPTION	PART #	PRICE
5/16" NON-SCHRADER FILL PORT (4)	55000079310-4	\$26.99
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13
IMCA UNIV. FILL PORT, 1/8NP	550000793NPT	\$12.99



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY (SILVER)	550000039	\$26.99
ROD SCRAPER (5 QTY.)	550000148-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550000147-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	550000008-5	\$10.99
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
1/2" DIAMETER SHAFT - ROD END (STEEL)	550000485	\$31.99
1/2" DIAMETER SHAFT - 1" EXTENSION	55000049801	\$11.99
1/2" DIAMETER SHAFT - 2" EXTENSION	55000049802	\$11.99
SPECIAL WASHER FOR COIL-OVER	A550090151X	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/revolve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99
REBUILD KIT - BASE VALVE & ACCESSORIES	19BV/AC	\$320.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
HAND BEARING PRESS	A700500076	\$49.99
1/2" SHAFT PISTON HEIGHT GAUGE	700500181	\$52.99
1/2" ROD GUIDE INSTALLATION CONE	550000281	\$31.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
STEEL MONOTUBE SLEEVE FOR BODY WRENCH	700500147	\$34.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99

DESCRIPTION	PART #	PRICE
OVERFLOW CUP	550000302	\$89.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99

73, 74, 83 & 84 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES

• Now accepts 5/16" Schrader or 5/16" IMCA Fill Port, sold below.



DESCRIPTION	PART #	PRICE
7" BODY WITH 5/16"	55000049271	\$63.99
9" BODY WITH 5/16"	55000049291	\$63.99
FLOATING PISTON	8000096	\$15.99

DESCRIPTION	PART #	PRICE
5/16" NON-SCHRADER FILL PORT (4)	55000079310-4	\$26.99
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13
IMCA SCREW (OLD STYLE BODY)	A901060021X	\$2.13
IMCA SCREW ORING 5PK (OLD STYLE)	550060022-5	\$10.99



REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SOLID SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE NON BASE VALVE	55000029270	\$26.99
9" STROKE NON BASE VALVE	55000029290	\$26.99

NON-ADJ. INDEPENDENT BLEED JET SHAFT

1/2" Shaft



DESCRIPTION	PART #	PRICE
7" STROKE NON BASE VALVE	55000011870	\$36.99
9" STROKE NON BASE VALVE	55000011890	\$36.99

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY (SILVER)	550000039	\$26.99
ROD SCRAPER (5 QTY.)	550000148-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550000147-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	550000008-5	\$10.99
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
1/2" DIAMETER SHAFT - ROD END (STEEL)	550000485	\$31.99
1/2" DIAMETER SHAFT - 1" EXTENSION	55000049801	\$11.99
1/2" DIAMETER SHAFT - 2" EXTENSION	55000049802	\$11.99
SPECIAL WASHER FOR COIL-OVER	A550090151X	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/valve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
HAND BEARING PRESS	A700500076	\$49.99
1/2" SHAFT PISTON HEIGHT GAUGE	700500181	\$52.99
1/2" ROD GUIDE INSTALLATION CONE	550000281	\$31.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
OVERFLOW CUP	550000302	\$89.99
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



A700500136



20109



5500007402



550000665



550000302



700500180

55, 56, 57 & 58 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES



DESCRIPTION	PART #	PRICE
7" BODY BASE VALVE	550010387Z	\$52.99
9" BODY BASE VALVE	550010389Z	\$52.99
7" BODY NON BASE VALVE	550010377Z	\$52.99
9" BODY NON BASE VALVE	550010379Z	\$52.99

REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SHAFT



5/8" Shaft

DESCRIPTION	PART #	PRICE
7" STROKE BASE VALVE	550070146	\$26.99
7" STROKE NON BASE VALVE	550070147	\$26.99
9" STROKE BASE VALVE	550070148	\$26.99
9" STROKE NON BASE VALVE	550070149	\$26.99

REPLACEMENT BODY CAP ASSEMBLIES

• Now accepts 5/16" Schrader or 5/16" IMCA Fill Port, sold below.

DESCRIPTION	PART #	PRICE
ENDCAP - 63 MM X 5/16" WITH BEARING	550000824	\$155.99
FLOATING PISTON ASSEMBLY	8000096	\$15.99

DESCRIPTION	PART #	PRICE
5/16" NON-SCHRADER FILL PORT (4)	55000079310-4	\$26.99
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13
IMCA SCREW (OLD STYLE BODY)	A901060021X	\$2.13
IMCA SCREW ORING SPK (OLD STYLE)	550060022-5	\$10.99



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	8000100	\$52.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550060055-5	\$21.39
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



5/8" Shaft

REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
5/8" DIAMETER SHAFT - ROD END (STEEL)	20176S	\$31.99
5/8" DIAMETER SHAFT - 1" EXTENSION (STEEL)	20176-1S	\$42.99
5/8" DIAMETER SHAFT - 2" EXTENSION (STEEL)	20176-2S	\$42.99
SPECIAL WASHER FOR COIL-OVER	A550090151X	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



SHAFT CONVERSION KIT

This Shaft Conversion kit retro fits your current 5/8" shaft to a 1/2" shaft.



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
1/2" SHAFT KIT 7" 23/24 SERIES	90060	\$85.99	1/2" SHAFT KIT 9" 55/56 SERIES	90063	\$85.99
1/2" SHAFT KIT 9" 23/24 SERIES	90061	\$85.99	1/2" SHAFT KIT 7" 57/58 SERIES	90064	\$85.99
1/2" SHAFT KIT 7" 55/56 SERIES	90062	\$85.99	1/2" SHAFT KIT 9" 57/58 SERIES	90065	\$85.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
HAND BEARING PRESS	A700500076	\$49.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
OVERFLOW CUP	550000302	\$89.99
5/8" FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
5/8" ROD GUIDE INSTALLER	A700500059	\$24.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
STEEL MONOTUBE SLEEVE FOR BODY WRENCH	700500147	\$34.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99

MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/valve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99
REBUILD KIT - BASE VALVE & ACCESSORIES	19BV/AC	\$320.99

25 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES



DESCRIPTION	PART #	PRICE
7" BODY WITH 5/16"	55000049271	\$63.99
9" BODY WITH 5/16"	55000049291	\$63.99
FLOATING PISTON	8000096	\$15.99

DESCRIPTION	PART #	PRICE
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13



REPLACEMENT SHAFT ASSEMBLIES

SHORT ADJ. ROD END SHAFT ASSEMBLY

5/8" Shaft



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
4" STROKE	550140033	\$101.99	7" STROKE	550170033	\$101.99
5" STROKE	550150033	\$101.99	8" STROKE	550180033	\$101.99
6" STROKE	550160033	\$101.99	9" STROKE	550190033	\$101.99

REPLACEMENT ROD GUIDE ASSEMBLIES

5/8" Shaft

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	8000100	\$52.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550060055-5	\$21.39
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



REPLACEMENT ADJ. ROD ENDS

DESCRIPTION	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (STEEL)	20172S	\$92.99



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



ADJUSTABLE MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/valve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
HAND BEARING PRESS	A700500076	\$49.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
5/8" FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
5/8" ROD GUIDE INSTALLER	A700500059	\$24.99
OVERFLOW CUP	550000302	\$89.99
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



20113



20109



MT59506



550000665



A700500058



5500007402



550000302



700500180

23 & 24 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL MONOTUBE BODIES

- Body now accepts 5/16" Schrader or 5/16" IMCA Fill Port, sold below.



DESCRIPTION	PART #	PRICE
7" BODY WITH 5/16"	55000049271	\$63.99
9" BODY WITH 5/16"	55000049291	\$63.99
FLOATING PISTON	8000096	\$15.99

DESCRIPTION	PART #	PRICE
5/16" NON-SCHRADER FILL PORT (4)	55000079310-4	\$26.99
5/16" SCHRADER VALVE	550000050	\$7.48
VALVE CAP	MT59080-1	\$2.13
IMCA SCREW (OLD STYLE BODY)	A901060021X	\$2.13
IMCA SCREW ORING 5PK (OLD STYLE)	550060022-5	\$10.99



REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SOLID SHAFT

5/8" Shaft



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
4" STROKE	550070074	\$26.99	7" STROKE	550070077	\$26.99
5" STROKE	550070075	\$26.99	8" STROKE	550070078	\$26.99
6" STROKE	550070076	\$26.99	9" STROKE	550070079	\$26.99

REPLACEMENT ROD GUIDE ASSEMBLIES

5/8" Shaft

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	8000100	\$52.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
SEAL, T-SYLE (5 QTY.)	550060055-5	\$21.39
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
5/8" DIAMETER SHAFT - ROD END (STEEL)	20176S	\$31.99
5/8" DIAMETER SHAFT - 1" EXTENSION (STEEL)	20176-1S	\$42.99
5/8" DIAMETER SHAFT - 2" EXTENSION (STEEL)	20176-2S	\$42.99
SPECIAL WASHER FOR COIL-OVER	A550090151X	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



SHAFT CONVERSION KIT

This Shaft Conversion kit retro fits your current 5/8" shaft to a 1/2" shaft.



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
1/2" SHAFT KIT 7" 23/24 SERIES	90060	\$85.99	1/2" SHAFT KIT 9" 55/56 SERIES	90063	\$85.99
1/2" SHAFT KIT 9" 23/24 SERIES	90061	\$85.99	1/2" SHAFT KIT 7" 57/58 SERIES	90064	\$85.99
1/2" SHAFT KIT 7" 55/56 SERIES	90062	\$85.99	1/2" SHAFT KIT 9" 57/58 SERIES	90065	\$85.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
HAND BEARING PRESS	A700500076	\$49.99
5/8" FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
OVERFLOW CUP	550000302	\$89.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



A700500076



A700500136

MONOTUBE REBUILD KITS



- All common components needed for complete rebuild/valve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99

19 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

STEEL TWIN TUBE BODIES



DESCRIPTION	PART #	PRICE
7" STROKE	550010237	\$26.99
9" STROKE	550010239	\$26.99
BODY O-RING	550060013-25	\$31.99
BEARING	A901040009X	\$10.99

REPLACEMENT SHAFT ASSEMBLIES

NON-ADJUSTABLE SOLID SHAFT

5/8" Shaft



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
4" STROKE	550070074	\$26.99	7" STROKE	550070077	\$26.99
5" STROKE	550070075	\$26.99	8" STROKE	550070078	\$26.99
6" STROKE	550070076	\$26.99	9" STROKE	550070079	\$26.99

REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	PART #	PRICE
BODY CAP	A550010201X	\$21.39



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100157	\$36.99
1/2" SHAFT CONVERSION ROD GUIDE ASSEMBLY (SILVER)	550000497	\$42.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	BR57002-5	\$6.41
INNER SHAFT O-RING (5 QTY.)	550060042-5	\$10.99
INNER TEFLON BACKER (5 QTY.)	550060014-5	\$6.41
PRESSURE TUBE O-RING (5 QTY.)	550060034-5	\$10.99
REPLACEMENT SEALS	157SEALKIT	\$6.41
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34

5/8" Shaft



REPLACEMENT ROD ENDS

DESCRIPTION	PART #	PRICE
5/8" DIAMETER SHAFT - ROD END (STEEL)	20176S	\$31.99
5/8" DIAMETER SHAFT - 1" EXTENSION (STEEL)	20176-1S	\$42.99
5/8" DIAMETER SHAFT - 2" EXTENSION (STEEL)	20176-2S	\$42.99
SPECIAL WASHER FOR COIL-OVER	A550090151X	\$5.34



BEARING AND CLIP

DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99



PRESSURE TUBES



DESCRIPTION	PART #	PRICE
7" PRESSURE TUBE	550010094	\$15.99
9" PRESSURE TUBE	550010096	\$15.99
7" GAS BAG*	550000348	\$10.99
9" GAS BAG*	550000791	\$10.99

*Manufactured by The Brown Co.

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH (NEW STYLE)	700500180	\$9.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
HAND BEARING PRESS	A700500076	\$49.99
PRESSURE TUBE INSTALLER	A700500090	\$39.99
5/8" ROD GUIDE INSTALLER	A700500059	\$24.99
OVERFLOW CUP	550000302	\$89.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
TWIN PRONG BLEEDER TOOL (OLD STYLE)	A700500058	\$29.99
BIG BODY WRENCH HANDLE	700500048	\$499.99
STEEL TWIN TUBE SLEEVE	700500150	\$34.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99

NON-ADJ. TWIN TUBE REBUILD KITS



DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BASE VALVE & ACCESSORIES	19BV/AC	\$320.99

PISTONS

REPLACEMENT PARTS

NEW!

MACHINED BILLET PISTONS



AFCO's new billet CNC machined pistons are designed to provide optimum performance for the most demanding situations. Utilizing the latest 5-axis CNC equipment combined with 100% inspection ensures each piston meets a high level of quality. Likewise, a thorough deburring process is utilized to further ensure damping curves remain consistent build-to-build as well as throughout the life of each shock absorber. Available in linear/linear or linear/digressive configuration, these pistons will fit any 46mm bore AFCO monotube shock (aluminum or steel bodied). In addition a performance-matched base valve is available for all 55-56, 75-76, and 85-88 Series Modified Steel Bulb Gas Shocks.

FEATURES AND BENEFITS

- 46mm piston size is compatible with AFCO 46mm bore monotube shocks.
- Anodized billet aluminum construction.
- Developed, optimized, and tested using an in-house EMA dyno.
- Machined in-house with state-of-the-art 5-axis CNC machinery.
- Developed and manufactured to be repeatable and consistent.
- 100% inspected and precision deburred.
- Linear/Linear or Linear/Digressive piston options.
- Performance matched base valve (85-88 Series).

DESCRIPTION	PART #	PRICE
46MM BILLET 3 PORT LINEAR/6 PORT LINEAR PISTON	550000682	\$63.99
46MM 3 PORT LINEAR/3 PORT LINEAR NEW!	550001139	\$63.99
46MM BILLET 6 PORT LINEAR/DIGRESSIVE PISTON	550000934	\$63.99
46MM 3 PORT LINEAR/DIGRESSIVE NEW!	550001140	\$63.99
46MM STEEL BULB BILLET BASE VALVE	550000932	\$52.99
PISTON GUIDE RING (5 PACK)	550060026-5	\$36.99
PISTON GUIDE O-RING (5 PACK)	550060021-5	\$10.99
BASE VALVE O-RING	550060019-5	\$10.99
BASE VALVE PIN	550000931	\$9.99
BASE VALVE NUT(5 PACK)	550000649-5	\$26.99
JET, 5MM X BLANK	A550030150X	\$6.41
JET, 5MM X .052 BLEED	A550030153X	\$6.41
JET, 5MM X .073 BLEED	A550030156X	\$6.41
JET, 5MM X .089 BLEED	A550030159X	\$10.99
JET, 5MM X .010 BLEED	A550030161X	\$6.41
JET, 5MM X .020 BLEED	A550030162X	\$6.41
JET, 5MM X .030 BLEED	A550030163X	\$6.41
JET, 5MM X .040 BLEED	A550030164X	\$6.41

WADE MOYER



"The new stock mount shock is the best stock mount shock we have ever run on our southern sportmod. This shock has maximum clearance on fronts and perfect lengths for the back of the car. I would recommend it to everyone in the stock mount shock market."



PISTONS

REPLACEMENT PARTS



MONOTUBE PISTONS & ACCESSORIES

Monotube (5/8" & 1/2" Shafts)

DESCRIPTION	PART#	PRICE
STANDARD MAIN PISTON (QTY. 2)	550010022-2	\$42.99
STANDARD MAIN PISTON (QTY. 10)	550010022-10	\$213.99
STANDARD FLOATING PISTON	8000096	\$15.99
SINGLE POPPET PISTON (QTY. 2)	550090086-2	\$69.99
SINGLE POPPET PISTON (QTY. 10)	550090086-10	\$341.99
DOUBLE POPPET PISTON (QTY. 2)	550090172-2	\$63.99
DOUBLE POPPET PISTON (QTY. 10)	550090172-10	\$320.99
DIGRESSIVE SPACER (QTY. 2)	550090031-2	\$6.41
DIGRESSIVE SPACER (QTY. 10)	550090031-10	\$31.99
0.060" POPPET JET	A550030040X	\$11.99
RESTRICTOR PORT MT PISTON	A550090213X	\$21.39
BLANK POPPET	A550030049X	\$10.99
0.125" POPPET JET	A550030045X	\$10.99
PISTON / O-RING (QTY. 5)	550060021-5	\$10.99
PISTON / O-RING (QTY. 25)	550060021-25	\$21.39
PISTON / GUIDE RING (QTY. 5)	550060026-5	\$36.99
PISTON / GUIDE RING (QTY. 25)	550060026-25	\$179.99
MAIN PISTON STOP WASHER	550090146-5	\$21.39
MAIN PISTON STOP WASHER	550090146-25	\$82.99
PRECISION SHOCK NUT 1/2"-20	550000291-5	\$15.99

TWIN TUBE PISTONS & ACCESSORIES

Twin Tube (5/8" Shaft)

DESCRIPTION	PART#	PRICE
STANDARD MAIN PISTON (QTY. 2)	550010031-2	\$42.99
STANDARD MAIN PISTON (QTY. 10)	550010031-10	\$213.99
TWIN TUBE POPPET PISTON	100051	\$58.99
TWIN TUBE DOUBLE POPPET PISTON	100052	\$63.99
MAIN PISTON O-RING (QTY. 1)	A550060012X	\$2.13
RESTRICTOR PORT MT PISTON (QTY. 25)	550060012-25	\$11.99
PISTON BAND (QTY. 1)	A550060023X	\$6.41
STANDARD 19 SERIES BASE VALVE	A550030101	\$3.20
19 SERIES BASE VALVE PIN	A550030110	\$2.13
19 SERIES BASE VALVE NUT	A550030109	\$2.13
19 SERIES CHECK SHIM (QTY. 5)	550080171-5	\$10.99
19 SERIES CHECK SHIM (QTY. 25)	550080171-25	\$36.99
SHIM RESTRICTOR 3 HOLE	550090201	\$15.99
SHIM RESTRICTOR 5 HOLE	A550090202X	\$11.99
SHIM 3 HOLE (QTY. 5)	550080203-5	\$21.39
SHIM 3 HOLE (QTY. 25)	550080203-25	\$90.99
LINEAR TWIN TUBE BASE VALVE	A550030142X	\$21.39
DIGRESSIVE 35 MM SPACER	8000061	\$21.39

REBUILD TOOLS

TOOLS & SUPPLIES



DESCRIPTION	PART #	PRICE
SMALL BODY BLEEDER	A700500057	\$29.99



DESCRIPTION	PART #	PRICE
SHOCK HEX BLEEDER WRENCH	700500180	\$9.99



DESCRIPTION	PART #	PRICE
TWIN-PRONG BLEEDER	A700500058	\$29.99



DESCRIPTION	PART #	PRICE
HAND BEARING PRESS	A700500076	\$49.99



DESCRIPTION	PART #	PRICE
5/8" FLOATING PISTON HEIGHT GAUGE	A700500136	\$49.99
1/2" SHAFT PISTON HEIGHT GAUGE	700500181	\$52.99



DESCRIPTION	PART #	PRICE
PRESSURE TUBE INSTALLER	A700500090	\$39.99



DESCRIPTION	PART #	PRICE
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99



DESCRIPTION	PART #	PRICE
SPANNER WRENCH	20110	\$42.99




DESCRIPTION	PART #	PRICE
5/8" ROD GUIDE INSTALLER	A700500059	\$24.99
1/2" ROD GUIDE INSTALLER	550000281	\$31.99

BIG BODY WRENCH



DESCRIPTION	PART #	PRICE
BIG BODY WRENCH HANDLE	700500048	\$499.99
STEEL MONOTUBE SLEEVE	700500147	\$34.99
STEEL TWIN TUBE SLEEVE	700500150	34.99

SHOCK VISE AND MOUNTING STAND



DESCRIPTION	PART #	PRICE
SHOCK VISE/MOUNTING STAND	20113	\$299.99

GAS SHOCK INFLATION GAUGES & TOOLS



550000740



5500007402



GAUGE

DESCRIPTION	PART #	PRICE
70 SERIES GAS SHOCK INFLATION ASSY.*	550000740	\$95.99
IMCA NON-SCHRADER FILL TOOL	5500007402	\$106.99
SCHRADER GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
GAS SHOCK INFLATION ASSY. 0-30 PSI	20109-8	\$106.99
GAUGE ONLY 0-30 PSI	550090237	\$47.99
ECONOMY SHOCK INFLATION ASSY. 0-300 PSI	GAUGE	\$76.99

*REQUIRED TO ADAPT FILL PORT ON SHOCK TO USE #20109 INFLATION GAUGE ASSEMBLY.



20109

OVERFLOW CUP

DESCRIPTION	PART #	PRICE
OVERFLOW CUP (SB, BB, & QM)	550000302	\$89.99
2.45" X 1" RUBBER SEAL (3)	55000030203-3	\$11.99
2.45" X 1.38" RUBBER SEAL (3)	55000030202-3	\$11.99
2.45" X 1.63" RUBBER SEAL (3)	55000030201-3	\$11.99

55000030203-3
2.45"X 1"55000030202-3
2.45"X 1.38"55000030201-3
2.45"X 1.63"

PREMIUM SHOCK OIL

For use in all AFCO rebuildable shocks.

DESCRIPTION	PART #	PRICE
1 QUART	MT59506	\$19.99
5 GALLONS	165006	\$320.99



AFCO SUSPENSION

ULTRA LIGHTWEIGHT BLACK COATED SPRINGS

You asked for it and AFCO delivered! Responding to market demand, now you can run high-quality AFCO springs and still get that "blacked out" look!

- **AFCOIL® Springs featuring all new black coating!**
- Get the performance you are looking for with the tightest tolerances in the industry.
- All AFCOILS® are manufactured using ultra-high tensile wire.
- AFCO Conventional Springs are guaranteed not to lose more than 2% of free height.
- Engineered design resists spring lean and bow.
- Best warranty in the industry!

MADE IN THE U.S.A.

5" X 9-1/2" FRONT

- '64-'72 Chevelle.
- '67-'69 Camaro.
- '68-'74 Nova.



RATE	PART #	PRICE
400	20400B	\$64.99
450	20450B	\$64.99
475	20475B	\$64.99
500	20500B	\$64.99
525	20525B	\$64.99
550	20550B	\$64.99
575	20575B	\$64.99
600	20600B	\$64.99
625	20625B	\$64.99
650	20650B	\$64.99
700	20700B	\$64.99
750	20750B	\$64.99
800	20800B	\$64.99
850	20850B	\$64.99
900	20900B	\$64.99
950	20950B	\$64.99
1000	21000B	\$64.99

5-1/2" X 9-1/2" FRONT

- '73-'88 Monte Carlo, Cutlass, Regal, Grand Prix.
- '73-'83 Chevelle, Malibu.
- '70-'92 Camaro.
- '75-'79 Nova & Others.



RATE	PART #	PRICE
500	20500-1B	\$64.99
550	20550-1B	\$64.99
600	20600-1B	\$64.99
650	20650-1B	\$64.99
700	20700-1B	\$64.99
750	20750-1B	\$64.99
800	20800-1B	\$64.99
850	20850-1B	\$64.99
900	20900-1B	\$64.99
950	20950-1B	\$64.99
1000	21000-1B	\$64.99
1050	21050-1B	\$64.99
1100	21100-1B	\$64.99
1150	21150-1B	\$64.99
1200	21200-1B	\$64.99
1300	21300-1B	\$64.99
1400	21400-1B	\$64.99

5-1/2" X 11" FRONT

- '73-'83 Chevelle, Malibu.
- '73-'88 Monte Carlo, Cutlass, Regal, Grand Prix & Others.
- '70-'92 Camaro & Others.
- "Street Stock" - Black finish gives stock appearance.
- 11" tall - spacers not necessary.
- Fits most street stocks that require 5-1/2" springs.
- Rates specifically for racing.



RATE	PART #	PRICE
700	20700-6	\$59.99
800	20800-6	\$59.99
900	20900-6	\$59.99
1000	21000-6	\$59.99
1100	21100-6	\$59.99
1200	21200-6	\$59.99
1300	21300-6	\$59.99
1400	21400-6	\$59.99

5-1/2" X 12" PIGTAIL REAR

- "Street Stock" - Black finish gives stock appearance.
- Designed for use with intermediate rear suspensions.
- One pigtail end — one flat ground end.
- Use 20190, 20191 or 20192 to set ride height.



RATE	PART #	PRICE
150	25150SS	\$59.99
175	25175SS	\$59.99
200	25200SS	\$59.99
225	25225SS	\$59.99
250	25250SS	\$59.99
275	25275SS	\$59.99

5" X 11" REAR



RATE	PART #	PRICE
100	25100B	\$64.99
125	25125B	\$64.99
150	25150B	\$64.99
175	25175B	\$64.99
200	25200B	\$64.99
225	25225B	\$64.99
250	25250B	\$64.99
275	25275B	\$64.99
300	25300B	\$64.99
325	25325B	\$64.99
350	25350B	\$64.99
400	25400B	\$64.99

5" X 13" REAR



RATE	PART #	PRICE
125	25125-1B	\$64.99
150	25150-1B	\$64.99
175	25175-1B	\$64.99
200	25200-1B	\$64.99
225	25225-1B	\$64.99
250	25250-1B	\$64.99
275	25275-1B	\$64.99
300	25300-1B	\$64.99
325	25325-1B	\$64.99
350	25350-1B	\$64.99
375	25375-1B	\$64.99
400	25400-1B	\$64.99

5" X 16" REAR



RATE	PART #	PRICE
125	25125-2B	\$69.99
150	25150-2B	\$69.99
175	25175-2B	\$69.99
200	25200-2B	\$69.99
225	25225-2B	\$69.99
250	25250-2B	\$69.99

ULTRA LIGHTWEIGHT YELLOW COATED SPRINGS

AFCO's conventional springs are designed to deliver consistent on-track performance. For 3 decades, racers have won thousands of races riding on AF coils®.

- Tightest tolerances - delivers superior on-track performance.
- Best fit, best value - Get more laps from your springs.
- Highest quality on the market.
- Best warranty in the industry! Guaranteed not to lose more than 2% of free height.

MADE IN THE U.S.A.



5" X 13" REAR

DESCRIPTION	RATE	PART #	PRICE
5"X13" REAR	225	25225-1	\$59.99

5" X 16" REAR

DESCRIPTION	RATE	PART #	PRICE
5"X16" REAR	250	25250-2	\$64.99

5" X 9-1/2" FRONT

- '64-'72 Chevelle.
- '67-'69 Camaro.
- '68-'74 Nova.



RATE	PART #	PRICE
475	20475	\$59.99
625	20625	\$59.99
800	20800	\$59.99
900	20900	\$59.99
950	20950	\$59.99

5-1/2" X 9-1/2" FRONT

- '73-'88 Monte Carlo, Cutlass, Regal, Grand Prix.
- '73-'83 Chevelle, Malibu.
- '70-'92 Camaro.
- '75-'79 Nova & Others.



RATE	PART #	PRICE
600	20600-1	\$59.99
900	20900-1	\$59.99

5" PROGRESSIVE LIFT BAR SPRING 5" X 10.5"

- Soft initial rate to promote initial traction.
- Stiff secondary rate to promote quick acceleration and control.



PART #	PRICE
280001	\$89.99

5" O.D. TORQUE LINK SPRINGS

- For use with the AFCO steel torque links.
- Highest quality on the market.
- 5" O. D. X 6-5/8".
- Made in the U.S.A.



TORQUE LINK SPRINGS

DIAMETER	LENGTH	RATE	PART #	PRICE
5" O.D. BLACK	6-5/8"	600	270600B	\$64.99
5" O.D. BLACK	6-5/8"	1050	271050B	\$64.99
5" O.D. BLACK	6-5/8"	1200	271200B	\$64.99
5" O.D. BLACK	6-5/8"	600-2000	270001B	\$99.99
5" O.D. YELLOW	6-5/8"	600	270600	\$59.99
5" O.D. YELLOW	6-5/8"	600-1300	270000PR	\$89.99

SPRING RUBBER

Spring rate can change depending on the thickness of the rubber, the location of the rubber, and the type of spring being used. Use with coil springs to increase effective spring rates. Make fast & easy spring rate changes!

- Comes in 7/8" and 3/4" thickness.
- Will fit any brand of 2-1/2" or 2-5/8" coil-over springs, including barrel springs and conventional springs.



DESCRIPTION	PART #	PRICE
COIL-OVER SPRING RUBBER 3/4"	20185	\$47.99
COIL-OVER SPRING RUBBER 1"	20185-1	\$47.99
SPRING RUBBER FOR 5" OR 5-1/2" CONVENTIONAL COIL	20186	\$15.99

AFCOIL LIFETIME WARRANTY

SEE PAGE 33 OR 156 FOR WARRANTY DETAILS.

CONTROL ARM COMPONENTS

MODULAR CONTROL ARM COMPONENTS

- Stud made from high-quality steel.
- Tight tolerance ensures correct ball joint fit.
- Stud can be either front or rear.

MODULAR CONTROL ARM COMPONENTS		PART #	PRICE
1) LH ROD END	5/8" X 5/8"	10431	\$14.99
2) RH JAM NUT	5/8"	10142	\$1.99
3) LH JAM NUT	5/8"	10143	\$1.99
4) HOLE CLEVIS	5/8"-18" X 3/8" O.D. 5/8" THREAD	10490	\$24.99

MODULAR BALL JOINT RING

- Assemble the perfect modified upper control arm.
- Plated for long product life.
- Choice of straight or angle.



MODULAR BALL JOINT RING	PART #	PRICE
STANDARD BALL JOINT RING	19060	\$29.99
10° ANGLE BALL JOINT RING LEFT HAND	19065	\$29.99
10° ANGLE BALL JOINT RING RIGHT HAND	19066	\$29.99



STEEL SWAGED TUBES		PART #	PRICE
4" STEEL SWAGED TUBE	7/8" O.D. 5/8" THREAD	5804	\$13.99
5" STEEL SWAGED TUBE	7/8" O.D. 5/8" THREAD	5805	\$13.99
6" STEEL SWAGED TUBE	7/8" O.D. 5/8" THREAD	5806	\$13.99
7" STEEL SWAGED TUBE	7/8" O.D. 5/8" THREAD	5807	\$13.99

RECOMMENDED BALL JOINTS



20034



20034-1



20034LF



20034-2LF

BALL JOINTS OPTIONS	PART #	PRICE
BALL JOINT	20034	\$24.99
BALL JOINT EXTENDED .200"	20034-1	\$24.99
LOW-FRICTION BALL JOINT	20034LF	\$39.99
LOW-FRICTION BALL JOINT EXTENDED .50"	20034-2LF	\$39.99

COIL SPRING RUBBER

- For 5" or 5-1/2" springs.
- Provides 1" lift.



DESCRIPTION	PART #	PRICE
COIL SPRING RUBBER	20186	\$15.99

COIL SPRING BUCKET

Installs in frame so racing springs and weight jacks can be used.

- Uses standard weight jacks shown in next column.
- Works with any 1-1/8" SAE jack bolt.



DESCRIPTION	PART #	PRICE
BUCKET - 1-1/8" FINE	20190	\$59.99
BUCKET - 1" COURSE	20190C	\$39.99

COIL SPRING SPACER

Just trim to set wedge and ride height in car.

- For 5" or 5-1/2" springs.
- Welds into spring pocket.
- I.D. open for stock mount racing shock installation.



DESCRIPTION	PART #	PRICE
COIL SPRING SPACER	20192	\$29.99

ADJUSTABLE COIL SPRING SPACER

Allows 2" range of height adjustment when fitting 5" or 5-1/2" springs into stock stub cars.

- Use collar to adjust ride height and wedge.
- ACME threads for high strength.
- Trim sleeve for initial fit then weld.



20187

20191

DESCRIPTION	PART #	PRICE
ADJUSTABLE SPACER SHORT	20187	\$39.99
ADJUSTABLE SPACER TALL	20191	\$44.99


SPRING ACCESSORIES

DETTENTED LIGHTWEIGHT WEIGHT JACK SYSTEM

AFCO's new Detented Weight Jack System eliminates the need for a jam nut, which allows for fast wedge adjustments on a pit stop or during chassis set up. The stainless steel ball and spring lock the plate from turning under race conditions to prevent unwanted chassis changes on the track. Ideal for cars that have little or no room around the weight jack bolt. The special ball-ended jack bolt and its accomodating cupped spring plate seat helps to eliminate spring-to-jack bolt misalignment and spring binding during normal suspension travel.

- **Faster adjustments!**
- Black powdercoat finish.
- Integral pivot for improved spring alignment during suspension travel.


DESCRIPTION	WEIGHT	PART #	PRICE
LIGHT WEIGHT SPRING CUP	1.2 LBS.	20195LW	\$34.99
LIGHT WEIGHT JACK BOLT 8" LENGTH	1.5 LBS.	20194-8D	\$17.99
LIGHT WEIGHT JACK BOLT 11" LENGTH	2 LBS.	20194-11D	\$17.99
DETTENTED PLATE	1.5 LBS.	20193D	\$34.99



WEIGHT JACK

Made for use in conventional spring type cars using 1" coarse weight jacks.

DESCRIPTION	PART #	PRICE
PLATE (PLATE WELDS INTO STOCK FRAME)	20193	\$19.99
CUP	20195	\$34.99
8" BOLT	20194-8D	\$17.99
11" BOLT	20194-11D	\$17.99



"SWIVLER" WEIGHT JACK

The "Swivler" allows cup in the top of spring to pivot on bolt eliminating bind during travel.

- Standard with 1" coarse bolt.
- Use on front springs only.
- Bolt interchangeable with fine thread bolts.
- Reducing bind.
- Improves lap times.



DESCRIPTION	PART #	PRICE
"SWIVLER" WEIGHT JACK WITH BOLT	20189	\$69.99
"SWIVLER" WEIGHT JACK WITHOUT BOLT	20189-1	\$59.99
BOLT ONLY	20188	\$19.99

STANDARD WEIGHT JACK


- Available with aluminum or steel bolt.
- For 5" or 5-1/2" springs.
- Choice of 3 bolt lengths.
- 1-1/8" SAE (Fine thread).




COMPONENTS	STEEL	PRICE
6" BOLT	20201-6S	\$24.99
8" BOLT	20201-8S	\$24.99
NUT	20202	\$14.99
5" STEEL PLATE	20199R	\$24.99

STEERING COMPONENTS


STOCK STUB STEERING




1.




2.



3.



4.



5.

	CHEVELLE		CAMARO		MONTE CARLO		GM MID SIZE	
DESCRIPTION	'68-'72	PRICE	'70-'81	PRICE	'78-'88	PRICE	'78-'83	PRICE
1) CENTER LINK PS	30274	\$59.99	30272	\$64.99	30270	\$64.99	30270	\$64.99
2) TIE ROD - OUTER	•	•	30210*	\$19.99	30220	\$18.99	30220	\$18.99
3) ADJUSTER SLEEVE	•	•	30233**	\$11.99	30230**	\$14.99	30230**	\$14.99
4) TIE ROD - INNER LH	•	•	30208**	\$29.99	30221	\$18.99	30221	\$18.99
4) TIE ROD - INNER RH	•	•	30209	\$29.99	30221	\$18.99	30221	\$18.99
5) IDLER ARM	30260	\$29.99	30262	\$34.99	30261	\$34.99	30261	\$34.99

* LISTED TIE ROD ENDS WILL WORK ON '70-'74 MODELS WHEN USED AS AN INNER/OUTER ASSEMBLY.
** ADJUSTER SLEEVE MUST BE SHORTENED FOR PROPER FRONT END ALIGNMENT.

AFCO CENTER LINK

IMPROVE YOUR GM METRIC SUSPENSION GEOMETRY WITH AN AFCO CENTER LINK!


Relocates the inner tie rod end to shorten both tie rod assemblies, which improves steering geometry by reducing the excessive toe out that is common to GM metric chassis during normal suspension travel (bump steer).



DESCRIPTION	PART #	PRICE
CENTER LINK - FITS MONTE CARLO '78-'88 & GM MID SIZE '78-'83	30271*	\$95.99
* FITS '78-'88 METRIC CARS ONLY.		

INNER TIE ROD ENDS

- 5/8" threaded.
- Used in AFco tie rod assembly.
- Most popular tie rod end; fits most rack & pinion cars.
- Same taper as 30201; fits most rack and pinion cars.



APPLICATION	PART#	PRICE
7-1/4" LENGTH 5/8" RH THREADED	30201	\$18.99
4" LENGTH 5/8" RH THREADED	30238	\$24.99
4" LENGTH 5/8" LH THREADED	30239	\$24.99

GM TIE ROD ENDS

- 3/4" threaded.
- High-quality.
- Replaces ES150.




APPLICATION	PART#	PRICE
LH THREADS	30211	\$24.99
RH THREADS	30212	\$19.99

CALIPER BRACKETS

CALIPER BRACKET

Adapts stock '74-'80 Pinto / Mustang II spindle to small GM caliper with '75-'80 Ford Granada-type rotor.



HYBRID CALIPER BRACKET

Adapts stock '74-'80 Pinto/Mustang II spindle to small GM caliper w/ AFco Brake Hybrid Rotor.



BRACKET DESCRIPTION	THREAD	THICKNESS	PART #	PRICE
GM METRIC LH-PINTO SPINDLE, GRANADA ROTOR	7/16" FINE	1/4"	40121PL	\$49.99
GM METRIC RH-PINTO SPINDLE, GRANADA ROTOR	7/16" FINE	1/4"	40121PR	\$49.99
GM METRIC LH-PINTO SPINDLE, HYBRID ROTOR	7/16" FINE	1/4"	40122PL	\$29.99
GM METRIC RH-PINTO SPINDLE, HYBRID ROTOR	7/16" FINE	1/4"	40122PR	\$29.99

SEE PAGE 129 FOR REAR BRAKE BRACKETS.

STEERING COMPONENTS

PRECISION PINTO SPINDLES

AFCO's precision pinto spindle program has been engineered to provide precise, dimension perfect spindles to chassis builders and racers alike. When replacing a crashed precision spindle from AFCO, you can be assured that your front end geometry will not change.

- CNC Blue Printed to stock dimensions to be the same every time.
- Promotes precise front end geometry.
- Precise CNC machined tapers align perfectly.
- Chassis builder custom build programs available.

PRECISION PINTO SPINDLES	PART #	PRICE
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - PAIR - 10° PIN	100128	\$249.99
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - LEFT - 10° PIN	100129	\$129.99
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - RIGHT - 10° PIN	100130	\$129.99
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - PAIR - 7.5° PIN	100151	\$249.99
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - LEFT - 7.5° PIN	100152	\$129.99
PRECISION PINTO SPINDLE (FOR 20038-1 LOWER BALL JOINT) - RIGHT - 7.5° PIN	100153	\$129.99
PRECISION SPINDLE (FOR 20036 LOWER BALL JOINT) - PAIR - 10° PIN	100173	\$249.99
PRECISION SPINDLE (FOR 20036 LOWER BALL JOINT) - LEFT - 10° PIN	100174	\$129.99
PRECISION SPINDLE (FOR 20036 LOWER BALL JOINT) - RIGHT - 10° PIN	100175	\$129.99



PINTO/MUSTANG II SPINDLES

- NEW forged spindles - not reworked O.E.M.
- Brake brackets sold separately.

IMCA APPROVED PINTO/MUSTANG II SPINDLES

(IMCA FORGED ON SPINDLE)	PART #	PRICE
IMCA APPROVED PINTO/MUSTANG II SPINDLE - LEFT	30435L	\$119.99
IMCA APPROVED PINTO/MUSTANG II SPINDLE - RIGHT	30435R	\$119.99

PINTO/MUSTANG II SPINDLES

(NOT STAMPED WITH FORD PART NUMBER)	PART #	PRICE
PINTO/MUSTANG II SPINDLE - PAIR	AD30436	\$224.99
PINTO/MUSTANG II SPINDLE NUT	9851-8545	\$9.99



AD30436
(Sold in Pairs)



30435L &
30435R
(Sold Individually)



3-PIECE METRIC & "PINTO STYLE" SPINDLE

The 3-piece 1979-Up GM metric spindle is a re-creation of an OEM spec spindle in a newly forged, heat-treated steel design that is both stronger and lighter than the original. The unique three-piece construction provides for fast, convenient and affordable replacement of individual components in the event of a crash. These spindles are IMCA, USMTS, and USRA approved. Works great with our 1979-Up GM metric front brake rotors, bearings, calipers, etc.

The "Short Arm Pinto Style" spindle is an adaptation of the above 3-piece metric spindle. It fits the '79-Up metric hub, calipers and the extended 20038-1 (K6117) lower ball joint. Upper ball joint boss is reamed to 7° to accept the popular 20034 (K772) screw-in ball joint. Steering arm is Pinto length and lowered to help correct bumpsteer.

- Forged, heat-treated steel.
- Three-piece design for quick, easy replacement.
- Metric is a direct replacement for factory spindle.
- Replacement parts sold separately.

3-PIECE SPINDLES	PART #	PRICE
METRIC 3-PIECE SPINDLE KIT - LEFT SIDE	34501-L	\$129.99
METRIC 3-PIECE SPINDLE KIT - RIGHT SIDE	34501-R	\$129.99
REPLACEMENT METRIC STEERING ARM LEFT	34503-L	\$34.99
REPLACEMENT METRIC STEERING ARM RIGHT	34503-R	\$34.99
SHORT ARM PINTO STYLE KIT - LEFT SIDE	34511-L	\$129.99
SHORT ARM PINTO STYLE KIT - RIGHT SIDE	34511-R	\$129.99
REPLACEMENT PINTO STYLE STEERING ARM LEFT	34513-L	\$34.99
REPLACEMENT PINTO STYLE STEERING ARM RIGHT	34513-R	\$34.99
BOLT KIT (FITS METRIC & PINTO STYLE)	34505	\$4.99
REPLACEMENT LEFT CALIPER BRACKET (FITS METRIC & PINTO STYLE)	34504-L	\$29.99
REPLACEMENT RIGHT CALIPER BRACKET (FITS METRIC & PINTO STYLE)	34504-R	\$29.99



AFCO LOW FRICTION BALL JOINTS

- Improves weight transfer.
- Frees up suspension for more consistent, repeatable chassis tuning.
- Precision-machined to tight tolerances, providing consistent resistance throughout the travel of the ball joint, to deliver consistent performance.
- Road inputs are controlled more effectively by the shock and spring instead of the tire, which improves traction.
- Removes suspension bind and allows shock & spring to have more precise wheel control.
- Meets or exceeds standard ball joint strength.
- Provides more accurate setups during vehicle scaling.
- Lower input steering efforts and faster steering wheel return.
- Extended lengths will raise roll center and improve camber curves.

TAKE-A-PART LOW FRICTION BALL JOINTS

- Take-a-part design.
- Low friction design.
- Multiple pin lengths and tapers available.
- No special tools required to assemble or disassemble.
- IMCA legal.
- Simple 3 piece design.



INTERCHANGE NUMBER*	TAKE-A-PART LOW FRICTION	TAKE-A-PART LOW FRICTION + 0.5"	TAKE-A-PART LOW FRICTION + 1.0"	PRICE
K772	21034	21534	21134	\$69.99
K727	21036	21536	21136	\$69.99
K6141	21038	21538	21138	\$69.99
K6117	210381	215381	211381	\$69.99
K6145	21039	21539	21139	\$69.99

*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS.

SEALED LOW FRICTION BALL JOINTS

AFCO's low friction ball joints are designed with 2 ft. lbs. of resistance, the force required to move the stud of the ball joint. Compare this with standard replacement joints, with as high as 50 ft. lbs. of resistance.

- Only 2 ft. lbs. of resistance and less bind = lower lap times.
- Stock appearing.

LOWER BALL JOINTS



UPPER BALL JOINTS



STYLE	BODY	PIN	PART #	PRICE
4-BOLT UPPER	FITS MOST FABRICATED UPPER ARMS	POPULAR FOR FABRICATED SPINDLE	20031LF	\$39.99
4-BOLT UPPER	SAME AS 20031	SAME AS 20031, BUT +1/2" LONGER	20031-2LF	\$39.99
4-BOLT UPPER	'73-'88 CHEVELLE AND OTHERS	COMMON STOCK REPLACEMENT	20032LF	\$39.99
4-BOLT UPPER	SAME AS 20032	SAME AS 20032, BUT +1/2" LONGER	20032-2LF	\$39.99
4-BOLT UPPER	FITS MOST FABRICATED UPPER ARMS	POPULAR EXTENDED FOR STOCK SPINDLE*	20032-1LF	\$39.99
4-BOLT UPPER	'64-'72 CHEVELLE AND OTHERS	'64-'72 CHEVELLE AND OTHERS	20037LF	\$39.99
SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST TUBULAR UPERS	FITS MOST FABRICATED SPINDLES	20034LF	\$39.99
SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST TUBULAR UPERS	SAME AS 20034LF, BUT +1/2" LONGER	20034-2LF	\$39.99
SCREW IN LOWER	BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS)	BIG CHRYSLER STYLE FOR FABRICATED SPINDLES	20036LF	\$39.99
PRESS IN LOWER	'64-'72 CHEVELLE, '67-'69 CAMARO AND OTHERS	'64-'72 CHEVELLE, '67-'69 CAMARO	20033LF	\$39.99
PRESS IN LOWER	'64-'72 CHEVELLE, '67-'69 CAMARO AND OTHERS	SAME EXTRA LONG PIN AS 20038-1	20038-3LF	\$39.99
PRESS IN LOWER	'73-'88 CHEVELLE, '70-'02 CAMARO AND OTHERS	'73-'88 CHEVELLE, '70-'02 CAMARO AND OTHERS	20039LF	\$39.99
PRESS IN LOWER	'73-'88 CHEVELLE, '70-'02 CAMARO AND OTHERS	SAME EXTRA LONG PIN AS 20038-1	20038-4LF	\$39.99
PRESS IN LOWER	WELDS INTO MOST STOCK LOWERS 1.98 PRESS IN DIMENSION	POPULAR LONG STUD DESIGN FOR RAISED ROLL CENTER WITH STOCK SPINDLE**	20038-1LF	\$39.99

*SPINDLE MAY NEED REAMED. **SPINDLE MUST BE REAMED.

STANDARD BALL JOINTS

Not all ball joints are created equal. That's why we choose the best components from the top U.S. manufacturers. There are many different design characteristics and manufacturing processes that account for the quality and performance of ball joints. We choose the best to give you the AFco Advantage.

BALL JOINT CROSS REFERENCE GUIDE

AFco PART #	INTERCHANGE #	TYPE
20031	K6024	BOLT-IN
20032	K5208	BOLT-IN
20032-1	K3136	BOLT-IN
20033	K5103	PRESS-IN
20034	K772	SCREW-IN
20034-1	N/A	SCREW-IN
20035	K719	SCREW-IN
20036	K727	SCREW-IN
20037	K5108	BOLT-IN
20038	K6141	PRESS-IN
20038-1	K6117	PRESS-IN
20039	K6145	PRESS-IN
20040	K8259	PRESS-IN

LOWER BALL JOINTS



UPPER BALL JOINTS



APPLICATION GUIDES

APPLICATION	Std: \$24⁹⁹ Low Friction: \$39⁹⁹			Starting at: Std: \$24⁹⁹ Low Friction: \$39⁹⁹		
	UPPER			LOWER		
	INT#*	STANDARD	LOW FRICTION	INT#*	STANDARD	LOW FRICTION
'79-'93 MUSTANG	N/A	N/A	N/A	K8259	20040	N/A
'82-'02 S-10 -2WD, BLAZER -2WD	K5208	20032	20032LF	K6145	20039	20039LF
'93-'02 CAMARO, FIREBIRD, TRANS AM	N/A	N/A	N/A	K6145	20039	20039LF
'82-'92 CAMARO, FIREBIRD, TRANS AM	N/A	N/A	N/A	K6145	20039	20039LF
'70-'81 CAMARO FIREBIRD, TRANS AM	K5208	20032	20032LF	K6145	20039	20039LF
'67-'69 CAMARO FIREBIRD, TRANS AM	K5108	20037	20037LF	K5103	20033	20033LF
'70-'72 MONTE CARLO	K5108	20037	20037LF	K5103	20033	20033LF
'73-'88 MONTE CARLO	K5208	20032	20032LF	K6145	20039	20039LF
'64-'72 CHEVELLE EL CAMINO	K5108	20037	20037LF	K5103	20033	20033LF
'73-'88 CHEVELLE EL CAMINO	K5208	20032	20032LF	K6145	20039	20039LF
'78-'83 MALIBU	K5208	20032	20032LF	K6145	20039	20039LF

*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS. **ALSO FITS IMPALA, BELAIR, BISCAYNE EXC WAGON.

APPLICATION	Std: \$24⁹⁹ Low Friction: \$39⁹⁹			Starting at: Std: \$24⁹⁹ Low Friction: \$39⁹⁹		
	UPPER			LOWER		
	INT#*	STANDARD	LOW FRICTION	INT#*	STANDARD	LOW FRICTION
'73-'88 CUTLASS	K5208	20032	20032LF	K6145	20039	20039LF
'64-'72 CUTLASS	K5108	20037	20037LF	K5103	20033	20033LF
'73-'87 REGAL	K5208	20032	20032LF	K6145	20039	20039LF
'73-'88 GRAND PRIX	K5208	20032	20032LF	K6145	20039	20039LF
'73-'82 LEMANS GT0	K5208	20032	20032LF	K6145	20039	20039LF
'64-'72 LEMANS GT0	K5108	20037	20037LF	K5103	20033	20033LF
'71-'76 CAPRICE**	K5208	20032	20032LF	K6141	20038	20038LF
'77-'94 CAPRICE**	K5208	20032	20032LF	K6145	20039	20039LF
'94-'96 IMPALA SS	K5208	20032	20032LF	K6145	20039	20039LF
'75-'79 NOVA	K5208	20032	20032LF	K6145	20039	20039LF
'68-'74 NOVA	K5108	20037	20037LF	K5103	20033	20033LF

UPPER BALL JOINTS APPLICATION

FITS AFco CONTROL ARM

SAME BOLT PATTERN AS 20031; LONGER STUD USED TO RAISE THE ROLL CENTER

SAME BOLT PATTERN AS 20032; LONGER STUD USED TO RAISE THE ROLL CENTER

SMALL SCREW IN; 1.83" BODY AT THREAD; USED IN UPPER & LOWER AFTERMARKET CONTROL ARMS; FITS PINTO TAPER

SAME AS 20034 EXCEPT .200" LONGER STUD USED TO RAISE THE ROLL CENTER

LOWER BALL JOINTS APPLICATION

SMALL SCREW IN; 1.83" BODY AT THREAD; USED IN UPPER & LOWER AFTERMARKET CONTROL ARMS; FITS PINTO TAPER

SAME BODY AS 20034 EXCEPT LARGER STUD

LARGE SCREW IN; 2.00" BODY AT THREAD

POPULAR RACING DESIGN; PRESS-IN DIMENSION: 2.180"

POPULAR RACING DESIGN WITH LONGER STUD TO RAISE ROLL CENTER; PRESS-IN DIMENSION: 1.980"

*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS.

INT#*	STANDARD	PRICE	LOW FRIC.	PRICE
K6024	20031	\$24.99	20031LF	\$39.99
K3136	20032-1	\$24.99	20032-1LF	\$39.99
•	•	•	20032-2LF	\$39.99
K772	20034	\$24.99	20034LF	\$39.99
N/A	20034-1	\$24.99	•	•
INT#*	STANDARD	PRICE	LOW FRIC.	PRICE
K772	20034	\$24.99	20034LF	\$39.99
K719	20035	\$29.99	•	•
K727	20036	\$34.99	20036LF	\$39.99
K6141	20038	\$24.99	20038LF	\$39.99
K6117	20038-1	\$24.99	20038-1LF	\$39.99

CONTROL ARM BUSHINGS

LIGHTWEIGHT LOWER ARM BUSHINGS

AFCO's precision-machined steel replacement bushings offer dramatic reductions in friction when compared to rubber or urethane-style bushings. By nearly eliminating drag on suspension movement, your shock and springs will work more effectively to keep your tires stuck to the track.



- **Near zero-drag bushings!**
- Inner sleeve allows bolt to be tightened without crushing or binding.
- Dimensions allow direct replacement of the standard bushing.
- Dramatically frees up front suspension.

LIGHTWEIGHT LOWER ARM BUSHING DIMENSIONS

PART #	DIAMETER	LENGTH	LBS.
20069LW	1.40"	2.94"	0.625
20075LW	1.40"	2.39"	0.625
20076LW	1.65"	2.39"	0.625
20076LW-1 (9/16" I.D.)	1.65"	2.39"	0.625
20077LW	1.90"	2.39"	0.750
20077LW-1 (9/16" I.D.)	1.90"	2.39"	0.750

SERVICE PARTS: FOR NYLON SLEEVE, ADD -B TO PART NUMBER, (20075LW-B). FOR INNER SLEEVE, ADD -C TO PART NUMBER, (20075LW-C).

STANDARD STEEL ARM BUSHINGS



- **Near zero-drag bushings!**
- Dimensions allow direct replacement of the standard bushing.
- Dramatically frees up front suspension.

STANDARD LOWER ARM BUSHING DIMENSIONS

PART #	DIAMETER	LENGTH	LBS.
20069	1.40"	2.94"	1.250
20075	1.40"	2.39"	1.250
20076	1.65"	2.39"	1.250
20077	1.90"	2.39"	1.750

STANDARD UPPER ARM BUSHING DIMENSIONS

PART #	DIAMETER	LENGTH
20078	1.27"	1.50"
20079	1.53"	1.84"
20098	1.39"	1.88"
20099	1.31"	1.79"

NOTE: DUE TO PRODUCTION TOLERANCE VARIANCE IN ORIGINAL EQUIPMENT PARTS, STEEL BUSHINGS NEED TO BE TACK-WELDED INTO THE CONTROL ARM.

APPLICATION GUIDE

LOWER ARM BUSHINGS

DESCRIPTION	STANDARD		LIGHTWEIGHT	
	FRONT	REAR	FRONT	REAR
'78-'88 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20069	20076	20069LW*	20076LW*
'75-'77 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20076	20077	20076LW-1	20077LW-1
'73-'74 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20075	20077	20075LW	20077LW-1
'67-'72 RB MONTE CARLO/MALIBU/CHEVELLE/REGAL	20075	20076	20075LW	20076LW
'78-'87 CUTLASS/GRAND PRIX	20069	20076	20069LW*	20076LW*
'73-'77 CUTLASS/GRAND PRIX	20076	20077	20076LW-1	20077LW-1
'69-'72 CUTLASS/GRAND PRIX	20075	20075	20075LW	20075LW**
'71-'96 CAPRICE/IMPALA	20076	20077	20076LW-1	20077LW-1
'73-'79 CAMARO, FIREBIRD-T/A	20076	20077	20076LW-1	20077LW-1
'67-'72 CAMARO, FIREBIRD-T/A	20075	20076	20075LW	20076LW
'75-'79 NOVA	20076	20077	20076LW-1	20077LW-1
'68-'74 NOVA	20075	20076	20075LW	20076LW

* LOWER A-ARM MOUNTS MUST BE DRILLED 1/2". USE 1/2" MOUNTING BOLT.

** SOME MODIFICATION MAY BE NECESSARY.

Standard: **\$27⁹⁹**
Lightweight: **\$46⁹⁹**

EACH SOLD SEPARATELY.

UPPER ARM BUSHINGS

DESCRIPTION	STANDARD		STANDARD	
	FRONT	PRICE	REAR	PRICE
'78-'88 MONTE CARLO	20079	\$27.99	20079	\$27.99
'74-'77 MONTE CARLO*	20098	\$27.99	20099	\$27.99
1973 MONTE CARLO*	20099	\$27.99	20099	\$27.99
'67-'72 MONTE CARLO*	20078	\$27.99	20078	\$27.99
'80-'96 CAPRICE/IMPALA	20098	\$27.99	20098	\$27.99
'74-'79 CAPRICE/IMPALA	20098	\$27.99	20099	\$27.99
'71-'73 CAPRICE/IMPALA	20099	\$27.99	20099	\$27.99
'71-'79 CAMARO	20098	\$27.99	20099	\$27.99
'67-'69 CAMARO	20078	\$27.99	20078	\$27.99
'75-'79 FIREBIRD-T/A	20098	\$27.99	20099	\$27.99
'70-'74 FIREBIRD-T/A	20099	\$27.99	20099	\$27.99
'67-'69 FIREBIRD-T/A	20078	\$27.99	20078	\$27.99
'75-'79 NOVA	20098	\$27.99	20099	\$27.99
'68-'74 NOVA	20078	\$27.99	20078	\$27.99

* ALSO FITS MALIBU, CHEVELLE, REGAL, CUTLASS, & GRAND PRIX.

REAR CONTROL ARM BUSHING WITH SPHERICAL BUSHING

These steel rear control arm bushings have spherical bearings in them just like a rod end, which frees up suspension movements and eliminates binding. Fits '73-'88 GM mid-size rear control arms. Sold individually.



DESCRIPTION	PART #	PRICE
REAR CONTROL ARM BUSHINGS (1 PCS)	20095	\$34.99

OFFSET REAR CONTROL ARM BUSHINGS

These polyurethane bushings have the center hole offset 1/4" to allow you to compensate for wheel or pinion angle issues. Fits '65-'88 GM mid-size rear control arms. Sold per pair.



DESCRIPTION	PART #	PRICE
OFFSET REAR CONTROL ARM BUSHINGS (2 PCS)	20090	\$46.99

LOW FRICTION BALL JOINT & BUSHING KITS

MODIFIED PACKAGE

Each kit contains: 4 high performance low friction ball joints and 4 lightweight, friction-reducing control arm bushings.

- **Less bind = lower lap times.**
- Assembled kits for easy ordering.
- Reduced suspension "stiction".
- Increases ability to transfer weight.
- Precision machining promotes front end alignment during usage (unlike O.E. rubber bushings).
- Kits contain lightweight lower bushings (nylon inserts for reduced weight and less friction).

APPLICATION

	PART #	PRICE
'67-'72 CHEVELLE LOWER ARM WITH SCREW-IN UPPER BALL JOINT & EXTENDED LOWER BALL JOINT	200-1007	\$329.99
'67-'72 CHEVELLE LOWER ARM WITH BOLT-IN UPPER BALL JOINT & EXTENDED LOWER BALL JOINT	200-1009	\$329.99
'78-'88 MID-SIZE GM METRIC LOWER ARM WITH SCREW-IN UPPER BALL JOINT & EXTENDED LOWER BALL JOINT	200-1008	\$329.99
'78-'88 MID-SIZE GM METRIC LOWER ARM WITH BOLT-IN UPPER BALL JOINT & EXTENDED LOWER BALL JOINT	200-1010	\$329.99



STREET STOCK PACKAGE

Each kit contains: 4 high performance low friction ball joints and 8 lightweight, friction-reducing control arm bushings.

- **Less bind = lower lap times.**
- Assembled kits for easy ordering.
- No modifications necessary - simply choose your application and go.
- Reduced suspension "stiction".
- Increases ability to transfer weight.
- Precision machining promotes front end alignment during usage (unlike O.E. rubber bushings).
- Kits contain lightweight lower bushings (nylon inserts for reduced weight and less friction).



APPLICATION

	PART #	PRICE
'66-'72 CHEVELLE / MONTE CARLO, CUTLASS / 442, SPECIAL / SKYLARK/GS, LEMANS / GTO / '67-'69 CAMARO, FIREBIRD /	200-1001	\$379.99
'68-'74 CHEVY II / NOVA / '68-'74 APOLLO, OMEGA & VENTURA	200-1002	\$379.99
'78-'88 CHEVELLE / MALIBU / MONTE CARLO / '78-'87 CUTLASS, LEMANS / GRAN PRIX, REGAL / SPECIAL, CUTLASS	200-1003	\$329.99
'70-'72 CAMARO, FIREBIRD / '73 CHEVELLE / MONTE CARLO WITH 1.4" OD FRONT LOWER BUSHING	200-1004	\$379.99
'75-'79 CAMARO / NOVA, APOLLO, OMEGA / PHOENIX, VENTURA / '74-'79 FIREBIRD / '75-'77 CHEVELLE / MONTE CARLO, REGAL / SPECIAL, CUTLASS / 442, LEMANS / GTO	200-1006	\$224.99
'82-'92 CAMARO, FIREBIRD (INCLUDES 2 BALL JOINTS & 4 BUSHINGS)		


BALL JOINT SLEEVES



DESCRIPTION	I.D.	O.D.	HEIGHT	WEIGHT	PART #	PRICE
LARGE THREADED FOR 20036 WITH FLANGE	2.000"	2.30" / 2.840"	1.00"	.45 LB.	20041	\$19.99
LARGE THREADED FOR 20036	2.005"	2.375"	1.00"	.35 LB.	20042	\$19.99
SMALL THREADED FOR 20034, 20035	1.830"	2.250"	1.00"	.35 LB.	20043	\$19.99
SMOOTH FOR 20039	2.090"	2.375"	1.00"	.25 LB.	20044	\$19.99
SMOOTH FOR 20038	2.180"	2.5"	1.00"	.30 LB.	20045	\$19.99
SMOOTH FOR 20038-1	1.980"	2.185"	1.00"	.20 LB.	20046	\$19.99

TAPER REAMERS

- Manufactured from superior-quality high-speed tool steel.
- Six flute spiral design allows smooth boring operation & minimizes tool wear.
- Two designs to cover most popular racing applications.



DESCRIPTION	APPLICATION	PART #	PRICE
1-1/2" TAPER (PER FOOT)	20031, 33, 34, 35, 36 BALL JOINTS	80770	\$159.99
2" TAPER (PER FOOT)	20032, 32-1, 32-2, 38, 38-1, 39 BALL JOINTS	80771	\$159.99

ROD ENDS

STANDARD

Excellent for use as a medium-duty suspension rod end.



BORE	SHANK	TYPE	RH	LH	PRICE
3/8"	3/8"	MALE	10460	10461	\$9.99
3/8"	3/8"	FEM	10462	•	\$9.99
1/2"	1/2"	MALE	10440	10441	\$14.99
1/2"	1/2"	FEM	10442	10443	\$14.99
5/8"	5/8"	MALE	10430	10431	\$14.99
5/8"	5/8"	FEM	•	10433	\$19.99
3/4"	3/4"	MALE	10420	10421	\$19.99
3/4"	3/4"	FEM	10422	10423	\$19.99

AIRCRAFT QUALITY



- Designed for high-stress usage.
- Ideal for panhard bar or drag components.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	1/2"	MALE	10444	10445	\$29.99
5/8"	5/8"	MALE	10434	10435	\$39.99
3/4"	3/4"	MALE	10424	10425	\$54.99

STEERING



- Extra-heavy duty and won't loosen up.
- 5/8" bore and 5/8" shank.
- 3/4" sized body.
- Made for steering use.

DESCRIPTION	PART #	PRICE
LH THREAD	10401	\$24.99
RH THREAD	10402	\$24.99

OVERSIZED



- .007" oversized to slide on 3/4" steering shaft.

DESCRIPTION	PART #	PRICE
STEEL	10400	\$19.99

HD SHANK



- Used under potentially rough conditions.
- Bore size is one size smaller than shank and body.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	5/8"	MALE	10448	10449	\$24.99
5/8"	3/4"	MALE	10438	10439	\$29.99

CHROME MOLY



- Chrome moly body — 2 piece design.
- Designed for heavy duty application.

BORE	SHANK	TYPE	RH	LH	PRICE
5/8"	5/8"	MALE	10456	10457	\$24.99
3/4"	3/4"	MALE	10458	10459	\$29.99

MODULAR BALL JOINT RING

The AFCO Modular Ball Joint Ring allows racers to assemble the perfect modified upper control arm. Use with AFCO swaged steel tubes to build adjustable upper control arm.

- Plated for long product life.
- Choice of straight or angle.



DESCRIPTION	PART #	PRICE
STANDARD BALL JOINT RING	19060	\$29.99
10° ANGLE BALL JOINT RING LEFT HAND	19065	\$29.99
10° ANGLE BALL JOINT RING RIGHT HAND	19066	\$29.99

STEEL JAM NUTS



SIZE	THICK	RH	LH	PRICE
1/4" - 28	7/32"	10136	•	\$0.99
3/8" - 24	1/4"	10138	10139	\$0.99
1/2" - 20	5/16"	10144	10145	\$1.99
5/8" - 18	3/8"	10142	10143	\$1.99
5/8" - 18	NYLOCK	10142N	•	\$2.99
3/4" - 16	7/16"	10140	10141	\$1.99
3/4" - 16	NYLOCK	10140N	•	\$2.99

STEERING SUPPORT BEARINGS

Self-aligning bearing can be installed in firewall or mid-plate to support steering shaft.



DESCRIPTION	PART #	PRICE
SHAFT BEARING (.757" BORE)	30321	\$19.99

ROD END APPLICATION CHART

DESIGN	STANDARD 2 PIECE	CHROME MOLY 2 PIECE	AIRCRAFT 3 PIECE	HEAVY DUTY 3 PIECE
BALL	CASE HARDENED STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED
RACE	N/A	N/A	HEAT TREATED STEEL ALLOY ZINC PLATED	HEAT TREATED STEEL ALLOY
BODY	LOW CARBON STEEL CHROMATE TREATED	4130 CHROME MOLY	HEAT TREATED STEEL ALLOY CAD OR ZINC PLATED	LOW CARBON STEEL CAD OR ZINC PLATED
MAX STATIC	(5/8") 11,169#	(5/8") 18,000#	(5/8") 17,950#	(5/8") 16,500#
RADIAL LOAD	(3/4") 16,338#	(3/4") 25,000#	(3/4") 28,000#	(3/4") 22,800#
APPLICATIONS	STANDARD SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD	HIGH STRESS (PANHARD BAR) DRAG CAR SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD

TUBES

SWAGED BLACK STEEL TUBES **NEW!**

• New black finish!

- Consistent wall thickness allows better thread engagement.
- Black zinc-plated for increased part life.
- 3/4" and 5/8" threaded tubes for all popular applications.
- Deep knurl for easy length adjustments.



AFCO's new black swaged steel tubes are formed using .095" DOM material. This tubing is placed in a swaging machine that forms the reduced end size using a series of hammer-to-die blows. The finished product has reduced ends with wall thickness that stays within $\pm .001$ ". AFCO Swaged Steel Tubes are produced with NO stretching or crimping. Choose AFCO for the best built tubes on the market for strength and weight savings.

7/8" O.D.

LENGTH	THREAD	PART #	PRICE
4"	5/8"	5804	\$13.99
5"	5/8"	5805	\$13.99
6"	5/8"	5806	\$13.99
7"	5/8"	5807	\$13.99
8"	5/8"	5808	\$13.99
9"	5/8"	5809	\$13.99
10"	5/8"	5810	\$13.99
11"	5/8"	5811	\$13.99
12"	5/8"	5812	\$15.99
13"	5/8"	5813	\$15.99
14"	5/8"	5814	\$15.99
15"	5/8"	5815	\$15.99
16"	5/8"	5816	\$15.99
17"	5/8"	5817	\$15.99

1" O.D.

LENGTH	THREAD	PART #	PRICE
9"	3/4"	3409	\$15.99
10"	3/4"	3410	\$15.99
11"	3/4"	3411	\$15.99
12"	3/4"	3412	\$15.99
13"	3/4"	3413	\$15.99
14"	3/4"	3414	\$15.99
15"	3/4"	3415	\$15.99
16"	3/4"	3416	\$15.99
17"	3/4"	3417	\$18.99
18"	3/4"	3418	\$18.99
19"	3/4"	3419	\$18.99
20"	3/4"	3420	\$18.99
21"	3/4"	3421	\$18.99
22"	3/4"	3422	\$18.99
23"	3/4"	3423	\$18.99
24"	3/4"	3424	\$18.99
25"	3/4"	3425	\$18.99
26"	3/4"	3426	\$18.99
27"	3/4"	3427	\$18.99
37"	3/4"	3437	\$27.99

ADAPTER BOLT

- Adapter allows inner tie rod end to be replaced with rod end on rack & pinion.
- Complete with nuts and bump spacer.
- Not for stock-style spindle use.
- 1-1/2" taper per foot.



DESCRIPTION	PART #	PRICE
BOLT KIT (1PC)	10270	\$27.99

CLEVIS

- Used with strut rods.
- High quality steel - long life.



HOLE	THREAD	PART #	PRICE
3/8"	5/8" - 18RH	10490	\$24.99
1/2"	5/8" - 18RH	10491	\$24.99

TAPER REAMERS

- Manufactured from superior-quality high-speed tool steel.
- Six flute spiral design allows smooth boring operation & minimizes tool wear.
- Two designs to cover most popular racing applications.

DESCRIPTION/APPLICATION	PART #	PRICE
1-1/2" TAPER (PER FOOT) 7° APPLICATION: MOST TIE ROD, SHOCK EYES & 20031, 33, 34, 35, 36 BALL JOINTS	80770	\$159.99
2" TAPER (PER FOOT) 10° APPLICATION: 20032, 32-1, 32-2, 38, 38-1, 39 BALL JOINTS	80771	\$159.99



LEAF SPRINGS

REINFORCED FRONT SEGMENT LEAF SPRINGS

The new AFCO reinforced front segment springs have proven to provide considerable increases to forward bite when used on race cars equipped with conventional type leaf springs.

New secondary leaf design means:

- Quicker throttle response.
- Improved forward bite.
- Improved durability of leaf spring.
- Reduces wheelbase variations during braking and acceleration to improve overall handling consistency.
- 10 - 15% stiffer front segment.



DESCRIPTION	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CAMARO TYPE	25-3000#	6-3/8"	176	20228RF	\$224.99
CAMARO TYPE	30-3400#	6-3/8"	205	20228HDF	\$224.99
CHRYSLER TYPE	28-3200#	6-5/8"	166	20231HDF	\$224.99

LEAF SPRING DIMENSIONS CHART

DESCRIPTION	WIDTH	FRONT SEGMENT	EYE TO EYE LENGTH	EYE ID FRONT	EYE ID REAR
CAMARO TYPE	2-1/2"	24-3/4"	54"	2"	1-5/8"
CHRYSLER TYPE	2-1/2"	20-1/2"	52-7/8"	1-1/2"	1"


To accurately check for arch measurement, lay spring on side and pull a straight line from center of front eye to center of rear eye. Measure from line to top leaf at the locating pin.



AFCO MULTILEAF SPRINGS

Racers using multileaf springs realize the importance of accurate arch, load capacity, and durability. AFCO Leaf Springs are the highest quality racing springs available and give you features not available in any other leaf spring.

- Lightweight IMCA Modifieds to heavy stock cars — AFCO has the correct springs.
- Our chrome-vanadium alloy spring steel material is superior to others and provides consistent rates over a longer life span.
- Teflon rub blocks between leaves reduces friction and maintains consistency of rate.
- Tapered leaves reduces stress by 30-40% and prevents loss of arch.
- Shot-peened after arching to reduce tensile stress provides 3 - 5 times more service life to the spring.
- Chrysler or Camaro style.
- Front bushing included.



REFERENCE ARCH	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CHRYSLER TYPE - 5" ARCH	23-2800#	6-5/8"	142	20231	\$199.99
CHRYSLER TYPE - 5" ARCH	26-3000#	6-5/8"	152	20231MHD	\$199.99
CHRYSLER TYPE - 5" ARCH	28-3200#	6-5/8"	166	20231HD	\$199.99
CHRYSLER TYPE - 5" ARCH	31-3500#	6-5/8"	194	20231XHD	\$199.99

DESCRIPTION	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CAMARO TYPE	23-2600#	6-3/8"	153	20228LW	\$199.99
CAMARO TYPE	25-3000#	6-3/8"	176	20228	\$199.99
CAMARO TYPE	30-3400#	6-3/8"	205	20228HD	\$199.99
CAMARO TYPE	30-3400#	6-3/8"	238	20228XHD	\$199.99

LEAF SPRING ACCESSORIES

LEAF SPRING PIVOT BUSHING

- Allows front eye to rotate and twist in order to react to spring movement.
- Replaces rubber bushing and gets rid of bind.
- Promotes more consistent handling.
- Chrysler-type only.
- 1-1/2" O.D.



DESCRIPTION	PART #	PRICE
PIVOT KIT	20229P	\$79.99

LEAF SPRING SLIDER

- Frees up car during suspension movement.
- Pre-drilled holes for bolt-on applications.
- Roller bearing design prevents binding.
- Use in place of shackles.
- Designed for Chrysler type springs.



For 2-1/2" wide leaf

DESCRIPTION	PART #	PRICE
LEAF SPRING SLIDER (CHRYSLER)	20236S	\$99.99
LEAF SPRING SLIDER (CAMARO)	200036	\$99.99

SHACKLE PLATES

- Steel or aluminum.
- 2 required per-spring.
- Fits late models and modifieds.
- 5/16" anodized aluminum or 1/4" plated steel.



DESCRIPTION	PART #	PRICE
5/16" ANODIZED ALUM. (1)	20235	\$16.99
5/16" PLATED PLATE STEEL (1)	20281	\$18.99

NYLON FRONT EYE BUSHING

- Inner sleeve protects bushing and mount hardware for longer parts life.
- Fits Chrysler-type spring.
- 3-piece design allows front eye to rotate as spring moves.



DESCRIPTION	PART #	PRICE
BUSHING ASSEMBLY (1)	20229N	\$39.99

LOWER SPRING PLATES

- Fits 2-1/2" leaf springs.
- Heavy duty steel construction.
- Can be used with coil-over shocks.



DESCRIPTION	PART #	PRICE
LEAF SPRING PLATE LH (STEEL)	20249	\$29.99
LEAF SPRING PLATE RH (STEEL)	20250	\$29.99

UNIVERSAL FRONT SPRING MOUNT

- Universal design for new chassis or updating older chassis to leaf spring suspension.
- Fits Chrysler type leaves.



DESCRIPTION	PART #	PRICE
MOUNT	50200	\$24.99

WELD-ON LEAF SPRING PADS

Works with all 2-1/2" wide leaf springs.



DESCRIPTION	PART #	PRICE
PAD (1) - FOR 3" AXLE TUBE	20232	\$16.99

SPRING SHACKLES

Standard part as used on most leaf spring cars.




DESCRIPTION	PART #	PRICE
CAMARO - '70-'75	20236-1	\$39.99
CAMARO - '76-'81	20236-2	\$39.99

LEAF SPRING ACCESSORIES

SHACKLE BOLT KIT

Eliminates need for rubber bushings in Chrysler rear spring eye. Prevents binding and eases leaf spring maintenance. 1" O.D. bushing.



DESCRIPTION	PART #	PRICE
BOLT KIT	20235-2	\$39.99
SHOULDER BOLT	20235-3	\$24.99
BUSHING	20235-4	\$11.99

ALUMINUM LOWERING BLOCKS



DESCRIPTION	PART #	PRICE
1/2" BLOCK	20244	\$14.99
3/4" BLOCK	20245	\$14.99
1" BLOCK	20246	\$14.99
1-1/2" BLOCK	20247	\$14.99
2" BLOCK	20248	\$14.99
3" BLOCK	20243	\$14.99
ADJUSTABLE LOWERING BLOCK 1-1/2"	20270	\$49.99

U-BOLTS

- 4" threads.
- Fits all 3" axle tubes.
- Plated for added protection.
- Includes tall nuts for added safety.



DESCRIPTION	PART #	PRICE
8"	20238	\$7.99
9-1/2"	20238-9	\$9.99

SPRING SEAT

Mounts conventional coil spring on rear axle tube.



DESCRIPTION	PART #	PRICE
SPRING SEAT	20156	\$29.99


Chris Abelson



REAR SUSPENSION

"THREE STAGE" TORQUE LINK

Used by champion drivers! The "Three Stage" torque link provides adjustable progressive action for ultimate torque control and traction. Torque is absorbed by the coil spring to provide initial forward bite. As engine torque increases, the poly bushings engage to increase torque to the rear tires. Engagement point of the poly bushings can be adjusted independently from the coil spring to allow for changing track conditions. Due to its unique twin shaft design, the engine side and brake side operate independently. This allows corner entry & exit to be tuned separately. Bushing/spring pre-load is always maintained. Also the brake bushing works more effectively because it's not loaded with engine spring pre-load. The car turns better during deceleration as a result.



DESCRIPTION	PART #	PRICE
THREE STAGE TORQUE LINK (WITH ALL NECESSARY BUSHINGS)	21207X	\$399.99
MAIN SHAFT KIT	21207-1	\$48.99
INNER THREAD BSG HOUSING	21207-10X	\$39.99
SEAL - INNER THREAD BSG HOUSING	21207-11X	\$4.99
BUSHING - INNER BSG HOUSING	21207-12X	\$2.99

NOTE: REQUIRES 5" O.D. X 6-5/8" SPRING, SOLD SEPARATELY (SEE PAGE 108).

"TWO STAGE" TORQUE LINK

- Isolated brake bushing for more effective control at corner entry and isolated engine spring for more effective control at corner exit.
- Bind-free design with sealed housing and grease fittings for easy maintenance.
- Built-in travel indicator to monitor acceleration and deceleration travel.
- Brake bushing & engine spring preload is maintained separately, which keeps both components constantly loaded, improving the control & response of the torque link.
- Optional second brake bushing provision for even wider brake tuning options.




DESCRIPTION	PART #	PRICE
DUAL SHAFT TORQUE LINK (SPRING SOLD SEPARATELY)	21205X	\$379.99

NOTE: REQUIRES 5" O.D. X 6-5/8" SPRING, SOLD SEPARATELY (SEE PAGE 108).

"TWO STAGE" URETHANE BUSHING TORQUE LINK

- Isolated brake bushing for more effective control on corner entry.
- Bind-free design with sealed housing and grease fittings for easy maintenance.
- Built-in travel indicator to monitor acceleration travel and deceleration travel.
- Heavy duty design to handle open class modified motors.
- Add a second brake bushing for even wider brake tuning options.



TORQUE BUSHINGS SOLD SEPARATELY (SEE NEXT PAGE)

DESCRIPTION	PART #	PRICE
TORQUE LINK, URETHANE BUSHING STYLE*	21206X	\$299.99

*2 TORQUE BUSHINGS REQUIRED, SOLD INDIVIDUALLY (SEE PAGE 108).

SUGGESTED TUBE LENGTHS: TORQUE LINKS

See page 103 for steel tubes.

DESIRED LENGTH			RECOMMENDED TUBE	
21205X	21206X	21207X	TUBE LENGTH	SWAGED STEEL TUBE
30.25"	31"	31"	9"	3409
31.25"	32"	32"	10"	3410
32.25"	33"	33"	11"	3411
33.25"	34"	34"	12"	3412
34.25"	35"	35"	13"	3413
35.25"	36"	36"	14"	3414
36.25"	37"	37"	15"	3415
37.25"	38"	38"	16"	3416
38.25"	39"	39"	17"	3417
39.24"	40"	40"	18"	3418
40.25"	41"	41"	19"	3419
41.25"	42"	42"	20"	3420
43.25"	44"	44"	22"	3422
44.25"	45"	45"	23"	3423
46"	46.75"	46.75"	24.75"	•
48.25"	49"	49"	27"	3427
58.25"	59"	59"	37"	19537

REAR SUSPENSION

SUSPENSION LIMITER

- Reduces tire unloadings when suspensions top out.
- Provides the right amount of cushioning without causing an excessive amount of trailing arm angle to develop when the limiter becomes loaded.
- Easily mounted to a chassis by using a 1/2" rod end.
- Clevis provided for simple attachment to a chain or cable.



DESCRIPTION	PART #	PRICE
SUSPENSION LIMITER	20478	\$79.99

5" O.D. TORQUE LINK SPRINGS

- For use with the AFCO steel torque links.
- Highest quality on the market.
- 5" O. D. X 6-5/8".
- Made in the U.S.A.




TORQUE LINK SPRINGS

DIAMETER	LENGTH	RATE	PART #	PRICE
5"O.D. BLACK	6-5/8"	600	270600B	\$64.99
5"O.D. BLACK	6-5/8"	1050	271050B	\$64.99
5"O.D. BLACK	6-5/8"	1200	271200B	\$64.99
5"O.D. BLACK	6-5/8"	600-2000	270001B	\$99.99
5"O.D. YELLOW	6-5/8"	600	270600	\$59.99
5"O.D. YELLOW	6-5/8"	600-1300	270000PR	\$89.99

TORQUE LINK QUICK CHANGE BRACKET

- "Forward Mount" design provides increased pull bar angle and forward bite during axle wrap-up and chassis lift than conventional mounting positions centered on axle.
- -8° pinion angle allows torque link to be mounted 4" ahead and 12" above axle centerline.
- Forward mounting reduces axle wrap-up from 25 - 33%, which provides consistent corner entry handling during axle wrap-down and improves U-Joint life.
- Multiple holes for mounting torque link and dampener shock.
- 3/8" holes allow stiffener braces to be added on high horsepower applications.
- Laser-cut design fits most rear ends. (Some grinding of the side bell reinforcing ribs may be required to mount brackets.)




DESCRIPTION	PART #	PRICE
QUICK CHANGE TORQUE LINK BRACKETS (PAIR)	20406	\$59.99

REPLACEMENT BUSHING KITS

2-1/4" THREE STAGE BUSHINGS



3-3/8" TWO STAGE BUSHINGS



DESCRIPTION	PART #	PRICE
RED BRAKE BUSHING KIT - (1 BUSHING AND 2 WASHERS PER KIT)	21209UK	\$24.99

DESCRIPTION	2-1/4" OD	PRICE	3-3/8" OD	PRICE
GREEN - 50 SOFT	21209-3G	\$29.99	•	
PURPLE - 60	21209-3P	\$29.99	•	
YELLOW - 75	21209-3Y	\$29.99	21208Y	\$49.99
BLUE - 80	21209-3B	\$29.99	21208B	\$49.99
RED - 87 HARD	21209-3R	\$29.99	21208R	\$49.99

TORQUE LINK FORD 9" BRACKET

- "Forward Mount" design provides increased pull bar angle and forward bite during axle wrap-up and chassis lift than conventional mounting positions centered on axle.
- -8° pinion angle allows torque link to be mounted 4" ahead and 12" above axle centerline.
- Forward mounting reduces axle wrap-up from 25 - 33%, which provides consistent corner entry handling during axle wrap-down and improves U-Joint life.
- Multiple holes for mounting torque link and dampener shock.
- 3/8" holes allow stiffener braces to be added on high horsepower applications.
- Laser-cut design fits most rear ends. (Some trimming of brackets may be needed depending on housing configuration.)



DESCRIPTION	PART #	PRICE
FORD 9" TORQUE LINK BRACKETS (PAIR)	20407	\$59.99

REAR SUSPENSION

SOLID PANHARD BAR KIT

- Made to fit over driveshaft.
- Uses long bar for special length applications.
- Cut to length and install bushing.



20224K, 20224K-1

DESCRIPTION	B LENGTH	PART #	PRICE
J-BAR KIT (LOOSE ROD END AND BUSHING)	3-1/2"	20224K	\$99.99
J-BAR KIT (LOOSE ROD END AND BUSHING)	5-1/2"	20224K-1	\$119.99
BUSHING		20224B	\$11.99

RETAINER RINGS FOR 3" AXLE TUBES



Weld-on

DESCRIPTION	PART #	PRICE
WELD-ON	20351	\$7.99

CLAMP COLLAR

- Mounts parts on 3" tube.



DESCRIPTION	PART #	PRICE
1-3/4" WIDE - 1/4" WALL	20140C	\$49.99

5TH & 6TH COIL MOUNTS

- Holds 5th and 6th coil assembly.
- Mounts on 1-1/2" round tube.
- Complete with quick pin for shock.
- Made from aluminum.



DESCRIPTION	PART #	PRICE
ROUND TUBE 5TH & 6TH COIL MOUNT	20477	\$49.99

PANHARD PINION MOUNTS AND KITS


1.



20220

- Drilled for LH or RH mount.

2.



20220-1

- Double-sided: move bar without moving bracket.
- Allows for low placement of panhard bar.

3.



20296


- Allows for low placement of panhard bar.
- Drilled for LH or RH mount.

DESCRIPTION	PART #	PRICE
1. 9" FORD (STEEL)	20220	\$49.99
2. PANHARD - PINION MT 9" FORD DROPPED DOUBLE SIDED	20220-1	\$79.99
3. PANHARD - PINION MT 9" FORD DROPPED	20296	\$99.99

AFCO STEERING

POWER STEERING FLUID COOLER

- Complete with -6 AN fittings.
- Mounts on two 1/4" bolts or with standard tie wraps.
- Mounts in return line to tank.
- Lowers fluid up to 30°.
- 14-3/4" total length with fittings.



DESCRIPTION	PART #	PRICE
POWER STEERING FLUID COOLER	37600	\$54.99

GM POWER STEERING FITTINGS

37122
3712337124
37125

37130

'80 & UP GM BOX CONVERSION TO RACING HOSE KIT (O-RING TYPE)	PART #	PRICE
SMALL M16 X 1.5 (RETURN)	37122	\$11.99
LARGE M18 X 1.5 (PRESSURE)	37123	\$11.99
UP TO '79 (FLARE TYPE)	PART #	PRICE
SMALL 5/8" - 18 (RETURN)	37124	\$11.99
LARGE 11/16" - 16 (PRESSURE)	37125	\$11.99

AFCO / TC STYLE PUMP FITTINGS (O-RING TYPE)	PART #	PRICE
OUTLET (PRESSURE)	37130	\$19.99

POWER STEERING PUMP MOUNTS

- CNC-machined lightweight aluminum.
- Mounts racing type power steering pumps.



DESCRIPTION	PART #	PRICE
CHEVY-BOLTS TO HEAD	37190	\$59.99
CHEVY-BOLTS TO BLOCK	37191	\$59.99

POWER STEERING RESERVOIR

- -10 AN outlet / -6 AN return.
- Internal diffuser to prevent fluid aeration.
- Integral firewall mount .75 lbs. or clamp on roll bar mount 1.2 lbs.
- 3" O.D. - 9" tall.
- Spun aluminum.
- 22 oz. capacity.



37152

37156

POWER STEERING RESERVOIR DESCRIPTION	PART #	PRICE
FIREWALL MOUNT	37152	\$119.99
ROLL BAR MOUNT	37156	\$119.99
ROLL BAR MOUNT WITH VENTED CAP	37156V	\$119.99
REPLACEMENT CAP	37151	\$16.99
REPLACEMENT VENTED CAP	37151V	\$14.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER


SIGN UP FOR OUR
NEWSLETTER



STEERING COMPONENTS

STEERING SHAFT MOUNT

This 12-gauge steel mount is remarkably sturdy yet lightweight. Slot allows use of 3/4" rod end.



DESCRIPTION	PART #	PRICE
STEERING SHAFT MOUNT	30380	\$18.99
OVERSIZED STEEL ROD END	10400	\$19.99
3/4" RH JAM NUT	10140	\$1.99

STEERING SUPPORT BEARINGS

Self-aligning bearing can be installed in firewall or mid-plate to support steering shaft.



DESCRIPTION	PART #	PRICE
SHAFT BEARING (.757" BORE)	30321	\$19.99

PUSH-BUTTON QUICK RELEASE HUB

This hub features a spring-loaded button-style release. Unit fits 3/4" shaft and a standard three bolt steering wheel pattern.

- 5/16" coarse thread.
- Aluminum .55 lbs.



DESCRIPTION	PART #	PRICE
PUSH BUTTON ECONOMY QR HUB	30373	\$29.99
REPLACEMENT COUPLER	30373B	\$13.99

U-JOINTS & COUPLERS

The splined U-joints feature a set screw & lock-nut. These are the best U-joints you can buy.

- Greased needle bearing with Teflon seal.
- 1-1/8" O.D. x 3-3/4" length.
- Broached spline for better fit.
- Heat-treated forgings.
- Forged 1045 steel.

U-JOINT BORE	DESCRIPTION	PART #	PRICE
3/4"	SMOOTH BOTH ENDS	30303	\$64.99
3/4" - 36	GM STANDARD, PINTO P.S.	30305	\$69.99
3/4" - 20	FITS 37304 STEERING COLUMN & WOODWARD RACK	30305B	\$69.99
13/16" - 36	EARLY GM (THRU 76) POWER STEERING	30306	\$69.99
9/16" - 26	PINTO/MUSTANG II MANUAL	30307	\$79.99
3/4" - 30	LATE (77 & UP) GM P.S. (APPLETON P.S.)	30308	\$69.99
5/8" - 36	VEGA MANUAL	30309	\$64.99

COUPLER BORE	DESCRIPTION	PART #	PRICE
3/4" - 36	GM STANDARD, PINTO P.S.	30315	\$18.99
3/4" - 20	37304 COLUMN	30316	\$18.99



SMALL BODY STEERING QUICKENER

This little jewel weighs less than 1.8 lbs. and takes up a lot less space. 3/4"-36 spline. 2-1/2" x 2-1/2" x 8" overall length. 2-1 Ratio.



DESCRIPTION	PART #	PRICE
STEERING QUICKENER	30052	\$149.99

COLLAPSIBLE STEERING COLUMN

- 22-1/2" to 32" column measured from the end of the shaft to the base of the quick release hub.
- Quick release hub adds an additional 2" to the overall length.
- O.D. of the main body is 1.125" & O.D. of the bottom shaft is .750" and 20 spline.
- Splined end accepts a variety of U-joint for attachment to your steering shaft or gear.



LENGTH	DESCRIPTION	PART #	PRICE
22.5"-32"	SLIDING STEERING COLUMN	37304	\$249.99

AFCO ACCESSORIES

GEAR REDUCTION MINI STARTER

This unit mounts on the Chevy block in either the 153 or 168 tooth location and features 1.4kw of power to start any racing engine. Each starter comes with bolts, shim kit, instructions and jumper wire.

- **6 month replacement guarantee.**
- Chevy block mount style.
- Lightweight — only 11 lbs.
- All-new components.
- Easily indexable without requiring disassembly.
- Mounting block is indexable to provide clearance with wide oil pans.

DESCRIPTION	PART #	PRICE
STARTER 1.4KW	64200	\$159.99



INDEXABLE
(TO ELIMINATE
INTERFERENCE)
WITHOUT REQUIRING
DISASSEMBLY.

SHIFTERS

- 2 lever standard / 1-16" & 1-24" rods.
- Each rod uses (2) 10460 3/8" RHM rod ends.



DESCRIPTION	PART #	PRICE
UNIVERSAL 2-LEVER ASSEMBLY	64000	\$79.99
SHIFTER ROD 16"	64001-16	\$19.99
SHIFTER ROD 20"	64001-20	\$19.99
SHIFTER ROD 24"	64001-24	\$19.99
SHIFTER ROD 30"	64001-30	\$19.99
SHIFTER ROD 36"	64001-36	\$19.99
SHIFTER ROD 42"	64001-42	\$19.99
BUSHING KIT (4)	64002	\$9.99

REAR END FILLER

- All aluminum.
- 1/4 - turn cap.
- 8-1/2" overall height.
- 10 AN outlet.
- Low profile above sheet metal.



DESCRIPTION	PART #	PRICE
REAR END FILLER	60090	\$39.99

YOKE U-BOLT

- Includes nuts.
- Fits Q.C. yoke only.



DESCRIPTION	PART #	PRICE
YOKE U-BOLT-PAIR	60125	\$14.99

GM MINI SPOOL

- Highest-quality heat treated mini-spools designed for oval track racing.
- 60213 - 3.5# fits most '77-'91 w-26 spline axles.



DESCRIPTION	PART #	PRICE
GM - 26 SPLINE (FITS 7-1/2" 10 BOLT)	60213	\$119.99

NOTE: 60213 USES STOCK CROSS PIN.

9" FORD AXLE SEALS


These precision CNC machined housings feature three o-rings on the outer side and press securely into the axle tube of any GN housing. The unique design works with 28 or 31 spline GN axles to prevent rear end lube from filling the axle tube and depriving the ring and pinion of lubrication.



DESCRIPTION	PART #	PRICE
SEAL ASSY - 3" X 3/16" TUBE (RED)	60323	\$44.99
O-RING - FOR 60323	60324	\$1.99
REPLACEMENT AXLE SEAL	60325	\$14.99

ADJUSTABLE THROTTLE PEDAL

Now AFco control begins with the throttle. We've re-engineered one of the most fundamental components of the race car to provide greater precision, improved comfort, and more driver control than ever. Fully sealed bearings, double splined shaft and adjustable angle on the throttle lever means secure adjustability in a maintenance-free package.




- **Greater precision, improved comfort & more driver control.**
- Provides better feel for smoother operation.
- Mounting instructions and tuning guide included.
- Double splined shaft.
- Fully sealed bearings.
- Durable anodized finish.

DESCRIPTION	PART #	PRICE
ADJUSTABLE THROTTLE PEDAL	40292	\$139.99
ADJUSTABLE THROTTLE PEDAL FOR 15° ANGLE	40294	\$149.99
REPLACEMENT THROTTLE ARM	A480030002X	\$24.99
REPLACEMENT THROTTLE PEDAL	A480030003X	\$54.99
REPLACEMENT THROTTLE ARM THREADED INSERT	A480030010X	\$19.99
REPLACEMENT THROTTLE PEDAL ROLLERS (2 NEEDED)	A480030006X	\$7.99
REPLACEMENT THROTTLE SHAFT	A480030004X	\$24.99
REPLACEMENT SNAP RING (2 NEEDED)	A901080001X	\$0.99
REPLACEMENT SHAFT SNAP RING (2 NEEDED)	A901080002X	\$0.99

TUBE-STYLE FIREWALL MOUNT GAS PEDAL

Popular style steel tubular design, mounts to firewall and utilizes a positive return.


- Adjustable linkage attachment.
- Black finish.
- Mounting instructions and tuning guide included.



DESCRIPTION	PART #	PRICE
TUBE STYLE FIRE WALL MOUNT GAS PEDAL	40291	\$24.99

COIL-OVER CLAMP BRACKET

Bracket fastens on rear axle and mounts coil-overs so that axle wrap tends to load or unload tires closest to clamps.



DESCRIPTION	PART #	PRICE
"A" - 5"	20140	\$89.99
"A" - 7"	20141	\$89.99

GM TRAILING ARM BRACKETS

- Sold as pair.
- Mounts stock GM lower arms to 3" axle tubes.



DESCRIPTION	PART #	PRICE
GM TRAILING ARM BRACKETS	20285	\$79.99

FRONT AND REAR CHEVY ENGINE MOUNTS



DESCRIPTION	PART #	PRICE
STEEL FRONT (PAIR)	80651	\$29.99
STEEL REAR (PAIR)	80652	\$29.99

FORD ENGINE MOUNTS (SMALL BLOCK)

- Sold as pair.
- Powder coated.



DESCRIPTION	PART #	PRICE
FRONT (PAIR)	80659	\$34.99

HOOD PIN COMPONENTS



DESCRIPTION	PART #	PRICE
FLIP CLIP - 3/16"	10183	\$2.99
HAIR PIN CLIP - 5/32"	10185	\$1.99
SCUFF PLATE	10188	\$2.99
THREADED HOOD PIN BOSS	10190X-1	\$2.99

WELD-IN BATTERY BOX

- Lightweight steel construction.
- 9-1/2" or 11" size.
- 5/16" side bolts pivot to accommodate different battery sizes.



DESCRIPTION	PART #	PRICE
BATTERY BOX (9-1/2")	50302	\$34.99
BATTERY BOX (11")	50301	\$34.99

BOLT-IN BATTERY BOX

- Holds 10-3/4" x 7" battery.
- Lightweight steel.
- Includes 3/8" bolts.



DESCRIPTION	PART #	PRICE
BOLT-IN BATTERY BOX	50303	\$39.99

HOOD PIN KITS

Steel kits include 1-torsion (flip) pin or hair pin, 1-scuff plate, 2-jam nuts and 1-stud.



DESCRIPTION	PART #	PRICE
STEEL KIT W/ 3/16" CLIP	10151	\$6.99

TIRE GROOVER

Pistol grip-style with a 250 watt heating capacity, 7' cord, & #5 head. The solid brass head keeps the heat "just ahead" of the cutting blade. This, in effect, pre-conditions the rubber & makes for speed, ease, accuracy, & consistency in grooves. The depth of the cut is controlled by the adjustable blade.

- Complete with #5 head and blades.
- 250 watts.
- 7' Cord.



DESCRIPTION	PART #	PRICE
GROOVER - W/ #5 HEAD AND 12 BLADES	ID125	\$119.99

GROOVER HEAD & BLADES

SIZE	WIDTH	HEAD	PRICE	BLADE (12PK)	PRICE
#1	(.053")	IDHD01	\$15.99	•	N/A
#2	(.090")	IDHD02	\$15.99	IDBL02	\$15.99
#3	(.125")	IDHD03	\$15.99	IDBL03	\$15.99
#4	(.215")	IDHD04	\$15.99	IDBL04	\$15.99
#5	(.290")	IDHD05	\$15.99	IDBL05	\$15.99
#6	(.375")	IDHD06	\$15.99	•	N/A



ECONOMY TIRE TAPE

- Highly visible orange housing.
- Magnet on back.
- 1/4" wide x 10' locking blade.
- Double-riveted end tab to hold on tire.



DESCRIPTION	PART #	PRICE
ECONOMY TAPE	80741	\$9.99

DELUXE MUD SCRAPER

- 32" padded, ergonomic handle.
- 4-1/2" blade.



DESCRIPTION	PART #	PRICE
MUD SCRAPER	80715	\$19.99

AFCO FUEL FILTER

AFCO in-line fuel filters are available with either paper or stainless steel filter elements. The paper element is compatible with most racing gas products, but should not be used with alcohol. Paper elements are so efficient in separating water from fuel that "icing" or blockage can occur with alcohol. Stainless elements should be used with alcohol.

- Paper element 7 micron.
- Stainless steel element G3 micron.
- Brackets to mount filter to round tubing.
- Available with -8 AN or -10 AN.
- 6061-T6 CNC machined components.



84020-8



84028

DESCRIPTION	PART #	PRICE
ASSEMBLY-STEEL FILTER -1.3LBS. - 8 ENDS	84020-8	\$89.99
ASSEMBLY - 10 ENDS	84020-10	\$89.99
ASSEMBLY PAPER FILTER 1.15LBS - 8 ENDS	84021-8	\$49.99
ASSEMBLY PAPER FILTER 1.15LBS - 10 ENDS	84021-10	\$49.99
STEEL ELEMENT -63 MICRON (ALCOHOL)	84022	\$39.99
PAPER ELEMENT -7 MICRON (GAS)	84023	\$19.99
1-1/2" ROUND BRACKETS (PAIR)	84028	\$34.99

FUEL SHUT-OFF VALVE

Install in fuel line so fuel flow can be shut off.

- 1/2" female NPT.



DESCRIPTION	PART #	PRICE
VALVE	84040	\$69.99

LUDWIG CLAMPS

- Secures hinged lids, panels, etc.
- Held in place by a single rivet.



DESCRIPTION	PART #	PRICE
LUDWIG CLAMPS 4 PK	50401	\$6.99
LUDWIG CLAMPS 100	50403	\$79.99

THROTTLE ROD & KITS



- 1/4" plated steel rod.
- Kit includes: carb bushings, rod ends, jam nuts, & rod.

NOTE: Extra-long thread allows more adjustment.

LENGTH	ASSY RANGE	KIT	PRICE	ROD ONLY	PRICE
18"	19-1/8" - 19-7/8"	10175-18	\$39.99	10176-18	\$12.99
21"	22-1/8" - 22-7/8"	10175-21	\$39.99	10176-21	\$12.99
24"	25-1/8" - 25-7/8"	10175-24	\$39.99	10176-24	\$12.99

COMPONENTS	PART#	PRICE
1/4" RH THREADED THROTTLE ROD ENDS MALE	10480S	\$14.99
1/4" RH THREADED THROTTLE ROD ENDS FEMALE	10482S	\$14.99
BUSHING KIT WITH RH THREADED MALE ROD END	10170	\$14.99
BUSHING KIT WITH RH THREADED FEMALE ROD END	10171	\$14.99
CARBURETOR BUSHINGS (PAIR)	10174	\$11.99


SURE SEAL AIR CLEANER HOUSING

- Spun aluminum.
- Fits Holley.
- Housing to carb O-ring seal.
- 14" diameter filter.
- Housing assembly weighs 2.1 lbs.



DESCRIPTION	PART #	PRICE
SURE SEAL HOUSING KIT (INCLUDES TOP & BOTTOM)	80550	\$69.99
TOP- SURE SEAL HOUSING	80550X	\$29.99
BOTTOM - SURE SEAL HOUSING WITH O-RING ASSY.	80550X-3	\$49.99
REPLACEMENT O-RING	80553	\$9.99

BALLAST BRACKETS



DESCRIPTION	PART #	PRICE
1-1/4" ROUND TUBE	50320	\$19.99
1-1/2" ROUND TUBE	50321	\$19.99
1-3/4" ROUND TUBE	50323	\$19.99

AFCO BRAKES

CALIPERS

F44 ALUMINUM METRIC CALIPER

NEW!
**Reduces Unsprung Weight
By 15 lbs. Over Stock!**
USMTS, UMP Approved

- The **LIGHTEST** Metric Caliper on the market!
- 20% stiffer than cast! Forged construction with extra large crossbolts gives less flex, better pedal feel, less brake fade, and less pad taper than the competition.
- Comes with 2 one-piece bleeders - fits left or right side of chassis.
- Does not require a pad spacer.
- 2-1/2" bore piston.
- 1/8" NPT inlet fluid port.
- Stainless guide plates.
- NEW low drag seals.

DESCRIPTION	PART #	PRICE
2-1/2" BORE - ALUMINUM METRIC CALIPER	6630510	\$149.99
REBUILD KIT, 2" METRIC ALUMINUM	6690310	\$14.99
2-1/2" F44 SEAL	6690334	\$9.99
2" SEAL	55000018905	\$3.99



5.5" MOUNTING LUGS

STEEL PAD SPACERS FOR AFCO 6630310

DESCRIPTION	PART #	PRICE
2" BORE - STEEL PAD SPACER (EA)	6691310	\$5.99

(FITS AFCO ALUMINUM METRIC CALIPER ONLY.)



GM METRIC CALIPERS

OVERSIZED 2-3/4" GM METRIC CALIPERS

UMP Approved

- Increases range of brake bias adjustment for better brake performance.
- Allows for more brake system tunability.
- Stock appearing.
- Quality control checked and pressure-tested.

DESCRIPTION	PART #	PRICE
OVERSIZE GM METRIC CALIPER-RIGHT SIDE	7241-9001	\$79.99
OVERSIZE GM METRIC CALIPER-LEFT SIDE	7241-9002	\$79.99



5.5" MOUNTING LUGS

NEW & IMPROVED

STOCK 2-1/2" GM METRIC CALIPERS

IMCA/WISSOTA, USMTS/UMP, USRA, NCRA Approved

- Legal replacement for stock classes.
- Quality control checked and pressure-tested.
- NEW virgin casting and pistons.



DESCRIPTION	PART #	PRICE
STOCK GM METRIC CALIPER-RIGHT SIDE	6635003	\$69.99
STOCK GM METRIC CALIPER-LEFT SIDE	6635004	\$69.99

UNDERSIZED 2-1/4" GM METRIC CALIPERS


UMP, AMRA, NCRA Approved

- Use on right front to loosen car on corner entry.
- Allows for more brake system tuning.
- Stock appearing.
- Quality control checked and pressure-tested.

DESCRIPTION	PART #	PRICE
UNDERSIZED GM METRIC CALIPER-RIGHT SIDE	7241-9005	\$79.99

STEEL METRIC CALIPER FITTINGS AND HARDWARE

Use these fittings to help ease steel metric caliper installation:



10160

7010-0007

DESCRIPTION	PART #	PRICE
COPPER WASHER METRIC CALIPER (6 QTY)	7010-0036	\$5.99
STRAIGHT FITTING, METRIC CALIPER	7010-0007	\$8.99
CALIPER BOLT, METRIC CALIPER	10160	\$6.99
ADAPTER KIT, METRIC CALIPER	7010-0050	\$14.99
REBUILD KIT, 2-3/4" GM METRIC LIGHTWEIGHT	6690312	\$14.99

CALIPER BRACKETS

CALIPER BRACKET

Adapts stock '74-'80 Pinto/Mustang II spindle to small GM caliper with '75-'80 Ford Granada-type rotor.

Small GM LH
40121PLSmall GM RH
40121PR

See Page 133 for rear brake brackets.

DESCRIPTION	THREAD	THICKNESS	PART #	PRICE
BIG GM REAR - 3" TUBE WELD ON	7/16" FINE	3/16"	40120	\$19.99
SMALL GM REAR - 3" TUBE WELD ON	7/16" FINE	1/4"	40121	\$14.99
SMALL GM LH-PINTO SPINDLE	7/16" FINE	1/4"	40121PL	\$49.99

HYBRID CALIPER BRACKET

Adapts stock '74-'80 Pinto/Mustang II spindle to small GM caliper with AFco Brake Hybrid Rotor.

Small GM LH
40122PLSmall GM RH
40122PR

DESCRIPTION	THREAD	THICKNESS	PART #	PRICE
SMALL GM RH-PINTO SPINDLE	7/16" FINE	1/4"	40121PR	\$49.99
SMALL GM LH-PINTO HYBRID SPINDLE	7/16" FINE	1/4"	40122PL	\$29.99
SMALL GM RH-PINTO HYBRID SPINDLE	7/16" FINE	1/4"	40122PR	\$29.99

AFCO BRAKES

MASTER CYLINDERS

INTEGRAL RESERVOIR MASTER CYLINDER

The AFCO engineering team started with a clean sheet when designing our master cylinders. AFCO's master cylinders offer the same great performance that customers have come to expect from AFCO. With a one-piece design that incorporates a high-capacity reservoir and precisely machined/polished cylinder bore, the piece makes efficient use of space and materials.

- External return spring maintains positive pedal feel and helps prolong pad life by ensuring quick reaction to released pedal force.
- Precise-fitting lid held firmly in place by heavy gauge retainer.
- Slim design rubber boot allows easy installation into most pedal assemblies.
- Aluminum bore with hard anodized pistons.
- Unique, built-in minimum and maximum fill tabs are easy to read and make quick work of checking fluid even in dark pit areas.
- Common dual-mounting bolt patterns for most racing applications.
- Models come in 3/4", 7/8", and 1" bores.
- Designed for standard 1/8" NPT fittings for easy replacement.




External return spring.

Fluid level indicator marks.



DESCRIPTION	PART #	PRICE
3/4" BORE INTEGRAL MASTER CYLINDER	6620010	\$54.99
7/8" BORE INTEGRAL MASTER CYLINDER	6620011	\$54.99
1" BORE INTEGRAL MASTER CYLINDER	6620012	\$54.99



INTEGRAL MASTER CYLINDER SERVICE PARTS & REBUILD KITS


MASTER CYLINDER PARTS	PART #	PRICE
STRAIGHT FITTING (1/8"NP X 3/16"IF)	7010-0026	\$2.99
90° FITTING (1/8"NP X 3/16"IF)	7010-0027	\$2.99
MASTER CYL. KIT (INCLUDES LID, GASKET, WIRE)	6690048	\$15.99
MASTER CYL. KIT (INCLUDES PUSH ROD, SPRING, BOOT)	6690049	\$10.99

MASTER CYLINDER PARTS	PART #	PRICE
REBUILD KIT - 3/4" NEW AFCO M/C	6690110*	\$24.99
REBUILD KIT - 7/8" NEW AFCO M/C	6690111*	\$24.99
REBUILD KIT - 1" NEW AFCO M/C	6690112*	\$24.99

* KITS FOR AFCO MASTER CYLINDER MANUFACTURED AFTER JAN 2013.

CLUTCH MASTER CYLINDER

- Compact design.
- Fits popular clutch and small brake applications.
- 1.4 oz. reservoir.
- Fits most pedal assemblies. See our pedals on pages 124-125.



DESCRIPTION	PART #	PRICE
CLUTCH MASTER CYLINDER 3/4"	2011-1912	\$54.99

MASTER CYLINDER ACCESSORIES

CALIPER PRESSURE BLEEDER ADAPTERS FOR GM METRIC CALIPERS

- Accurately determine optimal settings for balance bars and proportioning valves.
- Needed to troubleshoot your brake system.
- For use with caliper pressure gauges.



DESCRIPTION	PART #	PRICE
ADAPTER KIT	6670150	\$15.99

AFCO BRAKES

ROTORS

HYBRID

IMCA, USMTS, UMP, WISSOTA Approved


This rotor combines the strength of a '75-'81 Ford-style hub (Granada) with the lighter design of the metric brake rotor for an unbeatable lightweight and durable package. AFCO engineers designed this rotor with the latest CAD software and testing methods. Manufactured to withstand rigorous racing environments, the AFCO Hybrid Rotor uses castings designed and built specifically for racing. It will remove up to 13 lbs. of unsprung weight on the front of your car to improve front to rear weight bias and wheel control.



- Safely remove up to 13 lbs. from the front of your car vs. stock rotor.
- Uses GM metric caliper.
- Ford '74-'80 Pinto spindle.
- 14.8 lbs. total rotor weight with 5/8" studs.
- Drilled for 4-3/4" bolt pattern.
- 10.13" diameter.
- .813" thickness (pad spacer recommended).
- Uses 9851-8551 Master Install Kit.
- Races pre-installed.
- **LIGHTWEIGHT DESIGN FOR DIRT USE ONLY.**

DESCRIPTION	PART #	PRICE
5/8" COARSE STUDS ON 5" X 5" PATTERN	9850-6505	\$54.99
5/8" COARSE STUDS ON 5" X 5" PATTERN - LONG STUD	6640137	\$59.99
MASTER INSTALL KIT*	9851-8551	\$29.99
BEARING KIT (INNER AND OUTER BEARINGS)	9851-8510	\$19.99
SEAL	9851-8521	\$8.99
DUST CAP	9851-8501	\$10.99

* MASTER INSTALL KIT INCLUDES: BEARINGS, SEAL, WASHER, NUT, PIN & DUST CAP.

Designed for use with '74-'80 Pinto / Mustang II spindle (Page 97) and AFCO brackets 40122PL & 40122PR (Page 96).

FORD STYLE '75 - '81

IMCA, USMTS, UMP, WISSOTA Approved


- Reduces rotating weight.
- Fits Pinto pin.
- 5/8" coarse studs installed on 5" x 5" pattern.
- Pre-drilled with 4-1/2" stock pattern.
- 11" diameter x .875" thickness.
- Races pre-installed.
- Stock-appearing.
- Uses stock 9851-8552 Master Install Kit.
- Meets OEM sanctioning requirements for modifieds, street stocks, and hobby stocks.
- **LIGHTWEIGHT DESIGN FOR DIRT USE ONLY.**

DESCRIPTION	PART #	PRICE
5/8" COARSE STUDS ON 5" X 5" PATTERN	9850-6510	\$54.99
1/2" FINE STUDS ON STOCK 4-1/2" PATTERN	9850-6511	\$64.99

DESCRIPTION	PART #	PRICE
MASTER INSTALL KIT*	9851-8552	\$39.99
BEARINGS ONLY	9851-8510	\$19.99
SEAL	9851-8521	\$8.99
DUST CAP	9851-8502	\$11.99

GM STYLE '79 & UP

IMCA, USMTS, UMP, WISSOTA Approved


- 5/8" coarse studs installed on 5" pattern.
- Stock-appearing.
- 10.5" diameter x 1" thickness.
- Races pre-installed.
- Uses 9851-8550 Master Install Kit.
- Meets OEM sanctioning requirements for modifieds, street stocks, and hobby stocks.
- Fully machined for 5/8" stud.
- Fits new IMCA spindle.
- **LIGHTWEIGHT DESIGN FOR DIRT USE ONLY.**

DESCRIPTION	PART #	PRICE
5/8" STUDS ON 5" X 5" PATTERN	9850-6500	\$54.99

NOTE: GM METRIC ROTOR NEEDS LARGER BEARING THAN STOCK BEARING SIZE.

GM ROTOR ACCESSORIES

DESCRIPTION	PART #	PRICE
MASTER INSTALL KIT*	9851-8550	\$29.99
BEARING KIT	9851-8500	\$19.99
SEAL	9851-8520	\$7.99
DUST CAP	9851-8501	\$10.99
WHEEL STUD EXTRA LONG 5/8" COARSE (.350)	10164	\$5.99

*MASTER INSTALL KIT INCLUDES: BEARINGS, SEAL, WASHER, NUT, PIN & DUST CAP.

ROTORS

NEW!

16+ ULTRA LIGHT CURVED VANE

- Ultra-lightweight rotor has 16 curved vanes plus additional supports to reduce cupping.
- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Curve vane for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.
- Thickness allows standard mounting configurations without use of pad spacers.
- 8 X 7" bolt circle.



AFCO's 16+ Ultrax Light Rotors are a great way to reduce rotor weight without sacrificing quality. Unique curved vane design reduces weight while retaining surface support to lessen the chance of cupping. Rotationally machine balanced and built from center-split castings make these truly premium ultra-light rotors.



6640145 16+ FLAT ROTOR LH
6640146 16+ FLAT ROTOR RH

6640147 16+ SLOTTED ROTOR LH
6640148 16+ SLOTTED ROTOR RH


16+ ULTRA LIGHT CURVED VANE

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
16+ FLAT ROTOR LH	.810"	11.75"	6.08 LBS.	6640145	\$79.99
16+ FLAT ROTOR RH	.810"	11.75"	6.08 LBS.	6640146	\$79.99
16+ SLOTTED ROTOR LH	.810"	11.75"	6.03 LBS.	6640147	\$119.99
16+ SLOTTED ROTOR RH	.810"	11.75"	6.03 LBS.	6640148	\$119.99

NEW!

SOLID TRACTION

- Solid rotor for increased left rear unsprung weight.
- Retains wedge in car during dynamic weight transfer.
- 8 X 7" bolt circle.




SOLID TRACTION

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
SOLID ROTOR	1"	11.75"	21 LBS.	6640149	\$249.99

ROTORS

PILLAR VANE

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.



AFCO continues the commitment to bring new and innovative components to the racing community. Pillar vane rotors are engineered to provide superior strength, reduce rotor weight and run cooler. At the heart of the rotor, each pillar is diamond shaped, providing brake pad surface stability as well as reducing rotating weight over rotors of similar strength. Racers will take note of reduced weight and cooler operating temperatures when compared to rotors of similar strength. Reduced rotating weight means reduced lap times.

FLAT PILLAR VANE

IMCA Approved



- More brake pad surface support (pillars) to prevent rotor cupping.
- Strength of an 80 vane rotor with the weight savings of a 32 vane rotor.
- Machine balanced to reduce vibration and improve brake system performance.
- Increased cooling capacity.
- Proven by top racers to improve the brake system.

THICK	BOLT CIRCLE	DIA	WEIGHT	PART #	PRICE
.810"	7"	11.75"	8.1 LBS.	6640100	\$54.99



SLOTTED PILLAR VANE

USMTS, UMP, WISSOTA Approved

- More brake pad surface support (pillars) to prevent rotor cupping.
- Strength of an 80 vane rotor with the weight savings of a 32 vane rotor.
- Machine balanced to reduce vibration and improve brake system performance.
- Increased cooling capacity allows for trail braking, lap after lap.
- Gas slots to wipe brake pad and eliminate brake system fade.

USMTS, UMP, WISSOTA Approved

THICK	BOLT CIRCLE	DIA	WEIGHT	PART #	PRICE
RH .810"	7"	11.75"	8.1 LBS.	6640104	\$79.99
LH .810"	7"	11.75"	8.1 LBS.	6640105	\$79.99
RH 1"	7"	11.75"	9.2 LBS.	6640121	\$79.99
LH 1"	7"	11.75"	9.2 LBS.	6640122	\$79.99



ROTORS

32 VANE

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.



AFCO's disc brake rotors set the pace for design, quality, and performance. Special designed materials, enhanced computer imagery and design, as well as extensive lab and track testing have yielded a superior brake rotor. All AFCO rotors have been optimized for strength, weight, and heat dissipation ability to meet the demands of the serious racer.

LIGHTWEIGHT 32 VANE

- Designed and manufactured using premium grade alloy for superior thermal stability.
- Precision machine ground and balanced for flatness and reduced vibrations.
- Precision designed and positioned vanes for maximum cooling.
- Tried and trusted for over 20 years.

IMCA Approved



THICK	BOLT CIRCLE	DIA	WEIGHT	PART #	PRICE
.810"	7"	11.75"	8.28 LBS.	9850-6021	\$39.99

Mike Harrison




AFCO BRAKES

PEDALS

6.25:1 REVERSE DUAL SWING PEDALS

- Extra long bias adjuster to allow even more adjustment.
- H-beam forged aluminum pedal design.
- Ultra high strength bias bar; same strength of 7/16" bias bar in the traditional 3/8" size.
- New snap ring gives more bias rod clearance and eliminates thread interference.
- Ultra-strong upper mount has 52% less flex than the competition.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6.25:1 Pedal ratio.
- 4.36 lbs.
- AFCO master cylinders sold separately (see pages 118-119).



AFCO Master
Cylinders sold
separately.
See Pages 118-119
for more info.



Exclusive bias "tie-bar"
adds strength and sets
clevis spacing for proper
master cylinder function.

DESCRIPTION	PART #	PRICE
REVERSE DUAL SWING BRAKE PEDALS	6610000	\$249.99

6.25:1 FORWARD DUAL SWING PEDALS

- Extra long bias adjuster to allow even more adjustment.
- H-beam forged aluminum pedal design.
- Ultra high strength bias bar; same strength of 7/16" bias bar in the traditional 3/8" size.
- New snap ring gives more bias rod clearance and eliminates thread interference.
- Ultra-strong upper mount has 52% less flex than the competition.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6.25:1 Pedal ratio.
- 4.36 lbs.
- AFCO master cylinders sold separately (see pages 118-119).



AFCO Master
Cylinders sold
separately.
See Pages 118-119
for more info.



Exclusive bias "tie-bar" adds
strength and sets clevis spacing
for proper master cylinder function.

DESCRIPTION	PART #	PRICE
FORWARD DUAL SWING PEDALS	6610001	\$249.99

7:1 FORWARD SINGLE SWING PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 7:1 Pedal ratio allows for better braking power.
- Brake pedal weight: 2.36 lbs.
- Clutch pedal weight: 1.64 lbs.
- AFCO master cylinders sold separately (see pages 118-119).



6610004
Clutch Pedal

6610003
Brake Pedal

AFCO Master
Cylinders sold
separately.
See Pages 118-119
for more info.

DESCRIPTION	PART #	PRICE
7:1 FORWARD SINGLE SWING BRAKE PEDAL	6610003	\$139.99
7:1 FORWARD SINGLE SWING CLUTCH PEDAL	6610004	\$89.99

6:1 FORWARD SINGLE FLOOR PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6:1 Pedal ratio.
- Brake pedal weight: 2.20 lbs.
- Clutch pedal weight: 1.46 lbs.
- AFCO master cylinders sold separately (see pages 118-119).



6610006
Clutch Pedal

6610005
Brake Pedal

AFCO Master
Cylinders sold
separately.
See Pages 118-119
for more info.

DESCRIPTION	PART #	PRICE
6:1 FORWARD SINGLE FLOOR BRAKE PEDAL	6610005	\$139.99
6:1 FORWARD SINGLE FLOOR CLUTCH PEDAL	6610006	\$89.99

REPLACEMENT BIAS BAR KITS

DESCRIPTION	PART #	PRICE
BIAS BAR KIT FOR REVERSE MOUNT PEDAL	6610010	\$49.99
BIAS BAR KIT FOR FORWARD MOUNT PEDAL	6610011	\$49.99



6610010



6610011

AFCO BRAKES

BRAKE PADS

AFCO proudly offers its line of racing and high performance brake pads. These brake pads have gone through extensive development and testing in the toughest racing environments. Our racing brake pads are derived from the latest materials in friction products and utilize the latest technologies in brake pad manufacturing.



- Improved stopping power.
- High torque with excellent control qualities.
- Exceptional high temperature performance.
- User friendly/easy break-in.
- Exceptional pad and rotor wear.
- Available in five compounds (32, C1, 33, C2 and 34) to fit popular caliper styles.

MADE IN THE U.S.A.

5 COMPOUNDS TO CHOOSE FROM!



Compound 32 - This compound was designed and developed for the right front of dirt cars where low grip is needed. Each high quality 32 pad is made one pad at a time to improve consistency from pad to pad. With lower grip, the 32 is an excellent brake pad for RF dirt cars.

Compound C1 - This compound was designed and developed to meet the braking needs of medium to high temperature racing applications. As brake system temperatures quickly increase and decrease, C1 provides consistent performance while remaining very fade resistant. C1 has proven to be extremely rotor friendly and provides exceptional pad life without requiring lengthy pad break-in (bedding) procedures. C1 is widely used in dirt track racing and is the ultimate pad choice for all medium temperature applications. Recommended temperature use: 400 to 900 degrees.

Compound 33 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 33's improved stopping power, you can expect less rotor wear. Each high quality 33 pad is made one pad at a time to improve consistency from pad to pad. With more heat range and less glazing, the 33 is an excellent brake pad for front and rear dirt cars and rear asphalt cars. Recommended temperature use: 200 to 1200 degrees.

Compound C2 - This compound provides exceptional high temperature performance. C2 is designed to withstand wide-ranging temperature changes, giving the driver predictable pedal feel and excellent control qualities lap after lap. C2 is high in torque value yet has very long pad wear. Compound C2 is the perfect choice for all higher temperature applications. Recommended temperature use: 500 to 1200 degrees.

Compound 34 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 34's improved stopping power, you can expect less rotor wear. Each high quality 34 pad is made one pad at a time to improve consistency from pad to pad. With more heat range, less glazing and less rotor wear, the 34 is an excellent brake pad for rear dirt cars and front asphalt cars. Recommended temperature use: 200 to 1600 degrees.



LESS AGGRESSIVE

MORE AGGRESSIVE

METRIC GM BRAKE PADS

COMPOUND 32		COMPOUND C1		COMPOUND 33		COMPOUND C2		COMPOUND 34	
PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE
6653002	\$139.99	1251-1154	\$89.99	6653012	\$139.99	1251-2154	\$127.99	6653022	\$139.99

MODIFIED BRAKE PAD RECOMMENDATIONS

RECOMMENDED SPORT MOD & MODIFIED CAR PACKAGES

IMCA (Open Motor)

LEFT FRONT	PART #	PRICE	RIGHT FRONT	PART #	PRICE
PAD GM METRIC SR 33	6653012*	\$139.99	PAD GM METRIC SR 32	6653002*	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

LEFT REAR	PART #	PRICE	RIGHT REAR	PART #	PRICE
ROTOR, 11.75"X.810" PILLAR	6640100	\$54.99	ROTOR, 11.75"X.810" PILLAR	6640100	\$54.99
PAD GM METRIC SR 33	6653012	\$139.99	PAD GM METRIC SR 33	6653012	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

IMCA (Crate)

LEFT FRONT	PART #	PRICE	RIGHT FRONT	PART #	PRICE
PAD GM METRIC SR 33	6653012*	\$139.99	PAD GM METRIC SR 32	6653002*	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

LEFT REAR	PART #	PRICE	RIGHT REAR	PART #	PRICE
ROTOR, 11.75"X.810" PILLAR	6640100	\$54.99	ROTOR, 11.75"X.810" PILLAR	6640100	\$54.99
PAD GM METRIC SR 34	6653022	\$139.99	PAD GM METRIC SR 34	6653022	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

USMTS/UMP

LEFT FRONT	PART #	PRICE	RIGHT FRONT	PART #	PRICE
PAD GM METRIC SR 33	6653012*	\$139.99	PAD GM METRIC SR 32	6653002*	\$139.99
CALIPER ALU GM 2-3/8"	6630311	\$109.99			

LEFT REAR	PART #	PRICE	RIGHT REAR	PART #	PRICE
ROTOR, 11.75"X.810" SLOT LH	6640105	\$79.99	ROTOR, 11.75"X.810" SLOT RH	6640104	\$79.99
PAD GM METRIC SR 34	6653022	\$139.99	PAD GM METRIC SR 34	6653022	\$139.99

WISSOTA

LEFT FRONT	PART #	PRICE	RIGHT FRONT	PART #	PRICE
PAD GM METRIC SR 33	6653012*	\$139.99	PAD GM METRIC SR 32	6653002*	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

LEFT REAR	PART #	PRICE	RIGHT REAR	PART #	PRICE
ROTOR, 11.75"X.810" SLOT LH	6640105	\$79.99	ROTOR, 11.75"X.810" SLOT RH	6640104	\$79.99
PAD GM METRIC SR 34	6653022	\$139.99	PAD GM METRIC SR 34	6653022	\$139.99
METRIC GM CALIPER 2.5 R LH	6635004	\$69.99	METRIC GM CALIPER 2.5 RH	6635003	\$69.99

HIGH PERFORMANCE BRAKE FLUID

HIGH PERFORMANCE HTX BRAKE FLUID

The HTX fluid has been engineered to meet the demanding requirements of super late model (dirt and asphalt) as well as dirt modified and "outlaw" open wheel modified racing. HTX fluid offers superior performance where high brake system temperatures for an extended time period are experienced. AFco High Performance Brake Fluid will exceed your expectations!

- Dry boiling point of 600°+.
- A "must have" for asphalt cars.
- Non-silicone fluid.
- Sealed in steel can for longer shelf life.
- Best value in brake fluid on the market.



DESCRIPTION	PART #	PRICE
HTX SINGLE 16.9 OZ. CAN	6691903	\$19.99
HTX CASE (12 CANS)	6691904	\$224.99

HIGH PERFORMANCE HT BRAKE FLUID

Better performing brake systems start with superior brake fluid. The HT fluid has been designed to provide enhanced performance for applications ranging from street stocks to open wheel modifieds to drag racing and is value priced. AFco HT Brake Fluid will outperform comparable fluids.

- Dry boiling point 500°+.
- Non-silicone fluid.
- Eliminates brake fade due to fluid failure caused by heat.



DESCRIPTION	PART #	PRICE
HT SINGLE 12 OZ. BOTTLE	6691901	\$5.99
HT CASE (12 CANS)	6691902	\$69.99

AFCO BRAKES

BRAKE ACCESSORIES

BRAKE SYSTEM FITTINGS



DESCRIPTION	APPLICATION	PART #	PRICE
1. 1/8" NP TO -4 AN	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0001	\$3.99
1A. 1/8" NP TO -3 AN	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0002	\$4.99
2. 3/16" LINE TO -3 AN	CHASSIS MOUNT	7010-0003	\$8.99
2A. 3/16" LINE TO -4 AN	CHASSIS MOUNT	7010-0004	\$8.99
3. 1/8" NP TO -4 AN TALL (90°)	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0017	\$10.99
4. 3/16" LINE TO -4 AN	LONG CHASSIS MOUNT	7010-0005	\$8.99
5. 1/8" NP BLEED VALVE	AFCO METRIC ALUMINUM CALIPERS	7010-0022	\$4.99
6. 3/16" INV. FLARE TEE	3/16" BRAKE LINE	40251	\$4.99
7. 1/8" FP TEE	BRAKE LINE	85100X	\$9.99
8. 1/8" MP X (2) 3/16" INV FL	BRAKE BIAS PANEL	85160X-3	\$14.99
9. 1/8" FP X 1/4" FP	BRAKE GAUGES	85160X-2	\$9.99
10. 1/8" MP X 3/16" INV FL FP	STRAIGHT MASTER CYLINDER LINE FITTING	7010-0026	\$2.99
11. 1/8" - NPT MALE - 3 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680001	\$7.99
11A. 1/8" - NPT MALE - 4 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680002	\$7.99
12. 1/8" - NPT MALE - 3 MALE	ALUMINUM BRAKE CALIPER FITTING	6680003	\$7.99
12A. 1/8" - NPT MALE - 4 MALE	ALUMINUM BRAKE CALIPER FITTING	6680004	\$7.99
13. 1/8" - NPT MALE - 3 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680005	\$7.99
13A. 1/8" - NPT MALE - 4 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680006	\$7.99
14. MT 10 MALE - 3 AN MALE	F44 ALUMINUM BRAKE CALIPER FITTING	6680007	\$7.99
15. 10MM - 1.50 X -4 AN	SMALL GM METRIC CALIPERS	7010-0007*	\$8.99
15A. 7/16" SAE TO -4 AN	GM STEEL CALIPERS	7010-0032	\$2.99
16. 7/16" SEALING WASHER (6 PK)	FITS 7/16 BANJO BOLT	7010-0036	\$5.99
16A. 10MM SEALING WASHER (6 PK)	FITS 10MM BANJO BOLT	7010-0037	\$5.99
17. 1/8" NP TO -4 AN TALL (90°)	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0017	\$10.99
18. 3/16" LINE TO -4 AN	LONG CHASSIS MOUNT	7010-0005	\$8.99

*THESE FITTINGS REQUIRE SEALING WASHERS AND ARE SHIPPED WITH WASHERS INCLUDED.

CALIPER PRESSURE BLEEDER ADAPTERS FOR GM METRIC CALIPERS

- Accurately determine optimal settings for balance bars and proportioning valves.
- Needed to troubleshoot your brake system.
- For use with caliper pressure gauges.



DESCRIPTION	PART #	PRICE
ADAPTER KIT	6670150	\$15.99

BRAKE BIAS ADJUSTERS

KNOB STYLE REMOTE BRAKE BIAS ADJUSTER

NEW!


- Cable designed to cut to proper length.



DESCRIPTION	PART #	PRICE
REMOTE BRAKE BIAS ADJUSTER - 5' LONG	6690001	\$59.99

CRANK-TYPE BIAS ADJUSTER

Steel adjuster is supplied with loose weld-on mount tab, which will allow a custom fit for each application.



DESCRIPTION	PART #	PRICE
28"	40217	\$34.99
30-1/2"	40217G	\$34.99
35"	40218	\$34.99

BRAKE LINES

90° KEVLAR BRAKE LINE - 3 AN & 4 AN



DESCRIPTION	END TYPES	PART #	PRICE
12" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-12	\$24.99
18" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-18	\$29.99
24" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-24	\$29.99
30" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-30	\$29.99
12" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-12	\$24.99
18" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-18	\$29.99
24" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-24	\$29.99
30" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-30	\$29.99

1/8" NPT KEVLAR BRAKE LINE - 3 AN & 4 AN



DESCRIPTION	END TYPES	PART #	PRICE
24" KEVLAR LINE	(1) AN 3 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684057-24	\$19.99
24" KEVLAR LINE	(1) AN 4 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684058-24	\$19.99
30" KEVLAR LINE	(1) AN 3 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684057-18	\$19.99
30" KEVLAR LINE	(1) AN 4 STRAIGHT END, (1) 4 AN 1/8" NPT END	6684058-18	\$19.99

Fits Rocket Chassis & others

KEVLAR BRAKE LINE - 3 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 3 ENDS	6684053-12	\$19.99	24" AN 3 ENDS	6684053-24	\$24.99
14" AN 3 ENDS	6684053-14	\$19.99	30" AN 3 ENDS	6684053-30	\$24.99
16" AN 3 ENDS	6684053-16	\$19.99	34" AN 3 ENDS	6684053-34	\$24.99
18" AN 3 ENDS	6684053-18	\$19.99	38" AN 3 ENDS	6684053-38	\$29.99
22" AN 3 ENDS	6684053-22	\$24.99	48" AN 3 ENDS	6684053-48	\$34.99

KEVLAR BRAKE LINE - 4 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 4 ENDS	6684054-12	\$19.99	24" AN 4 ENDS	6684054-24	\$24.99
14" AN 4 ENDS	6684054-14	\$19.99	30" AN 4 ENDS	6684054-30	\$24.99
16" AN 4 ENDS	6684054-16	\$19.99	34" AN 4 ENDS	6684054-34	\$24.99
18" AN 4 ENDS	6684054-18	\$19.99	38" AN 4 ENDS	6684054-38	\$29.99
22" AN 4 ENDS	6684054-22	\$24.99	48" AN 4 ENDS	6684054-48	\$34.99

STEEL BRAIDED BRAKE LINE - AN 3 & AN 4



DESCRIPTION	END TYPE	PART #	PRICE
18" AN 3	STRAIGHT ENDS	40265-18	\$11.99
24" AN 3	STRAIGHT ENDS	40265-24	\$12.99
18" AN 3	90 DEG ON 1 END	40264-18	\$15.99
18" AN 4	STRAIGHT ENDS	40262-18	\$11.99
24" AN 4	STRAIGHT ENDS	40262-24	\$12.99
36" AN 4	STRAIGHT ENDS	40262-36	\$13.99
18" AN 4	90 DEG ON 1 END	40263-18	\$15.99
24" AN 4	90 DEG ON 1 END	40263-24	\$16.99

CLUTCH SLAVE HOSE KIT



DESCRIPTION	PART #	PRICE
36" CLUTCH MASTER CYLINDER TO CLUTCH SLAVE CYLINDER HOSE	40280	\$34.99

MISCELLANEOUS

BRAKE SHUT-OFF VALVE

- Stainless steel ball.



DESCRIPTION	PART #	PRICE
BRAKE SHUT-OFF VALVE	40199	\$79.99


BRAKE FITTING CLIP

Clips work with 7010-0004, 40277, 7010-0003 to secure fitting to chassis.

DESCRIPTION	PART #	PRICE
CLIP (4)	40260	\$5.99
CLIP (25)	40261	\$19.99



3" TUBE CALIPER BRACKETS



DESCRIPTION	PART #	PRICE
METRIC GM REAR CLAMP ON (3" TUBE)	40121C*	\$79.99
BIG GM REAR WELD ON	40120	\$19.99
METRIC GM REAR WELD ON	40121	\$14.99


*STOP-BOLT RECOMMENDED AND INCLUDED WITH BRACKET.

AFCO COOLING

ALUMINUM RADIATORS

Every AFCO radiator is built from detailed, computer-designed specifications and use precision CNC laser-cut parts for exact tolerances. We never stamp tanks. Our tanks are either laser-cut and precision-welded or formed using a "drawn" technique that keeps a uniform thickness and eliminates weak spots.

AFCO understands the vital role the radiator plays in protecting the investment you have in your car. That is why we make no excuses or compromises in constructing the best aftermarket radiators in the industry. Don't trust your pride and joy to anything less than AFCO quality!



FROM CORE TO FINISHED PRODUCT...

AFCO is the ONLY RACING COMPANY that controls the ENTIRE MANUFACTURING PROCESS!

MADE IN THE USA

Quality control and strict production tolerances are key to developing a premium product. Controlling these aspects in-house means AFCO radiators are produced to the highest standards without compromise.



100% ALUMINUM CONSTRUCTION

By using a modern furnace-brazed process, all AFCO radiators feature all-aluminum construction without the need for epoxy. Not only does this make for a lighter radiator, but the common material bonding provides for increased thermal efficiency as well.



ADVANCED MANUFACTURING

Our robotic welding cell for high volume production features a new Fanuc Robot and CMT technology. We also have water jet, laser cut, CNC brake and other capabilities. Our engineering professionals use the most advanced platforms, such as CREO, to design the most innovative products in the industry.



PREMIUM QUALITY

AFCO produces high quality radiators and cores. These cores are epoxy free and defect free. Each part goes through our stringent quality control process. We pressure-test every one of our radiators to ensure that our customers will keep their cool on the track.





SPECIAL APPLICATIONS

In-house design and fabrication allows us to conceptualize, prototype, test, and manufacture custom cooling systems for a wide variety of applications. If you have a specialty radiator need, AFCO can deliver.



STATE-OF-THE-ART ALUMINUM BRAZING




FURNACE SPECIFICATIONS

30" Wide Belt
8" Pass Height
18-22 Cores/Hour

STAINLESS STEEL "HOTBOX" DATA RECORDER

Brazing profiles are created for each core based on the total mass weight. The furnace temperatures and belt speeds are adjusted based on feedback from a data recorder. The hotbox ensures a quality braze profile for each core.



FURNACE CONTROLS

The furnace is controlled via a touch screen HMI panel. Each component uses a unique brazing profile that is developed and saved as a recipe. This recipe includes belt speed, zone temperatures, and nitrogen flow. The system software also provides features such as historical brazing data and maintenance scheduling.



OUR CORE STANDARDS


Every part of a core is important, but the quality of the headers is an absolute must. The tube slots must be punched with a maximum of .002" clearance for a precise tube fit. While others use single sided clad material, AFCO uses double sided clad for all the headers. This provides a fillet joint around the tube on both sides of the header, doubling the strength of the joint. You simply cannot build a better, stronger core. The use of .080 double clad material and extruded side channels provides a core strong enough to handle over one million pressure cycles, without a tube-to-header joint failure.



Serpentine
Louvered
Fin @ 16psi



Clad Fillets
on Both
Sides



Double
Clad
.080 Headers

DOUBLE PASS RADIATORS

LIGHTWEIGHT 1 ROW X 1.5" CORE DOUBLE PASS RADIATORS

AFCO Racing Products is proud to announce our new lightweight double pass radiator for modifieds. This is the easiest and most cost effective way to shave as much as 10 pounds off the front of your car, allowing you to concentrate ballast and improve handling. The radiator features a new 1.5" thick core for improved air-flow. The new lightweight double pass radiator has the standard features you have come to trust from AFCO, such as furnace brazed tubes with no epoxy. These race proven lightweight radiators fit the same footprint as our standard radiators and installation is simple with no major modifications needed for mounting.

- Shaves 10 lbs. from the front of your car.
- Features an increased number of tubes and fins in the same height package.
- Standard water pressure bung for easy plumbing.
- Also available in 19" X 27-1/2" with 1-3/4" outlets (see page 134).
- 24" Southern Sport Mod version - See **NEW!** symbol!

FITTINGS



SEE PAGE 139.



NEW! 80184FNDP-U - (27-1/2" x 19")
80186FNDP-U - (24" x 19")



80184NDP - (26" x 19")



80184NDP-16 - (26" x 19")



NEW! 80184NDP-U - (26" x 19")
80186NDP-U - (24" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	ADDITIONAL BUNGS	DRY WEIGHT	PART #	PRICE
20"	22-3/8"	18-3/4"	25-7/8"	25-7/8"	2"	L	1-1/2" R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP	\$324.99
20"	22-3/8"	18-3/4"	25-7/8"	25-7/8"	2"	L	16 AN-M R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP-16	\$324.99
20"	22-3/8"	18-3/4"	26-3/4"	25-7/8"	2"	L	20 AN-F R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP-U	\$324.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	20 AN-F L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	12.6 LBS.	80184FNDP-U	\$324.99
20"	20-1/2"	18-3/4"	25-7/8"	24"	2"	L	20 AN-F R	1-3/4" R	30°/10°	1/2" FPT	12 LBS.	80186NDP-U	\$299.99
20"	20-1/2"	18-3/4"	25-7/8"	24"	2"	R	20 AN-F L	1-3/4" L	30°/10°	1/2" FPT & 3/8" FPT - L	12 LBS.	80186FNDP-U	\$299.99



ULTRA LIGHTWEIGHT 1 ROW X 1.25" TUBE CORE RADIATORS

- Half the weight of a 2-row core!
- 100% pressure tested.
- Optimum fin per inch ratio for maximum cooling.



OVERALL HEIGHT	CORE WIDTH	CORE THICKNESS	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	18"	1-1/4"	18-3/8"	22-7/8"	21-1/2"	1-7/8"	L	1-1/2" R	1-3/4" L	20°/10°	6.3 LBS.	80100LWFN	\$224.99
20"	18"	1-1/4"	18-3/8"	22-7/8"	21-1/2"	1-7/8"	R	1-1/2" L	1-3/4" R	20°/10°	6.3 LBS.	80100LWN	\$224.99
18-3/4"	23-3/8"	1-1/4"	18-3/4"	26-1/4"	26-1/4"	2-5/16"	R	1-1/2" L	1-3/4" R	30°/10°	8.8 LBS.	80103LWN	\$224.99
18-3/4"	23-3/8"	1-1/4"	18-3/4"	26-1/4"	26-1/4"	2-3/8"	R	16 AN-M - L	1-3/4" R	30°/10°	11 LBS.	80103LWN-16	\$224.99
18-3/4"	23-3/8"	1-1/4"	18-3/4"	27-1/4"	26-1/4"	2-3/8"	R	20 AN-F - L	1-3/4" R	30°/10°	11 LBS.	80103LWN-U	\$224.99
18-5/8"	23-1/2"	1-1/4"	18-1/2"	27-3/8"	27-3/8"	2-5/16"	L	1-1/2" R	1-3/4" L	30°/10°	11 LBS.	80111FN	\$224.99
18-5/8"	23-1/2"	1-1/4"	18-1/2"	27-3/8"	27-3/8"	2-5/16"	R	1-1/2" L	1-3/4" R	30°/10°	11 LBS.	80111N	\$224.99
20"	18"	1-1/4"	18-1/2"	24"	24"	1-7/8"	R	1-1/2" L	1-3/4" R	30°/10°	6.9 LBS.	80127LWN	\$224.99

DOUBLE PASS 2 ROW X 1" TUBE CORE RADIATORS

80100NDP - (22" x 19") - \$274.99
Available in "Thermal Coating" - Call for details.



DOUBLE PASS 2 ROW X 1" TUBE CORE RADIATORS

No filler neck.

80119N-20 - (25-3/4" x 19")



No filler neck.


80120N - (31" x 19")



80123N - (27-1/2" x 19")



80124N - (27-1/2" x 19")



80124N-16 - (27-1/2" x 19")



80124N-20 - (27-1/2" x 19")



80125N - (26" x 19")



80125N-16 - (26-3/4" x 19")



80125N-20 - (25-7/8" x 19")



80126N - (31" x 19")



80127NDP - (24" x 19")



No filler neck.

80133N - (27-1/2" x 16")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	17-7/8"	18-1/2"	22-1/4"	21-1/2"	3"	L	1-1/2" R	1-3/4" R	30°/10°	11.3 LBS.	80100NDP	\$274.99
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	L	16 AN R	1-3/4" R	30°/10°	11.2 LBS.	80100NDP-16	\$274.99
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	L	20 AN R	1-3/4" R	30°/10°	11.2 LBS.	80100NDP-20	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" R	30°/10°	13.7 LBS.	80101NDP	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	16 AN-M R	1-3/4" R	30°/10°	13.7 LBS.	80101NDP-16	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	16 AN-M R	1-3/4" R	30°/10°	13.7 LBS.	80101NDP-16B***	\$499.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	20 AN R	1-3/4" R	30°/10°	13.6 LBS.	80101NDP-20	\$274.99
21"	27-1/2"	18-1/2"	31-3/4"	31"	3"	L	16 AN-M R	1-3/4" R	30°/10°	15 LBS.	80102NDP-16	\$274.99
20"	22-3/8"	18-1/2"	25-3/4"	25-3/4"	3"	NONE*	1-1/2" R	1-3/4" R	30°/10°	13.2 LBS.	80119N*	\$274.99
20"	22-3/8"	18-1/2"	25-3/4"	25-3/4"	3"	NONE*	20 AN R	1-3/4" R	30°/10°	13.2 LBS.	80119N-20	\$274.99
21"	27-1/2"	18-1/2"	30-3/4"	30-3/4"	3"	NONE*	1-1/2" R	1-3/4" R	30°/10°	15 LBS.	80120N*	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	16 AN-F R	1-3/4" R	30°/10°	13.3 LBS.	80123N	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)16 AN-F R	1-3/4" R	30°/10°	13.3 LBS.	80124N	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)16 AN-M R	1-3/4" R	30°/10°	13.3 LBS.	80124N-16	\$274.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	(2)20 AN-M R	1-3/4" R	30°/10°	13.3 LBS.	80124N-20	\$274.99
20"	22-3/8"	18-1/2"	26-3/4"	25-7/8"	3"	L	1-1/2" R	1-3/4" R	30°/10°	13.2 LBS.	80125N	\$274.99
20"	22-3/8"	18-1/2"	26-3/4"	25-7/8"	3"	L	16 AN R	1 3/4" R	30°/10°	13.2 LBS.	80125N-16	\$274.99
20"	22-3/8"	18-1/2"	26-3/4"	25-7/8"	3"	L	20 AN R	1-3/4" R	30°/10°	13.2 LBS.	80125N-20	\$274.99
21"	27-1/2"	18-1/2"	31-3/4"	31"	3"	L	1-1/2" R	1-3/4" R	30°/10°	15 LBS.	80126N	\$274.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	L	1-1/2" R	1-3/4" R	30° UP	14.1 LBS.	80127NDP	\$274.99
16"	22-3/8"	16"	27-1/2"	27-1/2"	3"	NONE	1-1/4" R	1-1/2" R	0°	13.2 LBS.	80133N**	\$324.99

*1/4" FNT PIPE FITTING WITH AIR BLEED.

**ONE 1/4"-18 NPT & ONE 1/2"-14 NPT TEMP BUNG.


***BLACK THERMAL COATED.

Added features and unique options make these Double Pass radiators the pro's choice. AFCO quality and a wide range of sizes make them perfect for many applications. Available in 16 AN & 20 AN inlets.

ECONOMY 2 ROW X 1" TUBE CORE RADIATORS

Same great fit & performance for the budget-minded racer.

- **Save money & maintain performance!**
- 100% pressure tested.
- Optimum fin per inch ratio for maximum cooling.



80100A - (22" x 19")



80101A - (27-1/2" x 19")



80102A - (31" x 19")



80103A - (26" x 19")




80127A - (24" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	11.2 LBS.	80100A	\$189.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.6 LBS.	80101A	\$189.99
21"	27-1/2"	18-1/2"	32"	31"	3"	R	1-1/2" L	1-3/4" R	30°/10°	15 LBS.	80102A	\$189.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.2 LBS.	80103A	\$189.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	R	1-1/2" L	1-3/4" R	30°UP	14.1 LBS.	80127A	\$189.99



UNIVERSAL 2 ROW X 1" TUBE CORE RADIATORS

Universal Radiators are built with two 1" rows for a total core thickness of 2-1/4" and feature 3" tanks.




80100N - (22" x 19")




80100FN - (22" x 19")



80101N - (27-1/2" x 19")



80101FN - (27-1/2" x 19")



No filler neck.

80101-1N - (27-1/2" x 19")



80101N-16 - (27-1/2" x 19")




80102FN - (31" x 19")



80102N - (31" x 19")



80102N-16 - (31" x 19")



No filler neck.

80102-2N - (31" x 19")



80103N - (26" x 19")



80103FN - (26" x 19")



80103N-16 - (26" x 19")



80116N - (27-1/2" x 16-1/2")



80127N - (24" x 19")



80127FN - (24" x 19")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	11.2 LBS.	80100N	\$224.99
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	L	1-1/2" R	1-3/4" L	30°/10°	11.2 LBS.	80100FN	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.6 LBS.	80101N	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	16 AN-M L	1-3/4" R	30°/10°	13.6 LBS.	80101N-16	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" L	0°	13.6 LBS.	80101FN	\$224.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	NONE	1-1/2" L	1-3/4" R	30°/10°	13.7 LBS.	80101-1N	\$224.99
21"	27-1/2"	18-1/2"	32"	31"	3"	R	1-1/2" L	1-3/4" R	30°/10°	15 LBS.	80102N	\$224.99
21"	27-1/2"	18-1/2"	32"	31"	3"	R	16 AN-M L	1-3/4" R	30°/10°	15 LBS.	80102N-16	\$224.99
21"	27-1/2"	18-1/2"	32"	31"	3"	L	1-1/2" R	1-3/4" L	30°/10°	15 LBS.	80102FN	\$224.99
21"	27-1/2"	18-1/2"	30-3/4"	30-3/4"	3"	NONE	1-1/2" L	1-3/4" R	30° UP	15 LBS.	80102-2N	\$249.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.2 LBS.	80103N	\$224.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	R	16 AN-M L	1-3/4" R	30°/10°	13.2 LBS.	80103N-16	\$224.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	L	1-1/2" R	1-3/4" L	30°/10°	13.2 LBS.	80103FN	\$224.99
16-7/8"	22-3/8"	15-7/8"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.1 LBS.	80116N	\$274.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	R	1-1/2" L	1-3/4" R	30°UP	14.1 LBS.	80127N	\$224.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	L	1-1/2" R	1-3/4" L	30°UP	14.1 LBS.	80127FN	\$224.99

Continued to page 141.

UNIVERSAL 2 ROW X 1" TUBE CORE RADIATORS

Universal Radiators are built with two 1" rows for a total core thickness of 2-1/4" and feature 3" tanks.




80127N-16 - (24" x 19")



80130N - (28" x 19")



80130N-16 - (28" x 19")



No filler neck.

80128N - (23" x 15-1/8")

OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH TOP	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET ANGLE UP / IN	DRY WEIGHT	PART #	PRICE
20"	20"	18-1/2"	24-1/2"	23-1/2"	3"	R	16 AN L	1 3/4" R	30°UP	14.1 LBS.	80127N-16	\$224.99
19-5/8"	24-7/16"	18-1/2"	28-3/4"	28"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.3 LBS.	80130N	\$224.99
19-5/8"	24-3/8"	18-1/2"	28-3/4"	28"	3"	R	16 AN L	1-3/4" R	30°/10°	14.3 LBS.	80130N-16	\$224.99

FOR EXTRA STEERING BOX CLEARANCE

15-1/8"	17-7/8"	15-1/8"	22-7/8"	22-7/8"	3"	NONE	1-1/2" L	1-3/4" R	20°/ 25°	9.75 LBS.	80128N*	\$274.99
---------	---------	---------	---------	---------	----	------	----------	----------	----------	-----------	---------	----------

* ANGLED DRIVER TANK - INLET IS ANGLED 15°UP 10°OUT.

CUSTOM OVAL TRACK RADIATORS

AFCO Racing Products offers custom built radiators. Call 800-632-2320 for more details or to order your custom radiator!

- Built with formed tanks.
- Any inlet/outlet size and configuration.
- Common core sizes for any application.

DESCRIPTION	PART #	PRICE
SINGLE PASS RADIATOR	80007-NA	\$224.99
DOUBLE PASS RADIATOR	80008-NA	\$274.99



**Built The Way
You Want it!**



Dave Cain

AFCO COOLING ACCESSORIES

LONG TRANSMISSION/ENGINE/OIL COOLER

- Patented "Stacked Plate" cooler construction turns every inch of material into a cooling surface for maximum efficiency per cubic inch of package space.
- Can be used as an economy engine oil cooler.
- Embossed plate design maintains excellent performance with low pressure drop.



NUMBERS OF PASSES	SIZE	FITTING TYPE	PART#	PRICE
12	2.75" X 11" X 1.5"	1/2NPTF	LB7B	\$49.99
24	5.75" X 11" X 1.5"	1/2NPTF	LL7B	\$79.99
36	8.0" X 11" X 1.5"	1/2NPTF	LM7B	\$99.99
48	11.0" X 11" X 1.5"	1/2NPTF	LH7B	\$119.99

DECK MOUNT OIL COOLER

- Double pass design.
- Available with 10AN, 12AN & 16AN inlets and outlets.
- 1 QT. capacity.
- Internal oil turbulator & louvered fins ensure unparalleled efficiency.
- 1/2" FPT for oil temp. sending unit.
- 6-1/2"(w) x 14-1/2"(h) and 3" in thickness.



DESCRIPTION	PART#	PRICE
#10AN DECK MOUNT OIL COOLER	80268-10	\$274.99
#12AN DECK MOUNT OIL COOLER	80268-12	\$274.99
#16AN DECK MOUNT OIL COOLER	80268-16	\$274.99

COOLANT ADDITIVE

- Glycol Free.
- Premium quality water/coolant additive that promotes increased heat transfer.
- 40% reduction of surface tension compared to plain water.
- More complex additive package than competition to protect against corrosion and rust.
- 100% biodegradable in its unused form.
- Specifically engineered for all aluminum engine systems.




DESCRIPTION	PART #	PRICE
HIGH PERFORMANCE ADDITIVE (1 PINT)	100002	\$11.99

RADIATOR CAPS


Quality radiator caps help prevent the loss of coolant that can lead to overheating.



A
21-25 lbs. Pressure



B
20 lbs. Pressure



C
29-31 lbs. Pressure

DESCRIPTION	PART #	PRICE
A) STANT 21-25 LBS. CAP	80153	\$19.99
B) RADIATOR CAP-20 LBS.	80151	\$19.99
C) RADIATOR CAP-29-31LBS.	80050	\$19.99

COOLANT RECOVERY TANKS

- Aluminum construction.
- Catches radiator overflow.
- Completes a closed system.
- 1 quart capacity.



DESCRIPTION	PART #	PRICE
COOLANT RECOVERY TANK (ALUMINUM)	80158	\$99.99

INLINE FILLER

- Installs in upper radiator hose.
- 100% aluminum construction.



DESCRIPTION	PART #	PRICE
ALUMINUM 1-1/2" O.D.	80155	\$44.99

SCREW-IN FITTINGS



DESCRIPTION	PART #	PRICE
1-1/2" HOSE TO 20 AN SCREW IN	80071	\$29.99
16AN TO 20AN SCREW IN	80072	\$29.99
20AN TO 20AN SCREW IN	80073	\$29.99

WELD-ON FITTINGS

80128X11



80128X9



80128X20



MALE	PART #	PRICE	FEMALE	PART #	PRICE
6AN FITTING	700050040	\$9.99	1/8" FP FITTING	80128X12	\$14.99
8AN FITTING	700050041	\$9.99	1/4" FP FITTING	80128X5	\$14.99
10AN FITTING	700050037	\$9.99	3/8"-18 FP FITTING	80128X10	\$14.99
12AN FITTING	80128X8	\$14.99	1/2"-14 FP FITTING	80128X11	\$14.99
16AN FITTING	80128X9	\$14.99	3/4" FP FITTING	80128X6	\$17.99
20AN FITTING	80128X20	\$17.99	1" FP FITTING	80128X7	\$17.99

AN FEMALE
O-RING
WELD ON
STYLE BUNG

DESCRIPTION	PART #	PRICE
10 AN FITTING	80128X-10AN	\$14.99
12 AN FITTING	80128X-12AN	\$14.99
16 AN FITTING	80128X-16AN	\$14.99
20 AN FITTING	80128X-20AN	\$17.99

*O-RINGS SOLD SEPARATELY.

RADIATOR REPAIR KIT

Repairs small leaks in aluminum radiators.



DESCRIPTION	PART #	PRICE
EPOXY SOLDER	80161	\$9.99

1-3/4" FLOW
RESTRICTOR

Restricts flow in lower hose.



DESCRIPTION	PART #	PRICE
1-3/4" FLOW RESTRICTOR	80068	\$39.99

HD COOLING FANS

- 33° pitch.
- Dual bolt pattern to fit most pumps.
- 6 steel blades.



DESCRIPTION	PART #	PRICE
GM 15"	80182	\$39.99
GM 17"	80181	\$39.99

4 BLADE FAN

- 4 steel blades for greater air flow.
- Designed with the proper blade pitch to move the maximum amount of air possible.
- Dual bolt pattern to fit most pumps.



DESCRIPTION	PART #	PRICE
4 BLADE FAN 18"	80183	\$49.99

FAN SPACER KITS

- Billet aluminum.
- Anodized black.
- Fits 5/8" or 3/4" drive.
- Kit comes with bolts, bushing and washers.



DESCRIPTION	PART #	PRICE
1-1/2" FAN SPACER	80191	\$29.99
2" FAN SPACER	80192	\$29.99
2-1/2" FAN SPACER	80193	\$29.99
3" FAN SPACER	80194	\$34.99

ALUMINUM THERMOSTAT HOUSINGS

- Polished aluminum construction.
- Uses o-ring for quality seal to intake.
- Allows 360° rotation.
- Includes bolts.



DESCRIPTION	PART #	PRICE
15° NECK SBC / BBC	80312-15	\$39.99

OPEN WHEEL

SHOCKS	142
SUSPENSION	156
BRAKES	162
COOLING	168



OPEN WHEEL INDEX

SHOCKS

142-155

GAS MONOTUBE	142-144
TWIN TUBE SHOCKS	145-147

SHOCK REBUILD PARTS & TOOLS

SHOCK ACCESSORIES	148-149
SHOCK REBUILD TOOLS	150
SHOCK REPLACEMENT/REPAIR PARTS	151-155

SPRINGS

156-157

COIL-OVER SPRINGS	156
QUARTER MIDGET SPRINGS	157
DUAL STAGE SPRINGS	157
SMALL BODY DUAL STAGE COIL-OVER KIT	157

STEERING & ACCESSORIES

158-160

ROD ENDS	158
QUICK RELEASE HUB	158
SHOCK COVERS	159
TIRE ACCESSORIES	160
SHOCK BUMPERS	160
COIL-OVER MOUNTS	160

BRAKES

162-167

BRAKE PADS & RECOMMENDED SETUP

BRAKE PADS	162
RECOMMENDED SETUP	163

BRAKE ROTORS

PILLAR VANE ROTORS	164
16+ ULTRA LIGHT CURVED VANE ROTORS	164
ALUMINUM LIGHTWEIGHT ROTORS	165
STEEL LIGHTWEIGHT ROTORS	165

BRAKE ACCESSORIES

BRAKE LINES	166
BRAKE SYSTEM FITTINGS	166
HIGH PERFORMANCE BRAKE FLUID	167

COOLING

168-175

RADIATORS

SPRINT DOWNFLOW RADIATORS	170
305 SPRINT TRIPLE PASS RADIATORS	170
SPRINT DOUBLE PASS RADIATORS	171
CAGE MOUNT RADIATORS	172
CUSTOM RADIATORS	173

COOLING ACCESSORIES

OIL COOLERS	174
WELD ON FITTINGS	174
RADIATOR CAPS	174
COOLANT AND COOLANT ADDITIVE	174
GATES HOSE CLAMPS	175
INLINE FILLER	175
HOSES	175
ELECTRIC FANS	175
RADIATOR REPAIR KITS	175

TUNING GUIDES/TECH

180-183

SHOCK GUIDE	180-181
TUNING GUIDES	183

APPAREL

184-186

For more information and a complete listing of accessories and repair parts, visit www.AFCOracing.com

GAS SHOCKS ALUMINUM

SMALL BODY BULB

63/64 SERIES

Engineered to maximize low speed control and grip, this shock features a low friction, high temperature sealing system. Each shock is hand crafted & dyno tested at AFCO.

ADDITIONAL FEATURES

- Rebound & compression adjustable shocks available.
- Linear & digressive shock valving.
- Base valve design.
- ½" shaft with minimal rod pressure gain to maximize grip.
- Extra torsion bar clearance.
- Available in 5", 6", 7" & 8" stroke.
- Designed for dirt or pavement.
- Detailed service/rebuild manuals available.
- Can be used with a remote adjuster.


Non-Adjustable

\$266⁹⁹

Rebound Adjustable
& Compression Adjustable


\$373⁹⁹

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
5"	11.68"	16.68"
6"	12.68"	18.68"
7"	13.68"	20.68"
8"	14.68"	22.68"



REMOTE COCKPIT ADJUSTER

DESCRIPTION	PART#	PRICE
REBOUND REMOTE ADJ.	20150	\$95.99



APPLICATIONS

- SPRINT CARS
- MIDGETS
- MINI-SPRINTS
- MICRO-SPRINTS

Available stroke lengths: 5", 6", 7" and 8".

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

REBOUND ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. RANGE OPTIONS	PART NUMBER
	63	8	3	36	= 63-8-3-36
	ALUMINUM	OPTIONS: 5", 6", 7" OR 8"	0-14 FIXED	3 thru 6 = 36 4 thru 8 = 48 6 thru 10 = 610	
COMPRESSION ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. RANGE OPTIONS	REB. VALVE OPTIONS	PART NUMBER
	63	8	36	3	= 63-8-36-3
	ALUMINUM	OPTIONS: 5", 6", 7" OR 8"	3 thru 6 = 36 2 thru 5 = 26	0 to 14 FIXED	
NON- ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. VALVE OPTIONS	PART NUMBER
	64	8	3	6	= 64-8-3-6
	ALUMINUM	OPTIONS: 5", 6", 7" OR 8"	1 to 9 FIXED	0 to 9 FIXED	



GAS SHOCKS ALUMINUM

THREADED SMALL BODY - DOUBLE ADJUSTABLE

16 SERIES

AFCO's Small Body Double Adjustable Canister shocks feature independent compression and rebound adjustments for superior tunability. The large capacity gas chamber utilizes a base valve that allows gas settings as low as 20 lbs. without cavitation!

ADDITIONAL FEATURES

- Remote Cockpit Adjuster for "On-The-Fly" adjustments.
- Double Adjustable - Independent Rebound and Compression with no bleed over.
- Gas Pressure shocks for superior tunability.
- Available in many popular valving for open-wheel racing.
- Custom Valving Available.

Double Adjustable
Remote Gas

\$427⁹⁹



STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
6"	11.59"	17.59"
7"	12.59"	19.59"
8"	13.59"	21.59"
9"	14.59"	23.59"

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

DOUBLE ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. RANGE OPTIONS	HOSE LENGTH	PART NUMBER
	16	9	25	36	R*	= 1692536R
	ALUMINUM DOUBLE ADJUSTABLE	OPTIONS: 6", 7", 8" or 9"	2 thru 5 = 25 3 thru 6 = 36	1 thru 5 = 15 2 thru 8 = 28 2 thru 10 = 210 6 thru 10 = 610 5 thru 13 = 513	BLANK = 17" "R" = 48" SEE NOTE.	

*NOTE: SHOCKS COME STANDARD WITH 17" HOSE. ADD AN "R" TO THE END OF THE PART NUMBER FOR A 48" HOSE TO MAKE REAR SHOCKS COCKPIT ADJUSTABLE ON COMPRESSION.

CANISTER MOUNTS



Use to mount shock canisters to roll bar.

DESCRIPTION	PART#	PRICE
1-1/4"	50330	\$85.99
1-3/8"	50329	\$85.99
1-1/2"	50331	\$85.99
1-3/4"	50332	\$85.99
REPEL. PINS (4)	50334	\$26.99

COMPRESSION ADAPTERS

For remote Adjuster Kit 20150 (pg 145)

DESCRIPTION	PART#	PRICE
STD. COMP. ADAPTER	20152	\$34.99
NO BLEED COMP. ADAPTER	20153	\$34.99

TWIN TUBE SHOCKS ALUMINUM

SMALL BODY - SINGLE ADJUSTABLE

16 SERIES

AFCO's 16 Series Twin Tube Shocks are an excellent choice for many types of open wheel racing. The twin tube construction enhances driver feel and the deflective disk construction promotes consistency and long term reliability. These shocks are available in rebound adjustable, and compression adjustable versions. Adjustable shocks feature completely independent adjustments and have a positive detent position indication that helps fine tune the damping. Adjustable shocks can also utilize the optional remote adjuster assembly for fast and repeatable in-cockpit adjustments. The consistent and superior tunability of AFCO 16 Series shocks gives you the winning edge.


**SMOOTH OR THREADED
Rebound Adjustable or
Compression Adjustable**

\$320⁹⁹

ADDITIONAL FEATURES

- Twin tube design for traction in the slickest of track conditions.
- Shim stack technology in a lightweight small-body design.
- Lightweight small-body design that helps decrease un-sprung weight.
- Rebuildable and repairable.
- 1.75" outside diameter.
- Can be made cockpit adjustable with use of part # 20150.

STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
6"	11.69"	17.69"
7"	12.69"	19.69"
8"	13.69"	21.69"
9"	14.69"	23.69"



REMOTE COCKPIT ADJUSTER

DESCRIPTION	PART#	PRICE
REBOUND REMOTE ADJ.	20150	\$95.99



HOW TO READ AND ORDER YOUR AFCO SHOCKS:

REBOUND ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. RANGE OPTIONS	BODY STYLE	PART NUMBER
	16	7	2	25	S	= 1672-25S
	ALUMINUM SINGLE ADJUSTABLE	OPTIONS: 5", 6", 7", 8" or 9"	0-9 FIXED	2 thru 5 = 25 3 thru 6 = 36 4 thru 8 = 48	(S=SMOOTH, BLANK=THREADED)	
COMPRESSION ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. RANGE OPTIONS	REB. VALVE OPTIONS	BODY STYLE	PART NUMBER
	16	7	24	7	S	= 16724-7S
	ALUMINUM SINGLE ADJUSTABLE	OPTIONS: 5", 6", 7", 8" or 9"	2 thru 4 = 24 3 thru 5 = 35 4 thru 6 = 46	0-9 FIXED	(S=SMOOTH, BLANK=THREADED)	

TWIN TUBE SHOCKS ALUMINUM

SMALL BODY - NON-ADJUSTABLE

16 SERIES

AFCO's 16 Series Twin Tube Shocks are an excellent choice for many types of open wheel racing. The twin tube construction enhances driver feel and the deflexive disk construction promotes consistency and long term reliability. These shocks are available in non-adjustable versions. The consistent and superior tunability of AFCO 16 Series shocks gives you the winning edge.

SMOOTH OR THREADED
Non-Adjustable

\$202⁹⁹

ADDITIONAL FEATURES

- Twin tube design for traction in the slickest of track conditions.
- Shim stack technology in a lightweight small-body design.
- Lightweight small-body design that helps decrease un-sprung weight.
- Rebuildable and repairable.
- 1.68" outside diameter.
- Available in smooth or threaded bodies.



STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
6"	11.59"	17.59"
7"	12.59"	19.59"
8"	13.59"	21.59"
9"	14.59"	23.59"

HOW TO READ AND ORDER YOUR AFCO SHOCKS:

NON-ADJUSTABLE	SHOCK SERIES	STROKE LENGTH	COMP. VALVE OPTIONS	REB. VALVE OPTIONS	BODY STYLE	PART NUMBER
	16	6	3	5	S	= 1663-5S
	ALUMINUM NON-ADJUSTABLE	OPTIONS: 5", 6", 7", 8" or 9"	0-9 FIXED	0-9 FIXED	(S=SMOOTH, BLANK=THREADED)	

NOTE: IF COMPRESSION & REBOUND ARE THE SAME, THEN DROP 5TH DIGIT. EXAMPLE: 1663S IS A 3 COMPRESSION AND 3 REBOUND WITH A SMOOTH BODY.

TWIN TUBE SHOCKS **STEEL**

NON-ADJUSTABLE

15 SERIES

STEEL SMALL BODY NON-ADJUSTABLE 1.64" OD

- Economical sealed body.
- Replaceable 3 piece bearings.
- 9/16" Shaft.
- Grooved for use in coil-over applications.
- Small body design for better clearance.

9/16"
Shaft

All 15 Series
non-adjustable:

\$106⁹⁹

**CHOOSE YOUR
PART NUMBER**

VALVING	5" PART#	6" PART#	7" PART#
2 VALVE	1552	1562	•
2-4 VALVE	•	1562-4	•
3 VALVE	1553	1563	•
3-1 VALVE	1553-1	1563-1	•
3-5 VALVE	•	•	1573-5
4 VALVE	1554	1564	1574
5 VALVE	•	•	1575
5-3 VALVE	•	•	1575-3
6-2 VALVE	•	•	1576-2
6-4 VALVE	•	•	1576-4

5" STROKE 6" STROKE 7" STROKE

COMPRESSED	10.50"	11.50"	12.50"
EXTENDED	15.50"	17.50"	19.50"

VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



SHOCK ACCESSORIES

ROD ENDS

ADJUSTABLE ROD ENDS

DESCRIPTION	SERIES	PART #	PRICE
STANDARD LENGTH (BLUE)	63	550000157	\$79.99
1" EXTENDED LENGTH (BLUE)	63	550000241	\$99.99
STANDARD LENGTH (BLUE)	16 (SINGLE ADJ)	550100148	\$79.99
1" EXTENDED LENGTH (BLUE)	16 (SINGLE ADJ)	550000103	\$101.99
STANDARD LENGTH (BLUE)	16 (DOUBLE ADJ)	20172	\$79.99
1" EXTENDED LENGTH (BLUE)	16 (DOUBLE ADJ)	20172-1C	\$106.99



NON-ADJUSTABLE ROD ENDS

DESCRIPTION	SERIES	PART #	PRICE
STANDARD LENGTH (THREADED ALUM. BODY)	16 (THREADED)	1007	\$36.99
1" EXTENDED LENGTH (THREADED ALUM. BODY)	16 (THREADED)	550165101	\$42.99
STANDARD LENGTH (SMOOTH ALUM. BODY)	16 (SMOOTH)	1007S	\$36.99
1" EXTENDED LENGTH (SMOOTH ALUM. BODY)	16 (THREADED)	550149110	\$42.99
STANDARD LENGTH (ALUM.)	64	550000141	\$39.99
1" EXTENDED LENGTH (BLUE)	64	550000241-1	\$39.99



BEARING AND CLIP


DESCRIPTION	SERIES	PART #	PRICE
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99




ALUMINUM THREADED SMALL BODY COIL-OVER PARTS

16, 63 & 64 SERIES

DESCRIPTION	PART #	PRICE
KIT (FOR SMALL BODY THREADED.)	20123A	\$52.99
KIT W/LOCKING COLLAR (FOR SB ADJ.)	100096	\$85.99
A) SPRING SEAT	20149	\$31.99
B) ADJUSTER NUT ONLY	20148	\$26.99
C) SNAP CLIP	10243SR	\$4.27
D) LOCKING NUT ONLY	55000021210	\$63.99



COIL-OVER KIT: 20123A




COIL-OVER KIT: 100096

SHOCK ACCESSORIES

AFCO SMALL BODY DUAL STAGE COIL-OVER ASSEMBLY

AFCO's Dual Stage Coil-Over assembly provides variable spring rates that can be used to improve traction and handling in the slickest of conditions. Additionally, the assemblies can help eliminate suspension bottoming problems common with today's open wheel racecars. For use with 1-7/8" small diameter springs.



Complete Small Body Dual Stage Kit: 20121



Secondary Spring

HOW IT WORKS

AFCO Dual Stage Coil-Over assemblies use two coil-over springs, a special nylon slider for small body shocks that fits between the two springs. Also, two special, thin-walled nuts are used to jam the slider assembly in order to "stage" suspension stiffness. When the slider assembly (located between the two springs) is free to slide on its shock, the Dual Stage assembly produces a combined spring rate softer than either rate of the two springs used (see combined spring rate formula below).


Spring Rate Formula: Dual Active Springs

Primary Spring Rate X Secondary Spring Rate = Actual Spring Rate
Primary Spring Rate + Secondary Spring Rate

Example: $\frac{200\#/in. \times 400\#/in.}{200\#/in. + 400\#/in.} = \frac{80,000}{600} = 133.33\#/in.$

Note: The combination of a 200#/in. and 400#/in. spring works the same as a single 133#/in. spring as long as both combination springs are active.

However, the spring rate of the Dual Stage assembly stiffens to that of the primary spring, which remains as the sole, active spring whenever the slider assembly contacts the adjustable Dual Stage jam nuts.



DESCRIPTION	PART #	PRICE
DUAL STAGE HARDWARE KIT (2 X 20100 & 1 X 20101)	20121	\$63.99
DUAL STAGE JAM NUT	20100	\$21.39
DUAL STAGE SPRING SLIDER	20101	\$26.99
4" DUAL STAGE SPRING	29015-3	\$49.99
4" DUAL STAGE SPRING	29025-3	\$49.99
4" DUAL STAGE SPRING	29065-3	\$49.99

SHOCK ACCESSORIES

TOOLS & SUPPLIES

BASE VALVE WRENCH



DESCRIPTION	PART #	PRICE
BASE VALVE WRENCH (63 & 64 SERIES)	550000279	\$63.99

SMALL BODY TWIN TUBE GUIDE WRENCH



DESCRIPTION	PART #	PRICE
SMALL BODY TWIN TUBE ROD GUIDE WRENCH	550000666	\$54.99

OVERFLOW CUP



DESCRIPTION	PART #	PRICE
OVERFLOW CUP (SB, BB, & QM)	550000302	\$89.99
2.45" X 1" RUBBER SEAL (3)	55000030203-3	\$11.99
2.45" X 1.38" RUBBER SEAL (3)	55000030202-3	\$11.99
2.45" X 1.63" RUBBER SEAL (3)	55000030201-3	\$11.99

SMALL BODY WRENCH HANDLE



DESCRIPTION	PART #	PRICE
SMALL BODY WRENCH HANDLE*	700500049	\$349.99
SMALL BODY ALUM. SLEEVE*	700500148	\$34.99

*NOTE: SLEEVE IS REQUIRED FOR USAGE.

PREMIUM SHOCK OIL

For use in all AFCO rebuildable Shocks.



DESCRIPTION	PART #	PRICE
1 QUART	MT59506	\$21.39
5 GALLONS	165006	\$320.99

GAS SHOCK INFLATION GAUGES



DESCRIPTION	PART #	PRICE
GAS SHOCK INFLATION ASSY. 0-300 PSI	20109	\$106.99
GAUGE ONLY 0-300 PSI	20109-1	\$47.99
GAS SHOCK INFLATION ASSY. 0-30 PSI	20109-8	\$106.99
GAUGE ONLY 0-30 PSI	550090237	\$47.99
ECONOMY SHOCK INFLATION ASSY. 0-300 PSI	GAUGE	\$76.99

SHOCK VISE AND STAND



DESCRIPTION	PART #	PRICE
SHOCK VISE AND MOUNTING STAND	20113	\$299.99

RETENTION BUSHING REMOVER



DESCRIPTION	PART #	PRICE
RETENTION BUSHING REMOVER	A700500131	\$39.99

HAND BEARING PRESS



DESCRIPTION	PART #	PRICE
HAND BEARING PRESS	A700500076	\$49.99

HEX BLEEDER



DESCRIPTION	PART #	PRICE
HEX BLEEDER	700500180	\$9.99

ROD GUIDE TOOLS



DESCRIPTION	PART #	PRICE
ROD GUIDE TOOL (16 SERIES)	A700500053	\$24.99
ROD GUIDE TOOL (63/64 SERIES)	550000281	\$31.99

SHOCK COMPONENTS

REPLACEMENT PARTS



30MM PISTONS & ACCESSORIES

16 SERIES TWIN TUBE & QUARTER MIDGET



DESCRIPTION	PART #	PRICE
30MM 0.5° 3-OVAL PISTON	55000021703*	\$21.39
30MM 1.0° 6-CIRCLE PISTON	55000021706*	\$21.39
30MM LINEAR REBOUND	55000021702*	\$17.99
30MM PISTON BAND (QTY. 1)	55000021701	\$5.34
30MM PISTON BAND (QTY. 25)	55000021701-25	\$117.99
30MM DIGRESSIVE SPACER	A550030002X	\$21.39
30MM MACHINED STOP WASHER	0000427	\$5.34

*INCLUDES PISTON BAND.

DESCRIPTION	PART #	PRICE
30MM STOP WASHER 3MM THICK (QTY. 5)	550090217-5	\$10.99
30MM STOP WASHER 3MM THICK (QTY. 25)	550090217-25	\$36.99
30MM STOP WASHER 4MM THICK (QTY. 5)	550090218-5	\$10.99
30MM STOP WASHER 5MM THICK (QTY. 5)	550090219-5	\$10.99
30MM STOP WASHER 5MM THICK (QTY. 25)	550090219-25	\$36.99
30MM PISTON NUT	550090220	\$2.13

35MM PISTONS & ACCESSORIES

63 & 64 SERIES



DESCRIPTION	PART #	PRICE
35MM MAIN PISTON (QTY. 2)	550010031-2	\$42.99
35MM MAIN PISTON (QTY. 10)	550010031-10	\$213.99
35MM POPPET PISTON	100051	\$58.99
35MM DOUBLE POPPET PISTON	100052	\$63.99
MAIN PISTON O-RING (QTY. 25)	550060012-25	\$11.99
PISTON BAND (QTY. 5)	550060023-5	\$31.99
PISTON BAND (QTY. 25)	550060023-25	\$138.99
63 & 64 SERIES STOP WASHER 35 MM MONOTUBE	550000202	\$11.99
63 & 64 SERIES 5 HOLE BASE VALVE (STANDARD)	55000014210	\$58.99
63 & 64 SERIES 3 HOLE BASE VALVE	55000014213	\$47.99

DESCRIPTION	PART #	PRICE
BASE VALVE NUT (QTY. 5)	550000203-5	\$5.34
BASE VALVE NUT (QTY. 25)	550000203-25	\$21.39
BASE VALVE BOLT	550000151	\$10.99
PORT RESTRICTOR 3 HOLE	550090201	\$15.99
PORT RESTRICTOR 5 HOLE	550090202	\$11.99
SHIM 3 HOLE (QTY. 5)	550080203-5	\$21.39
DIGRESSIVE 35 MM SPACER	8000061	\$21.39
DIGRESSIVE 35 MM 3 HOLE SPACER	8000062	\$21.39
PISTON NUT (QTY. 5)	550000291-5	\$15.99

16 SERIES NON-ADJ. REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
6" THREADED	550010326	\$42.99	6" SMOOTH	550010316	\$42.99
7" THREADED	550010327	\$42.99	7" SMOOTH	550010317	\$42.99
8" THREADED	550010328	\$42.99	8" SMOOTH	550010318	\$42.99
9" THREADED	550010329	\$42.99	9" SMOOTH	550010319	\$42.99
BODY O-RING (QTY. 5) 150X4-5		\$2.13	BODY O-RING (QTY. 5) 150X4-5		\$2.13

REPLACEMENT 12.5 MM SHAFT ASSEMBLIES



DESCRIPTION	PART #	PRICE
5"	550070135	\$26.99
6"	550070136	\$26.99
7"	550070137	\$26.99
8"	550070138	\$26.99
9"	550070139	\$26.99

REPLACEMENT BODY CAP ASSEMBLIES



DESCRIPTION	PART #	PRICE
BODY CAP	550010320	\$26.99

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100139	\$31.99
ROD SCRAPER (5 QTY.)	550060056-5	\$10.99
SCRAPER RETAINING RING	A550090059X	\$2.13
QUAD RING (5 QTY.)	150X13-5	\$26.99
PRESSURE TUBE O-RING (5 QTY.)	150X3-5	\$5.34
OUTER ROD GUIDE O-RING (5 QTY.)	150X4-5	\$2.13
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34



12.5 mm Shaft

REPLACEMENT ROD ENDS



1007



1007S




550165101



550149110

DESCRIPTION	SERIES	PART #	PRICE
NON-ADJUSTABLE STD. LENGTH (THREADED ALUM. BODY)	16 (THREADED)	1007	\$36.99
NON-ADJUSTABLE 1" EXT. LENGTH (THREADED ALUM. BODY)	16 (THREADED)	550165101	\$42.99
NON-ADJUSTABLE STD. LENGTH (SMOOTH ALUM. BODY)	16 (SMOOTH)	1007S	\$36.99
NON-ADJUSTABLE 1" EXT. LENGTH (SMOOTH ALUM. BODY)	16 (SMOOTH)	550149110	\$42.99
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99
JAM NUT		120X5	\$2.13

NON-ADJ. SMALL BODY TWIN TUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revolve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	16SB1	\$266.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	16SB2	\$266.99

REBUILD TOOLS



A700500058



550000666



700500180



550000302

DESCRIPTION	PART #	PRICE
BIG BODY BLEEDER TOOL "OLD STYLE" (2 PRONG)	A700500058	\$29.99
HEX BLEEDER TOOL	700500180	\$9.99
ROD GUIDE WRENCH	550000666	\$54.99
OVERFLOW CUP	550000302	\$89.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$19.99
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



MT59506

PRESSURE TUBES



DESCRIPTION	PART #	PRICE
6" PRESSURE TUBE	55000039406	\$15.99
7" PRESSURE TUBE	55000039407	\$15.99
8" PRESSURE TUBE	55000039408	\$15.99
9" PRESSURE TUBE	55000039409	\$15.99

16 SERIES SINGLE ADJ. REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES

ALUMINUM SMALL BODY TWIN TUBE



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
6" THREADED	550010326	\$42.99	6" SMOOTH	550010316	\$42.99
7" THREADED	550010327	\$42.99	7" SMOOTH	550010317	\$42.99
8" THREADED	550010328	\$42.99	8" SMOOTH	550010318	\$42.99
9" THREADED	550010329	\$42.99	9" SMOOTH	550010319	\$42.99
BODY O-RING (QTY. 5) 150X4-5		\$2.13	BODY O-RING (QTY. 5) 150X4-5		\$2.13

REPLACEMENT SHAFTS & METERING RODS

SINGLE ADJ. 12.5 MM SHAFT



METERING ROD



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
6" 12.5 MM SHAFT	550160036	\$85.99	6" METERING ROD	550070116	\$5.34
7" 12.5 MM SHAFT	550170036	\$85.99	7" METERING ROD	550070117	\$5.34
8" 12.5 MM SHAFT	550180036	\$85.99	8" METERING ROD	550070118	\$5.34
9" 12.5 MM SHAFT	550190036	\$85.99	9" METERING ROD	550070119	\$5.34
SHAFT ASSY. INCLUDES: SHAFT, BUSHING & TIP					

REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	PART #	PRICE
BODY CAP	550010320	\$26.99



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100139	\$31.99
ROD SCRAPER (5 QTY.)	550060056-5	\$10.99
SCRAPER RETAINING RING	A550090059X	\$2.13
QUAD RING (5 QTY.)	150X13-5	\$26.99
PRESSURE TUBE O-RING (5 QTY.)	150X3-5	\$5.34
OUTER ROD GUIDE O-RING (5 QTY.)	150X4-5	\$2.13
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.34




12.5 mm Shaft

REPLACEMENT ROD ENDS



DESCRIPTION	SERIES	PART #	PRICE
ADJUSTABLE STANDARD LENGTH (BLUE)	16	550100148	\$79.99
ADJUSTABLE 1" EXT. LENGTH (BLUE)	16	550000103	\$101.99
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99
JAM NUT		120X5	\$2.13

SINGLE ADJ. SMALL BODY TWIN TUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revalve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	16SB1	\$266.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	16SB2	\$266.99

REBUILD TOOLS



DESCRIPTION	PART #	PRICE
BIG BODY BLEEDER TOOL "OLD STYLE" (2 PRONG)	A700500058	\$29.99
HEX BLEEDER TOOL	700500180	\$9.99
ROD GUIDE WRENCH	550000666	\$54.99
OVERFLOW CUP	550000302	\$89.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



PRESSURE TUBES



DESCRIPTION	PART #	PRICE
6" PRESSURE TUBE	55000039406	\$15.99
7" PRESSURE TUBE	55000039407	\$15.99
8" PRESSURE TUBE	55000039408	\$15.99
9" PRESSURE TUBE	55000039409	\$15.99

16 SERIES DOUBLE-ADJ. REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES



DESCRIPTION	PART #	PRICE
6" STROKE THREADED	550010336	\$58.99
7" STROKE THREADED	550010337	\$58.99
8" STROKE THREADED	550010338	\$58.99
9" STROKE THREADED	550010339	\$58.99
END CAP O-RING (QTY. 25)	150X4-5	\$2.13

REPLACEMENT SHAFT ASSEMBLIES



DESCRIPTION	PART #	PRICE
6"	550160033	\$101.99
7"	550170033	\$101.99
8"	550180033	\$101.99
9"	550190033	\$101.99


REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	PART #	PRICE
BODY CAP BLUE	550100144	\$60.99
REPLACEMENT BANJO STUD	A550020028X	\$15.99
BEARING AND CLIP	1000	\$15.99
BEARING ONLY (5 PACK)	901040009-5	\$52.99



REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	550100138	\$47.99
ROD SCRAPER (5 QTY.)	550060065-5	\$15.99
OUTER ROD GUIDE O-RING (5 QTY.)	150X4-5	\$2.13
SCRAPER RETAINING RING (5 QTY.)	550000449-5	\$2.99
T-SEAL (5 QTY.)	550060055-5	\$21.39



REPLACEMENT ADJ. ROD ENDS

DESCRIPTION	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (BLUE)	20172	\$79.99



DOUBLE ADJUSTABLE MONOTUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revale of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT - MAIN SHIMS	MT/TTSB	\$277.99
REBUILD KIT - BLEED SHIMS & ACCESSORIES	MT/AC	\$224.99
REBUILD KIT - BASE VALVE/BLEED SHIMS	MTBV/AC	\$320.99

REBUILD TOOLS



700500049



700500148



550000302



A700500076

DESCRIPTION	PART #	PRICE
MONOTUBE INFLATION ASSEMBLY	20109	\$106.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
OVERFLOW CUP	550000302	\$89.99
RETENTION BUSHING REMOVER	A700500131	\$39.99
SMALL BODY WRENCH HANDLE	700500049	\$349.99
SMALL BODY ALUM. SLEEVE	700500148	\$34.99
HAND BEARING PRESS	A700500076	\$49.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39
AFCO PREMIUM SHOCK OIL 5 GALLONS	165006	\$320.99



20109



A700500131

CANISTER REPLACEMENT PARTS

DESCRIPTION	PART #	PRICE
HOSE ASSEMBLY (17.5")	A550200016X	\$85.99
HOSE ASSEMBLY (23.5")	A550200015X	\$95.99
HOSE SNAP RING	A550010027X	\$2.13
COMPRESSION KNOB	A550040023X	\$10.99
END CAP O-RING	A550060019X	\$2.13
CANISTER BLADDER	A550020010X	\$21.39
SCHRADER VALVE	550000050	\$7.48
SCHRADER VALVE CAP	MT59080-1	\$2.13
BANJO STUD	A550020016X	\$21.39

63 & 64 SERIES REPLACEMENT PARTS

REPLACEMENT SHOCK BODIES



DESCRIPTION	PART #	PRICE
5" THREADED	55000013750	\$58.99
6" THREADED	55000013760	\$58.99
7" THREADED	55000013770	\$58.99
8" THREADED	55000013780	\$58.99
BODY O-RING (QTY. 25)	550000144-25	\$15.99

REPLACEMENT BODY CAP ASSEMBLIES

DESCRIPTION	PART #	PRICE
END CAP	550000143	\$69.99
SCHRADER VALVE	550000140	\$6.41
SCHRADER VALVE CAP	MT59080-1	\$2.13
BASE VALVE ASSEMBLY	55000014210	\$58.99



REPLACEMENT ROD ENDS

ADJ. ROD ENDS



550000157

550000241

NON-ADJ. ROD ENDS



550000141

550000241-1

DESCRIPTION	SERIES	PART #	PRICE
ADJUSTABLE STANDARD LENGTH (BLUE)	63	550000157	\$79.99
ADJUSTABLE 1" EXTENDED LENGTH (BLUE)	63	550000241	\$99.99
NON-ADJUSTABLE STANDARD LENGTH (ALUM.)	64	550000141	\$39.99
NON-ADJUSTABLE 1" EXTENDED LENGTH (BLUE)	64	550000241-1	\$39.99
REPLACEMENT BEARING & CLIP	ALL SERIES	1000	\$15.99

REPLACEMENT 1/2" SHAFT ASSEMBLIES

63 SERIES REBOUND ADJ. 1/2" SHAFT



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
5" STROKE 3°	550000117503	\$106.99	7" STROKE 3°	550000117703	\$106.99
5" STROKE 10°	550000117510	\$106.99	7" STROKE 10°	550000117710	\$106.99
5" STROKE 15°	550000117515	\$106.99	7" STROKE 15°	550000117715	\$106.99
6" STROKE 3°	550000117603	\$106.99	8" STROKE 3°	550000117803	\$106.99
6" STROKE 10°	550000117610	\$106.99	8" STROKE 10°	550000117810	\$106.99
6" STROKE 15°	550000117615	\$106.99	8" STROKE 15°	550000117815	\$106.99

64 SERIES NON-ADJ. 1/2" SHAFT



DESCRIPTION	PART #	PRICE
5" STROKE 1/2" NON-ADJ. SHAFT	55000011850	\$36.99
6" STROKE 1/2" NON-ADJ. SHAFT	55000011860	\$36.99
7" STROKE 1/2" NON-ADJ. SHAFT	55000011870	\$36.99
8" STROKE 1/2" NON-ADJ. SHAFT	55000011880	\$36.99

REPLACEMENT ROD GUIDE ASSEMBLIES

DESCRIPTION	PART #	PRICE
COMPLETE ROD GUIDE ASSEMBLY	55000013810	\$42.99
SEAL, T-SYLE (5 QTY.)	550000147-5	\$15.99
WIPER SEAL (5 QTY.)	550000148-5	\$15.99
OUTER O-RING (5 QTY.)	150X4-5	\$2.13
BLEEDER SCREW WITH O-RING (5 QTY.)	550000658-5	\$5.38



1/2" Shaft

SMALL BODY MONOTUBE REBUILD KITS



Kits Include:

- All common components needed for complete rebuild/revolve of multiple shocks.
- Component reference guide with photos and part numbers.

DESCRIPTION	PART #	PRICE
REBUILD KIT – MAIN SHIMS	MT/TSB	\$277.99
REBUILD KIT – BASE VALVE/ACCESSORIES	63-64BV/AC	\$373.99

REBUILD TOOLS

DESCRIPTION	PART #	PRICE
MONOTUBE INFLATION ASSEMBLY	20109	\$106.99
ROD GUIDE INSTALLATION CONE	A700500054	\$24.99
OVERFLOW CUP	550000302	\$89.99
BIG BODY ROD GUIDE WRENCH	550000665	\$54.99
SMALL BODY WRENCH HANDLE	700500049	\$349.99
SMALL BODY ALUM. SLEEVE	700500148	\$34.99
HAND BEARING PRESS	A700500076	\$49.99
BASE VALVE WRENCH - 63 & 64 SERIES	550000279	\$63.99
ROD GUIDE TOOL (63/64 SERIES)	550000281	\$31.99
HEX BLEEDER TOOL	700500180	\$9.99
SHOCK VISE/MOUNTING STAND	20113	\$299.99
AFCO PREMIUM SHOCK OIL 1 QUART	MT59506	\$21.39



700500049



A700500131



550000281



20109



700500148



20113



550000302



550000665



550000279



A700500076



MT59506

AFCO SUSPENSION SPRINGS

OPEN WHEEL COIL-OVER SPRINGS

MADE IN THE U.S.A.

1-7/8" I.D. SMALL DIAMETER BLACK SPRINGS

NEW!



- New updated high tensile wire design.
- 8" or 10" free height.
- Fits small body shocks.
- Tightest tolerances in the industry – Get the performance you deserve.
- Best warranty in the industry!
Guaranteed not to lose more than 1% of free height.

8" SPRINGS

RATE	PART #	PRICE
60	29060-2B	\$64.99
75	29075-2B	\$64.99
90	29090-2B	\$64.99
120	29120-2B	\$64.99
135	29135-2B	\$64.99
150	29150-2B	\$64.99
175	29175-2B	\$64.99
200	29200-2B	\$64.99
225	29225-2B	\$64.99
250	29250-2B	\$64.99
275	29275-2B	\$64.99
300	29300-2B	\$64.99
350	29350-2B	\$64.99
400	29400-2B	\$64.99

10" SPRINGS

RATE	PART #	PRICE
60	29060-1B	\$64.99
75	29075-1B	\$64.99
90	29090-1B	\$64.99
105	29105-1B	\$64.99
120	29120-1B	\$64.99
135	29135-1B	\$64.99
150	29150-1B	\$64.99
160	29160-1B	\$64.99
175	29175-1B	\$64.99
185	29185-1B	\$64.99
200	29200-1B	\$64.99
225	29225-1B	\$64.99
250	29250-1B	\$64.99
275	29275-1B	\$64.99
300	29300-1B	\$64.99
350	29350-1B	\$64.99
425	29425-1B	\$64.99

1-7/8" I.D. SMALL DIAMETER YELLOW SPRINGS



- Perfect fit for open wheel, dwarf cars, and other applications that require 1-7/8" I.D. springs.
- Fits small body shocks.
- 8" or 10" free height.
- Best warranty in the industry! Guaranteed not to lose more than 1% of free height.

8" SPRINGS

RATE	PART #	PRICE
60	29060-2	\$59.99
90	29090-2	\$59.99
120	29120-2	\$59.99
135	29135-2	\$59.99
150	29150-2	\$59.99
275	29275-2	\$59.99
300	29300-2	\$59.99

10" SPRINGS

RATE	PART #	PRICE
60	29060-1	\$59.99
75	29075-1	\$59.99
105	29105-1	\$59.99
225	29225-1	\$59.99
275	29275-1	\$59.99

AFCOIL LIFETIME WARRANTY

AFCOIL® springs are manufactured using the finest spring material available. They are designed for extended life and consistent performance. They are guaranteed to do the job for which they are designed for as long as they are owned by the original purchaser.

COIL-OVER SPRINGS: AFCO will replace any AFCOIL® spring that ever exceeds the maximum allowable 1% loss of free height from original nominal specification. One way freight is included.

CONVENTIONAL SPRINGS: AFCO will replace any AFCOIL® spring that ever exceeds the maximum allowable 2% loss of free height from original nominal specification. One way freight is included.

1. Guarantee applies to original retail purchaser only.
2. Damaged springs not covered by warranty.
3. Spring must be returned to AFCO freight prepaid along with a copy of the original invoice.
4. No other warranty, either expressed or implied, applies to AFCOIL® springs. (Warranty not valid without invoice.)

1-5/8" I.D. QUARTER MIDGET YELLOW SPRINGS

- Super strong high tensile steel in a lightweight design.
- 4" or 5" free height.
- Consistent rates through full range of travel.
- Tightest tolerances in the industry – Get the performance you deserve.
- Lifetime warranty – guaranteed not to lose more than 1% of free height. Best warranty in the industry!



4" SPRINGS

RATE	PART #	PRICE
65	29065-4	\$24.99
70	29070-4	\$24.99
75	29075-4	\$24.99
80	29080-4	\$24.99
85	29085-4	\$24.99
90	29090-4	\$24.99
95	29095-4	\$24.99
100	29100-4	\$24.99
105	29105-4	\$24.99
110	29110-4	\$24.99
115	29115-4	\$24.99
120	29120-4	\$24.99
125	29125-4	\$24.99
130	29130-4	\$24.99
135	29135-4	\$24.99
140	29140-4	\$24.99
145	29145-4	\$24.99
150	29150-4	\$24.99
155	29155-4	\$24.99
165	29165-4	\$24.99

5" SPRINGS

RATE	PART #	PRICE
85	29085-5	\$24.99
90	29090-5	\$24.99
95	29095-5	\$24.99
100	29100-5	\$24.99
105	29105-5	\$24.99
110	29110-5	\$24.99
115	29115-5	\$24.99
120	29120-5	\$24.99
125	29125-5	\$24.99
130	29130-5	\$24.99
135	29135-5	\$24.99

1-7/8" I.D. DUAL STAGE SPRINGS

AFCO's Dual Stage Coil-Over assembly provides variable spring rates that can be used to improve traction and handling in the slickest of conditions. Additionally, the assemblies can help eliminate suspension bottoming problems common with today's open wheel racecars. (See page 149 for assembly information.)

DESCRIPTION	PART #	PRICE
4" DUAL STAGE SPRING	29015-3	\$49.99
4" DUAL STAGE SPRING	29025-3	\$49.99
4" DUAL STAGE SPRING	29065-3	\$49.99

HOW IT WORKS

AFCO Dual Stage Coil-Over assemblies use two coil-over springs, a special nylon slider for small body shocks that fits between the two springs. Also, two special, thin-walled nuts are used to jam the slider assembly in order to "stage" suspension stiffness. When the slider assembly (located between the two springs) is free to slide on its shock, the Dual Stage assembly produces a combined spring rate softer than either rate of the two springs used (see combined spring rate formula below).

Spring Rate Formula: Dual Active Springs

$$\frac{\text{Primary Spring Rate} \times \text{Secondary Spring Rate}}{\text{Primary Spring Rate} + \text{Secondary Spring Rate}} = \text{Actual Spring Rate}$$

$$\text{Example: } \frac{200\#/in. \times 400\#/in.}{200\#/in. + 400\#/in.} = \frac{80,000}{600} = 133.33\#/in.$$

Note: The combination of a 200#/in. and 400#/in. spring works the same as a single 133#/in. spring as long as both combination springs are active.

However, the spring rate of the Dual Stage assembly stiffens to that of the primary spring, which remains as the sole, active spring whenever the slider assembly contacts the adjustable Dual Stage jam nuts.



Secondary Spring

Jam Nuts:
20100
(2 REQUIRED)

Spring Slider
20101

Primary Spring



AFCO SUSPENSION

REPLACEMENT PARTS

ROD ENDS

STANDARD

Excellent for use as a medium-duty suspension rod end.



BORE	SHANK	TYPE	RH	LH	PRICE
3/8"	3/8"	MALE	10460	10461	\$9.99
3/8"	3/8"	FEM	10462	•	\$9.99
1/2"	1/2"	MALE	10440	10441	\$14.99
1/2"	1/2"	FEM	10442	10443	\$14.99
5/8"	5/8"	MALE	10430	10431	\$14.99
5/8"	5/8"	FEM	•	10433	\$19.99
3/4"	3/4"	MALE	10420	10421	\$19.99
3/4"	3/4"	FEM	10422	10423	\$19.99

AIRCRAFT QUALITY

- Designed for high-stress usage.
- Ideal for panhard bar or drag components.



BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	1/2"	MALE	10444	10445	\$29.99
5/8"	5/8"	MALE	10434	10435	\$39.99
3/4"	3/4"	MALE	10424	10425	\$54.99

STEERING

- Extra-heavy duty and won't loosen up.
- 5/8" bore and 5/8" shank.
- 3/4" sized body.
- Made for steering use.



DESCRIPTION	PART #	PRICE
LH THREAD	10401	\$24.99
RH THREAD	10402	\$24.99

OVERSIZED

- .007" oversized to slide on 3/4" steering shaft.



DESCRIPTION	PART #	PRICE
STEEL	10400	\$19.99

HD SHANK

- Used under potentially rough conditions.
- Bore size is one size smaller than shank and body.



BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	5/8"	MALE	10448	10449	\$24.99
5/8"	3/4"	MALE	10438	10439	\$29.99

CHROME MOLY

- Chrome moly body — 2 piece design.
- Designed for heavy duty application.



BORE	SHANK	TYPE	RH	LH	PRICE
5/8"	5/8"	MALE	10456	10457	\$24.99
3/4"	3/4"	MALE	10458	10459	\$29.99

ROD END APPLICATION CHART

DESIGN	STANDARD 2 PIECE	CHROME MOLY 2 PIECE	AIRCRAFT 3 PIECE	HEAVY DUTY 3 PIECE
BALL	CASE HARDENED STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED
RACE	N/A	N/A	HEAT TREATED STEEL ALLOY ZINC PLATED	HEAT TREATED STEEL ALLOY
BODY	LOW CARBON STEEL CHROMATE TREATED	4130 CHROME MOLY	HEAT TREATED STEEL ALLOY CAD OR ZINC PLATED	LOW CARBON STEEL CAD OR ZINC PLATED
MAX STATIC	(5/8") 11,169#	(5/8") 18,000#	(5/8") 17,950#	(5/8") 16,500#
RADIAL LOAD	(3/4") 16,338#	(3/4") 25,000#	(3/4") 28,000#	(3/4") 22,800#
APPLICATIONS	STANDARD SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD	HIGH STRESS (PANHARD BAR) DRAG CAR SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD

STEEL JAM NUTS



SIZE	THICK	RH	LH	PRICE
1/4" - 28	7/32"	10136	•	\$0.99
3/8" - 24	1/4"	10138	10139	\$0.99
1/2" - 20	5/16"	10144	10145	\$1.99
5/8" - 18	3/8"	10142	10143	\$1.99
5/8" - 18	NYLOCK	10142N	•	\$2.99
3/4" - 16	7/16"	10140	10141	\$1.99
3/4" - 16	NYLOCK	10140N	•	\$2.99

PUSH-BUTTON QUICK RELEASE HUB

This hub features a spring-loaded button-style release. Unit fits 3/4" shaft and a standard three bolt steering wheel pattern.

- 5/16" coarse thread.
- Aluminum .55 lbs.



DESCRIPTION	PART #	PRICE
PUSH BUTTON ECONOMY QR HUB	30373	\$29.99
REPLACEMENT COUPLER	30373B	\$13.99

AFCO ACCESSORIES

CANISTER MOUNTS

Use to mount shock canisters to chassis.



DESCRIPTION	PART #	PRICE
1-1/4" CANISTER MOUNT	50330	\$85.99
1-3/8"	50329	\$85.99
1-1/2"	50331	\$85.99
1-3/4"	50332	\$85.99
QUICK PINS (4 PACK)	50334	\$26.99


BODY PROTECTORS

Sold as a single cover.



DESCRIPTION	PART #	PRICE
SIMULATED CARBON FIBER - SMALL BODY (SINGLE)	20379-3	\$31.99
SIMULATED CARBON FIBER - BULB SHOCK (SINGLE)	20379-63	\$69.99

SHOCK MOUNT PINS



DESCRIPTION	PART #	PRICE
HAIRPIN, 2-1/2"	10156-2	\$11.99
DETENTED, 2-1/2"	10156	\$36.99

COIL-OVER SHOCK COVERS

Sold as a single cover.



DESCRIPTION	PART#	PRICE
10" SHOCK COVER (SINGLE)	OWSCR14	\$36.99
12" SHOCK COVER (SINGLE)	OWSCR19	\$36.99
14" SHOCK COVER (SINGLE)	OWSCR21	\$36.99

VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- PLACE AN ORDER



SIGN UP FOR OUR
NEWSLETTER



AFCO ACCESSORIES

SHOCK BUMPERS



20173
Cone

223541
3" Soft

223550
3" Medium

223559
3" Hard

DESCRIPTION	PART #	PRICE
3/4" JOUNCE RUBBER (NOT SHOWN)	A550090035X	\$2.13
CONE FOR CONVOLUTED BUMPER	20173	\$19.99
2.25" SPEEDTHANE RED BUMPER ONLY (SOFT)	223527	\$26.99
2.25" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223533	\$26.99
2.25" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223539	\$26.99
3" SPEEDTHANE RED BUMPER ONLY (SOFT)	223541	\$26.99
3" SPEEDTHANE NATURAL BUMPER ONLY (MEDIUM)	223550	\$26.99
3" SPEEDTHANE BLUE BUMPER ONLY (HARD)	223559	\$26.99

COIL-OVER MOUNTS



20137
Universal mount



20137-1
Narrow universal mount



20138
For round tube lower control arm



20139
Roll cage mount:
1/2" bolt

DESCRIPTION	PART #	PRICE
BUSHING ONLY	20136B	\$5.34
UNIVERSAL MOUNT	20137	\$24.99
UNIVERSAL MOUNT - NARROW	20137-1	\$14.99
ROUND TUBE MOUNT	20138	\$24.99
ROLL CAGE MOUNT	20139	\$24.99

TIRE GROOVER

Pistol-grip-style with a 250 watt heating capacity, 7' cord, & #5 head. The solid brass head keeps the heat "just ahead" of the cutting blade. This, in effect, pre-conditions the rubber & makes for speed, ease, accuracy, & consistency in grooves. The depth of the cut is controlled by the adjustable blade.

- Complete with #5 head and blades.
- 250 watts.
- 7' cord.



DESCRIPTION	PART #	PRICE
GROOVER - W/ #5 HEAD AND 12 BLADES	ID125	\$119.99

GROOVER HEAD & BLADES

SIZE	WIDTH	HEAD	PRICE	BLADE (12PK)	PRICE
#1	(.053")	IDHD01	\$15.99	•	N/A
#2	(.090")	IDHD02	\$15.99	IDBL02	\$15.99
#3	(.125")	IDHD03	\$15.99	IDBL03	\$15.99
#4	(.215")	IDHD04	\$15.99	IDBL04	\$15.99
#5	(.290")	IDHD05	\$15.99	IDBL05	\$15.99
#6	(.375")	IDHD06	\$15.99	•	N/A



ECONOMY TIRE TAPE

- Highly visible orange housing.
- Magnet on back.
- 1/4" wide x 10' locking blade.
- Double-riveted end tab to hold on tire.



DESCRIPTION	PART #	PRICE
ECONOMY TAPE	80741	\$9.99

BRASS GAUGE FITTINGS

DESCRIPTION	PART #	PRICE
1/8" FEMALE PIPE TO #4AN (ADAPTS HOSES TO GAUGES)	85259	\$4.99
1/8" MALE PIPE TO #4AN (FITS CHEVY ENGINE BLOCK)	85258	\$4.99

DELUXE MUD SCRAPER

- 32" padded, ergonomic handle.
- 4-1/2" blade.



DESCRIPTION	PART #	PRICE
MUD SCRAPER	80715	\$19.99



Andre Layfield

AFCO BRAKES

BRAKE PADS

AFCO proudly offers its line of racing and high performance brake pads. These brake pads have gone through extensive development and testing in the toughest racing environments. Our racing brake pads are derived from the latest materials in friction products and utilize the latest technologies in brake pad manufacturing.

- Improved stopping power.
- High torque with excellent control qualities.
- Exceptional high temperature performance.
- User friendly/easy break-in.
- Exceptional pad and rotor wear.
- Available in seven compounds (C1, 33, C2, 32, 34, Aluminum and Titanium) to fit popular caliper styles.



MADE IN THE U.S.A.

5 COMPOUNDS TO CHOOSE FROM!

Compound 32 - This compound was designed and developed for the right front of dirt cars where low grip is needed. Each high quality 32 pad is made one pad at a time to improve consistency from pad to pad. With lower grip, the 32 is an excellent brake pad for RF dirt cars.

Compound C1 - This compound was designed and developed to meet the braking needs of medium to high temperature racing applications. As brake system temperatures quickly increase and decrease, C1 provides consistent performance while remaining very fade resistant. C1 has proven to be extremely rotor friendly and provides exceptional pad life without requiring lengthy pad break-in (bedding) procedures. C1 is widely used in dirt track racing and is the ultimate pad choice for all medium temperature applications. Recommended temperature use: 400 to 900 degrees.


Compound 33 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 33's improved stopping power, you can expect less rotor wear. Each high quality 33 pad is made one pad at a time to improve consistency from pad to pad. With more heat range and less glazing, the 33 is an excellent brake pad for front and rear dirt cars and rear asphalt cars. Recommended temperature use: 200 to 1200 degrees.

Compound C2 - This compound provides exceptional high temperature performance. C2 is designed to withstand wide-ranging temperature changes, giving the driver predictable pedal feel and excellent control qualities lap after lap. C2 is high in torque value yet has very long pad wear. Compound C2 is the perfect choice for all higher temperature applications. Recommended temperature use: 500 to 1200 degrees.

Compound 34 - This compound was designed and developed for cold stopping power and improved stopping power at wider temperature ranges which reduces brake fade. Along with the 34's improved stopping power, you can expect less rotor wear. Each high quality 34 pad is made one pad at a time to improve consistency from pad to pad. With more heat range, less glazing and less rotor wear, the 34 is an excellent brake pad for rear dirt cars and front asphalt cars. Recommended temperature use: 200 to 1600 degrees.

Aluminum Compound - This new brake pad compound is specially formulated to be used only on aluminum rotors in all forms of sprint car racing. This pad compound offers a wide range of operating temperatures and is designed to not wear down most aluminum rotors. These pads are available in pad shapes to fit F11 / DL Single calipers only. Recommended temperature use: 200 to 750 degrees.

Titanium Compound - This new brake pad compound is specially formulated to be used on all types of titanium alloy or stainless alloy rotors. This pad compound offers a wide range of operating temperatures and is perfect for dirt track applications in winged sprint cars, non-winged sprint cars, mini sprint cars and midget cars. This new compound is available in various rotor thicknesses and several different pad shapes to fit F11 / DL Single, F22 / Narrow DL and F33 / DL calipers. Recommended temperature use: 400 to 1000 degrees.



	ALUMINUM COMPOUND		COMPOUND C1		COMPOUND 32		COMPOUND 33		COMPOUND C2		COMPOUND 34		TITANIUM COMPOUND	
	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE	PART #	PRICE
F88 / SL BRAKE PADS	NA	NA	6651011	\$149.99	6651002	\$189.99	6651012	\$189.99	6651021	\$159.99	6651022	\$189.99	NA	NA
F22 / NARROW DL BRAKE PADS	NA	NA	1251-1002	\$79.99	6652002	\$149.99	6652012	\$149.99	1251-2002	\$99.99	6652022	\$149.99	6656012	\$159.99
F11 / DL SINGLE BRAKE PADS	6654002	\$89.99	6654011	\$89.99	NA	NA	NA	NA	6654021	\$79.99	NA	NA	6654012	\$119.99
F33 / DL PADS (.810"/1.25" ROTOR)	NA	NA	1251-1000	\$79.99	NA	NA	NA	NA	1251-2000	\$89.99	NA	NA	NA	NA
F33 / DL PADS (.375" ROTOR)	NA	NA	6655011	\$99.99	NA	NA	NA	NA	6655021	\$119.99	NA	NA	6655012	\$159.99
F33 / DL PADS (.25" ROTOR)	NA	NA	1251-1002	\$79.99	6652002	\$149.99	6652012	\$149.99	1251-2002	\$99.99	6652002	\$149.99	6656012	\$159.99

BRAKE PAD RECOMMENDATIONS**RECOMMENDED 410 WINGED & NON-WINGED SPRINT CAR BRAKE PADS****Inboard F88 / SL**

RECOMMENDED BRAKE PADS	PART #	PRICE
AFCO SR34 F88/SL PADS	6651022	\$189.99

Inboard F22 / Narrow DL

RECOMMENDED BRAKE PADS	PART #	PRICE
AFCO SR34 F22/NDL PADS FOR STEEL ROTOR	6652022	\$149.99
AFCO TITANIUM PAD F22/NDL	6655012	\$159.99

Left Front F11 / DL Single

RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 TITANIUM ROTOR PAD	6654012	\$119.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99

RECOMMENDED 360 & 305 WINGED SPRINT CAR BRAKE PADS**Inboard F88 / SL**

RECOMMENDED BRAKE PADS	PART #	PRICE
AFCO SR33 F88/SL PADS	6651012	\$189.99

Inboard F22 / Narrow DL

RECOMMENDED BRAKE PADS	PART #	PRICE
AFCO SR33 F22/NDL PADS FOR STEEL ROTOR	6652012	\$149.99
AFCO TITANIUM PAD F22/NDL	6655012	\$159.99

Left Front F11 / DL Single

RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 TITANIUM ROTOR PAD	6654012	\$119.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99

RECOMMENDED MIDGET BRAKE PADS**Inboard F33 / DL**

RECOMMENDED PAD	PART #	PRICE
AFCO SR34 F33 .810" WIDE PADS FOR STEEL ROTOR	6652022	\$149.99
AFCO SR33 F22/NDL PADS FOR STEEL ROTOR	6652012	\$149.99
AFCO TITANIUM PAD F33 .250" WIDE ROTOR	6656012	\$159.99
AFCO TITANIUM PAD F22/NDL	6655012	\$159.99

Left Front F11 / DL Single

RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 TITANIUM ROTOR PAD	6654012	\$119.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99

RECOMMENDED MICRO/MINI SPRINT CAR BRAKE PADS**Inboard F33 / DL**

RECOMMENDED PAD	PART #	PRICE
AFCO SR34 F33 .810" WIDE PADS FOR STEEL ROTOR	6652022	\$149.99
AFCO SR33 F22/NDL PADS FOR STEEL ROTOR	6652012	\$149.99
AFCO TITANIUM PAD F33 .250" WIDE ROTOR	6656012	\$159.99
AFCO TITANIUM PAD F22/NDL	6655012	\$159.99

Left Front F11 / DL Single

RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 TITANIUM ROTOR PAD	6654012	\$119.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99

Inboard F11 / DL Single

RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 TITANIUM ROTOR PAD	6654012	\$119.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99
AFCO F11 STEEL ROTOR PAD C2	6654021	\$79.99

RECOMMENDED JR. SPRINT CAR BRAKE PADS**Inboard F11 / DL Single**


RECOMMENDED PAD	PART #	PRICE
AFCO F11 ALUMINUM ROTOR PAD	6654002	\$89.99
AFCO F11 STEEL ROTOR PAD C1	6654011	\$89.99

AFCO BRAKES

ROTORS

PILLAR VANE

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.
- 8 X 7" bolt circle.



6640104 PILLAR VANE SLOTTED ROTOR RH
6640105 PILLAR VANE SLOTTED ROTOR LH

6640112 PILLAR VANE DRILLED ROTOR - 11.75" DIA
6640116 PILLAR VANE DRILLED ROTOR - 12.19" DIA

PILLAR VANE

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
PILLAR VANE SLOTTED ROTOR RH	.810"	11.75"	8.1 LBS.	6640104	\$79.99
PILLAR VANE SLOTTED ROTOR LH	.810"	11.75"	8.1 LBS.	6640105	\$79.99
PILLAR VANE DRILLED ROTOR	.810"	11.75"	7.6 LBS.	6640112	\$79.99
PILLAR VANE DRILLED ROTOR	.810"	12.19"	8.3 LBS.	6640116	\$79.99

NEW!

16+ ULTRA LIGHT CURVED VANE

- Ultra-lightweight rotor has 16 curved vanes plus additional supports to reduce cupping.
- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Curve vane for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.
- Thickness allows standard mounting configurations without use of pad spacers.
- 8 X 7" bolt circle.



AFCO's 16+ Rotors are a great way to reduce rotor weight without sacrificing quality. Unique curved vane design reduces weight while retaining surface support to lessen the chance of cupping. Available in slotted or flat faced design, these .810 thick rotors allow use of standard mounting configurations without using pad spacers.



6640145 16+ FLAT ROTOR LH
6640146 16+ FLAT ROTOR RH

6640147 16+ SLOTTED ROTOR LH
6640148 16+ SLOTTED ROTOR RH

16+ ULTRA LIGHT CURVED VANE

DESCRIPTION	THICK	DIA	WEIGHT	PART #	PRICE
16+ FLAT ROTOR LH	.810"	11.75"	6.08 LBS.	6640145	\$79.99
16+ FLAT ROTOR RH	.810"	11.75"	6.08 LBS.	6640146	\$79.99
16+ SLOTTED ROTOR LH	.810"	11.75"	6.03 LBS.	6640147	\$119.99
16+ SLOTTED ROTOR RH	.810"	11.75"	6.03 LBS.	6640148	\$119.99

3/8" LIGHTWEIGHT ROTORS

FEATURES & BENEFITS

- Designed using premium grade alloys for superb thermal shock stability.
- Machined and double disc ground to assure precise flatness.
- Precise pillar placement for high volume cooling.
- Premium center - split castings reduce stress risers.
- Rotationally machined balanced - CNC.



3/8" LIGHTWEIGHT STEEL SPRINT CAR ROTOR

- Patented design to eliminate rotor warp.
- As durable as titanium for a fraction of the cost.
- Weighs 5.3 lbs! Lightest rotor available in steel for under \$200.
- Ideal for classes that do not allow exotic metals.
- 3/8" thick rotor.
- 8 bolt pattern.

DESCRIPTION	PART #	PRICE
ROTOR 12.19" X .375" IB - SPRINT STEEL	6640127	\$99.99



3/8" ALUMINUM LIGHTWEIGHT ROTORS

AFCO Aluminum Left-Front Sprint Car and Midget Rotors are machined from billet plate for excellent balance, flatness, and true rotation. Rugged construction resists thermal distortion while the black anodized finish prevents corrosion.

- Weighs under 2 lbs.
- 3/8" thick rotor.
- 3 bolt pattern.

DESCRIPTION	PART #	PRICE
10.95" X .312" AL LF - SPRINT CAR (1.6 LBS.)	6640129	\$99.99
10.125" X .312" AL LF - MIDGET (1.375 LBS.)	6640131	\$99.99



VISIT US ONLINE AT AFCORACING.COM

- FIND A DEALER
- SHOP THE ONLINE STORE

- WATCH TUTORIALS
- PLACE AN ORDER

SIGN UP FOR OUR
NEWSLETTER



BRAKE ACCESSORIES

BRAKE LINES

90° KEVLAR BRAKE LINE - 3 AN & 4 AN



DESCRIPTION	END TYPES	PART #	PRICE
12" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-12	\$24.99
18" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-18	\$29.99
24" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-24	\$29.99
30" KEVLAR LINE, AN 3	AN 3 - (1) STRAIGHT END, (1) 90° END	6684055-30	\$29.99
12" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-12	\$24.99
18" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-18	\$29.99
24" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-24	\$29.99
30" KEVLAR LINE, AN 4	AN 4 - (1) STRAIGHT END, (1) 90° END	6684056-30	\$29.99

STEEL BRAIDED BRAKE LINE - AN 3 & AN 4



DESCRIPTION	END TYPE	PART #	PRICE
18" AN 3	STRAIGHT ENDS	40265-18	\$11.99
24" AN 3	STRAIGHT ENDS	40265-24	\$12.99
18" AN 3	90 DEG ON 1 END	40264-18	\$15.99
18" AN 4	STRAIGHT ENDS	40262-18	\$11.99
24" AN 4	STRAIGHT ENDS	40262-24	\$12.99
36" AN 4	STRAIGHT ENDS	40262-36	\$13.99
18" AN 4	90 DEG ON 1 END	40263-18	\$15.99
24" AN 4	90 DEG ON 1 END	40263-24	\$16.99

KEVLAR BRAKE LINE - 3 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 3 ENDS	6684053-12	\$19.99	24" AN 3 ENDS	6684053-24	\$24.99
14" AN 3 ENDS	6684053-14	\$19.99	30" AN 3 ENDS	6684053-30	\$24.99
16" AN 3 ENDS	6684053-16	\$19.99	34" AN 3 ENDS	6684053-34	\$24.99
18" AN 3 ENDS	6684053-18	\$19.99	38" AN 3 ENDS	6684053-38	\$29.99
22" AN 3 ENDS	6684053-22	\$24.99	48" AN 3 ENDS	6684053-48	\$34.99

KEVLAR BRAKE LINE - 4 AN



DESCRIPTION	PART #	PRICE	DESCRIPTION	PART #	PRICE
12" AN 4 ENDS	6684054-12	\$19.99	24" AN 4 ENDS	6684054-24	\$24.99
14" AN 4 ENDS	6684054-14	\$19.99	30" AN 4 ENDS	6684054-30	\$24.99
16" AN 4 ENDS	6684054-16	\$19.99	34" AN 4 ENDS	6684054-34	\$24.99
18" AN 4 ENDS	6684054-18	\$19.99	38" AN 4 ENDS	6684054-38	\$29.99
22" AN 4 ENDS	6684054-22	\$24.99	48" AN 4 ENDS	6684054-48	\$34.99

BRAKE SYSTEM FITTINGS



6680001



6680002



6680003



6680004



6680005



6680006



6680007

DESCRIPTION	APPLICATION	PART #	PRICE
1. 1/8"-NPT MALE - 3 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680001	\$7.99
2. 1/8"-NPT MALE - 4 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680002	\$7.99
3. 1/8"-NPT MALE - 3 MALE	ALUMINUM BRAKE CALIPER FITTING	6680003	\$7.99
4. 1/8"-NPT MALE - 4 MALE	ALUMINUM BRAKE CALIPER FITTING	6680004	\$7.99

DESCRIPTION	APPLICATION	PART #	PRICE
5. 1/8"-NPT MALE - 3 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680005	\$7.99
6. 1/8"-NPT MALE - 4 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680006	\$7.99
7. MT 10 MALE - 3 AN MALE	ALUMINUM BRAKE CALIPER FITTING	6680007	\$7.99

HIGH PERFORMANCE BRAKE FLUID

AFCO has engineered two brake fluid formulations specifically targeted for top tier racing and performance use. From open wheel to dirt and asphalt late model racing, AFCO HT & HTX brake fluids will outperform!

HIGH PERFORMANCE HTX BRAKE FLUID

HTX fluid offers superior performance where high brake system temperatures for an extended time period are experienced. AFCO High Performance Brake Fluid will exceed your expectations!

- Dry boiling point of 600°+.
- Non-silicone fluid.
- Best value in brake fluid on the market.

DESCRIPTION	PART #	PRICE
HTX SINGLE 16.9 OZ. CAN	6691903	\$19.99
HTX CASE (12 16.9 OZ. CANS)	6691904	\$224.99



HIGH PERFORMANCE HT BRAKE FLUID

Better performing brake systems start with superior brake fluid. AFCO HT Brake Fluid will out-perform comparable fluids.

- Dry boiling point 500°+.
- Non-silicone fluid.
- Eliminates brake fade due to fluid failure caused by heat.

DESCRIPTION	PART #	PRICE
HT SINGLE 12 OZ. BOTTLE	6691901	\$5.99
HT CASE (12 12 OZ. BOTTLES)	6691902	\$69.99



AFCO COOLING

ALUMINUM RADIATORS

Every AFCO radiator is built from detailed, computer-designed specifications and use precision CNC laser-cut parts for exact tolerances. We never stamp tanks. Our tanks are either laser-cut and precision-welded or formed using a "drawn" technique that keeps a uniform thickness and eliminates weak spots.

AFCO understands the vital role the radiator plays in protecting the investment you have in your car. That is why we make no excuses or compromises in constructing the best aftermarket radiators in the industry. Don't trust your pride and joy to anything less than AFCO quality!



FROM CORE TO FINISHED PRODUCT...

AFCO is the ONLY RACING COMPANY that controls the ENTIRE MANUFACTURING PROCESS!

MADE IN THE USA

Quality control and strict production tolerances are key to developing a premium product. Controlling these aspects in-house means AFCO radiators are produced to the highest standards without compromise.



100% ALUMINUM CONSTRUCTION

By using a modern furnace-brazed process, all AFCO radiators feature all-aluminum construction without the need for epoxy. Not only does this make for a lighter radiator, but the common material bonding provides for increased thermal efficiency as well.



ADVANCED MANUFACTURING

Our robotic welding cell for high volume production features a new Fanuc Robot and CMT technology. We also have water jet, laser cut, CNC brake and other capabilities. Our engineering professionals use the most advanced platforms, such as CREO, to design the most innovative products in the industry.



PREMIUM QUALITY

AFCO produces high quality radiators and cores. These cores are epoxy free and defect free. Each part goes through our stringent quality control process. We pressure-test every one of our radiators to ensure that our customers will keep their cool on the track.





SPECIAL APPLICATIONS

In-house design and fabrication allows us to conceptualize, prototype, test, and manufacture custom cooling systems for a wide variety of applications. If you have a specialty radiator need, AFCO can deliver.



STATE-OF-THE-ART ALUMINUM BRAZING




FURNACE SPECIFICATIONS

30" Wide Belt
8" Pass Height
18-22 Cores/Hour

STAINLESS STEEL "HOTBOX" DATA RECORDER

Brazing profiles are created for each core based on the total mass weight. The furnace temperatures and belt speeds are adjusted based on feedback from a data recorder. The hotbox ensures a quality braze profile for each core.



FURNACE CONTROLS

The furnace is controlled via a touch screen HMI panel. Each component uses a unique brazing profile that is developed and saved as a recipe. This recipe includes belt speed, zone temperatures, and nitrogen flow. The system software also provides features such as historical brazing data and maintenance scheduling.




OUR CORE STANDARDS

Every part of a core is important, but the quality of the headers is an absolute must. The tube slots must be punched with a maximum of .002" clearance for a precise tube fit. While others use single sided clad material, AFCO uses double sided clad for all the headers. This provides a fillet joint around the tube on both sides of the header, doubling the strength of the joint. You simply cannot build a better, stronger core. The use of .080 double clad material and extruded side channels provides a core strong enough to handle over one million pressure cycles, without a tube-to-header joint failure.



Serpentine
Louvered
Fin @ 16fpi



Clad Fillets
on Both
Sides



Double
Clad
.080 Headers

SPRINT CAR RADIATORS

SPRINT DOWNFLOW RADIATOR

AFCO Racing Products is proud to announce our new Downflow Radiator for Sprint Car applications. This new radiator can be used on both wing and non-wing sprint cars. All AFCO Radiators are 100% TIG-welded with no epoxy used and are 100% pressure tested.

- **Downflow Design.**

- 1.50" outlet.
- 12.4 pounds dry weight.
- 20" wide x 21-3/16" tall x 2" thick.
- Four 10 AN O-ring female fittings.
- Single row 1.50" lightweight performance core.
- All-aluminum, TIG-welded construction.
- Radiator will require a tray in order to be installed.

DESCRIPTION	PART#	PRICE
SPRINT DOWNFLOW RADIATOR	80203N	\$324.99



(20" W x 21.19" H x 2" D)

Available in "Thermal Coating" - Call for details.


305 SPRINT TRIPLE PASS RADIATOR

AFCO Racing Products is proud to announce the launch of our new Sprint Car Radiator Program. Targeted at virtually every engine and chassis combination, AFCO has hit the mark with two versions of aluminum radiators for Sprint Cars. Our Sprint Car Radiators feature a superior cooling design and all-aluminum construction. The radiators are 100% TIG-welded with no epoxy used. They have two rows of 1.25" tubes, four O-ring female bungs, and a 1.5" outlet. They also have lasercut mounts for Dzus tabs and can be mounted straight or angled.

- **Triple Pass.**

- Two row 1.25" tubes.
- Four 10 AN O-ring female fittings on the driver side.
- 1.50" Outlet.
- Laser cut mounts for Dzus tabs.
- Can be mounted straight or angled.
- 20.50" wide x 19.75" tall x 3.25" tanks.

DESCRIPTION	PART#	PRICE
305 SPRINT TRIPLE PASS RADIATOR	80202N	\$349.99



(20.5" W x 19.75" H x 3.25" D)

Available in "Thermal Coating" - Call for details.

SPRINT CAR DOUBLE PASS RADIATORS

AFCO double pass radiators give increased cooling over standard type radiators, with less than 2 oz. of added weight. Common temperature drops are 10-20° F when replacing a standard configuration radiator with equal core size. This keeps your mind off the water temperature and puts it on the race track.

LIGHTWEIGHT DZUS MOUNT DOUBLE PASS RADIATOR

AFCO Racing Products is proud to announce our new Lightweight Dzus Mount Radiator for Sprint Car applications. This new lightweight radiator can be used on both wing and non-wing sprint cars. This radiator has a dry weight of 12.15 lbs. and clears inside the frame rail hoods. All AFCO Radiators are 100% TIG-welded with no epoxy used and are 100% pressure tested. They also have lasercut mounts for Dzus tabs and can be mounted straight or angled.

- **Crossflow double pass design.**
- Dry weight of 12.15 lbs..
- Single row 1.50" lightweight performance core.
- 1.50" outlet.
- Two 6 AN male fittings and two 8 AN male fittings.
- Laser cut mounts allow for Dzus tabs.
- Can be mounted straight or angled.
- All-aluminum, TIG-welded construction.
- 20.58" wide x 20" tall x 2.05" tanks.

DESCRIPTION	PART#	PRICE
SPRINT LIGHTWEIGHT DZUS DOUBLE PASS RADIATOR	80209N	\$349.99

(20.58" W x 20" H x 2.05" D)
Available in "Thermal Coating" - Call for details.



DOUBLE PASS RADIATOR

AFCO Racing Products is proud to announce the launch of our new Sprint Car Radiator Program. Targeted at virtually every engine and chassis combination, AFCO has hit the mark with two versions of aluminum radiators for Sprint Cars. Our Sprint Car Radiators feature a superior cooling design and all-aluminum construction. The radiators are 100% TIG-welded with no epoxy used. They have two rows of 1.25" tubes, four O-ring female bungs and a 1.5" outlet. They also have lasercut mounts for Dzus tabs and can be mounted straight or angled.

- **Double Pass.**
- Two row 1.25" tubes.
- Four 10 AN O-ring female fittings, passenger side.
- 1.50" outlet.
- Laser-cut mounts for Dzus tabs.
- Can be mounted straight or angled.
- 20.50" wide x 19.75" tall x 3.25" tanks.

DESCRIPTION	PART#	PRICE
SPRINT DOUBLE PASS RADIATOR	80201N	\$349.99

(20.5" W x 19.75" H x 3.25" D)
Available in "Thermal Coating" - Call for details.



MICRO / MINI / MIDGET RADIATORS

CAGE MOUNT RADIATORS

- **The BEST radiator value in the open wheel market!**
- 360° TIG-welded baffle for a TRUE double-pass design = NO FLUID BYPASS!
- 18% more coolant capacity than the competition - for the ultimate in cooling efficiency!
- Available with 3/4" NPT or 1" Push-On Hose Connections.



80205 - (17" x 12-1/8")



80206 - (16-1/8" x 17")



80207 - (21" x 12")



80208 - (12-1/8" x 17")

DESCRIPTION

17" X 12-1/8" DOUBLE PASS CAGE MT. W/ NPT FITTING

17" X 12-1/8" DOUBLE PASS CAGE MT. W/ 1" PUSH ON FITTING

16-1/8" X 17" DOWN FLOW FRONT MT. W/ 1" PUSH ON FITTING

21" X 12" DOUBLE PASS CAGE MT. W/ NPT FITTING

21" X 12" DOUBLE PASS CAGE MT. W/ 1" PUSH ON FITTING

12-1/8" X 17" DOUBLE PASS DOWN FLOW FRONT MT.*

*WITH 1-1/2" PUSH ON & (3) 3/8" NPT FITTING.

PART#	PRICE
80205	\$274.99
80205-1	\$274.99
80206	\$274.99
80207	\$274.99
80207-1	\$274.99
80208	\$274.99

CUSTOM OVAL TRACK RADIATORS

AFCO Racing Products offers custom built radiators. Call 800-632-2320 for more details or to order your custom radiator!

- Built with fabricated tanks.
- Any inlet/outlet size and configuration.
- Common core sizes for any application.

**Built The Way
You Want it!**



DESCRIPTION	PART #	PRICE
MINI SPRINT RADIATOR	80009-NA	\$274.99

Frank Galusha



AFCO COOLING ACCESSORIES

LONG TRANSMISSION/ENGINE/OIL COOLER

- Patented "Stacked Plate" cooler construction turns every inch of material into a cooling surface for maximum efficiency per cubic inch of package space.
- Can be used as an economy engine oil cooler.
- Embossed plate design maintains excellent performance with low pressure drop.



NUMBERS OF PASSES	SIZE	FITTING TYPE	PART#	PRICE
12	2.75" X 11" X 1.5"	1/2NPTF	LB7B	\$49.99
24	5.75" X 11" X 1.5"	1/2NPTF	LL7B	\$79.99
36	8.0" X 11" X 1.5"	1/2NPTF	LM7B	\$99.99
48	11.0" X 11" X 1.5"	1/2NPTF	LH7B	\$119.99

RADIATOR CAPS

Quality radiator caps help prevent the loss of coolant that can lead to overheating.



DESCRIPTION	PART #	PRICE
A) STANT 21-25 LBS. CAP	80153	\$19.99
B) RADIATOR CAP-20 LBS.	80151	\$19.99
C) RADIATOR CAP-29-31LBS.	80050	\$19.99
D) RADIATOR CAP MINI 13 LBS.	80152X-1	\$9.99

WELD-ON FITTINGS



MALE	PART #	PRICE	FEMALE	PART #	PRICE
6AN FITTING	700050040	\$9.99	1/8" FP FITTING	80128X12	\$14.99
8AN FITTING	700050041	\$9.99	1/4" FP FITTING	80128X5	\$14.99
10AN FITTING	700050037	\$9.99	3/8"-18 FP FITTING	80128X10	\$14.99
12AN FITTING	80128X8	\$14.99	1/2"-14 FP FITTING	80128X11	\$14.99
16AN FITTING	80128X9	\$14.99	3/4" FP FITTING	80128X6	\$17.99
20AN FITTING	80128X20	\$17.99	1" FP FITTING	80128X7	\$17.99

COOLANT ADDITIVE

- Glycol Free.
- Premium quality water/coolant additive that promotes increased heat transfer.
- 40% reduction of surface tension compared to plain water
- More complex additive package than competition to protect against corrosion and rust.
- 100% biodegradable in its unused form.
- Specifically engineered for all aluminum engine systems.



DESCRIPTION	PART #	PRICE
HIGH PERFORMANCE ADDITIVE (1 PINT)	100002	\$11.99

AN FEMALE O-RING WELD ON STYLE BUNG



DESCRIPTION	PART #	PRICE
10 AN FITTING	80128X-10AN	\$14.99
12 AN FITTING	80128X-12AN	\$14.99
16 AN FITTING	80128X-16AN	\$14.99
20 AN FITTING	80128X-20AN	\$17.99

*O-RINGS SOLD SEPARATELY.

INLINE FILLER


- Installs in upper radiator hose.
- 100% aluminum construction.



DESCRIPTION	PART #	PRICE
ALUMINUM 1-1/2" O.D.	80155	\$44.99

ELECTRIC FANS

These fans offer the best CFM vs. AMP draw of any electric units we have tested. They are shipped with an on-off switch or can be wired to a temperature sending unit.




DIAMETER / TYPE	DEPTH	AMP DRAW	CFM	PART #	PRICE
16" S-BLADE	3.06"	17.7	2170	80177*	\$169.99
14" S-BLADE	2.87"	10.1	1555	80179*	\$164.99
12" S-BLADE	2.48"	7.7	1155	80180*	\$159.99
10" S-BLADE	2.04"	6.0	802	700050045	\$129.99
8" S-BLADE	2.48"	6.9	540	80176*	\$129.99

ALL FANS INCLUDE 4 MOUNTING FEET. ALL FANS RATED AT ZERO STATIC. ALL FANS ARE GLASS-FILLED NYLON. *FANS ARE REVERSIBLE.

BLACK SILICONE RADIATOR HOSES

- High temp. hoses.
- Long life durability.



DESCRIPTION	PART #	PRICE
6.00" X 1.25"	800-06-00-1.25BK	\$14.99
6.00" X 1.50"	800-06-00-1.50BK	\$14.99
6.00" X 1.75"	800-06-00-1.75BK	\$14.99
12.00" X 1.25"	800-12-00-1.25BK	\$19.99
12.00" X 1.50"	800-12-00-1.50BK	\$19.99
12.00" X 1.75"	800-12-00-1.75BK	\$19.99
45° - 12.00" X 1.25"	800-12-45-1.25BK	\$19.99
45° - 12.00" X 1.50"	800-12-45-1.50BK	\$19.99
45° - 12.00" X 1.75"	800-12-45-1.75BK	\$19.99
90° - 12.00" X 1.25"	800-12-90-1.25BK	\$24.99
90° - 12.00" X 1.50"	800-12-90-1.50BK	\$24.99
90° - 12.00" X 1.75"	800-12-90-1.75BK	\$24.99

BLUE SILICONE RADIATOR HOSES

- High temp. hoses.
- Long life durability.



DESCRIPTION	PART #	PRICE
6.00" X 1.25" X 1.50"	801-08-1.25-1.50	\$14.99
6.00" X 1.25" X 1.75"	801-08-1.25-1.75	\$14.99
6.00" X 1.25"	800-06-00-1.25	\$14.99
6.00" X 1.50"	800-06-00-1.50	\$14.99
6.00" X 1.75"	800-06-00-1.75	\$14.99
12.00" X 1.25"	800-12-00-1.25	\$19.99
12.00" X 1.50"	800-12-00-1.50	\$19.99
12.00" X 1.75"	800-12-00-1.75	\$19.99
45° - 12.00" X 1.25"	800-12-45-1.25	\$19.99
45° - 12.00" X 1.50"	800-12-45-1.50	\$19.99
45° - 12.00" X 1.75"	800-12-45-1.75	\$19.99
90° - 12.00" X 1.25"	800-12-90-1.25	\$24.99
90° - 12.00" X 1.50"	800-12-90-1.50	\$24.99
90° - 12.00" X 1.75"	800-12-90-1.75	\$24.99

ALUMINUM RADIATOR TUBES

- Used with silicone hoses.



DESCRIPTION	PART #	PRICE
135° - 1.25" TUBE SIZE	88135125	\$19.99
135° - 1.50" TUBE SIZE	88135150	\$19.99
135° - 1.75" TUBE SIZE	88135150	\$19.99
105° - 1.25" TUBE SIZE	88105125	\$19.99
105° - 1.50" TUBE SIZE	88105150	\$19.99
105° - 1.75" TUBE SIZE	88105175	\$19.99
90° - 1.25" TUBE SIZE	88090125	\$19.99
90° - 1.50" TUBE SIZE	88090150	\$19.99
90° - 1.75" TUBE SIZE	88090175	\$19.99

RADIATOR REPAIR KIT

Repairs small leaks in aluminum radiators.



DESCRIPTION	PART #	PRICE
EPOXY SOLDER	80161	\$9.99

GATES HOSE CLAMP



DESCRIPTION	PART #	PRICE
1.25" ID HOSE CLAMP	802-1.25	\$6.99
1.50" ID HOSE CLAMP	802-1.50	\$6.99
1.75" ID HOSE CLAMP	802-1.75	\$6.99
2.00" ID HOSE CLAMP	802-2.00	\$6.99

1-3/4" FLOW RESTRICTOR

Restricts flow in lower hose.



DESCRIPTION	PART #	PRICE
1-3/4" FLOW RESTRICTOR	80068	\$39.99

MONOTUBE SHOCKS

ALUMINUM

QUARTER MIDGET SHOCK



52 Series:
\$189⁹⁹
 Includes
 Coil-Over Kit

52 SERIES: QM2

AFCO Racing Products is proud to announce our Second Generation Quarter Midget Shocks: QM2. These cutting-edge shocks feature new valve codes optimized through extensive on-track testing. Vibration Reduction Technology - VRT - enhances driver feel and reduces fatigue. Upgraded precision machined internal components provide improved shock consistency. You have stepped up your game for this racing season & so has AFCO!

ADDITIONAL FEATURES

- Near zero drag sealing system improves weight transfer and driver smoothness.
- Reduced hysteresis provides consistent "seat of the pants" feedback to the drivers.
- New gas chamber components provide near zero rod pressure gain which improves driver feel.
- Comes with coil-kit. Choice of flat cone or tall cone.
- Schrader valve option offered.

BENEFITS

- Fast turnaround time for rebuilds at AFCO.
- Trackside support by many AFCO dealers, authorized shock tuners, and AFCO technicians.
- AFCO technical line available at 800-632-2320 to answer your questions.

	COMPRESSED	EXTENDED
2.5" STROKE	8"	10.50"

For a complete listing of quarter midget parts, visit ultimateqm.com.

UltimateQM.com

Includes
 Coil-Over
 Kit



Justis Sokol



3 STEPS TO SELECT YOUR QM2 SHOCKS

1

Pick Your Valve Code

DIRT TRACK

	TRACK CONDITION	VALVE CODE
LEFT FRONT	BASE	3 VALVE
	SLICK	3 VALVE
RIGHT FRONT	BASE	3 VALVE
	SLICK	3 VALVE
LEFT REAR	BASE	3 VALVE
	SLICK	3 VALVE
RIGHT REAR	BASE	3 VALVE
	SLICK	3-4 VALVE

PAVEMENT TRACK

	TRACK CONDITION	250-275 LBS. QUARTER MIDGET	325-340 LBS. QUARTER MIDGET
LEFT FRONT	BASE	3 VALVE	4 VALVE
RIGHT FRONT	BASE	3 VALVE	4 VALVE
LEFT REAR	BASE	3 VALVE	4 VALVE
RIGHT REAR	BASE	3 VALVE	4 VALVE

2

Pick Your Coil-over Kit

	RF	RR	LF	LR
STANLEY RACE CARS	S	S	S	S

NOTES: LR SHOCK NEEDS AN EXTENDED ROD END.

AFCO RACE CARS	T	T	T	T
----------------	---	---	---	---

NOTES: RR AND LR SHOCKS NEED AN EXTENDED ROD END.

BULLRIDER RACE CARS	T	S	T	S
---------------------	---	---	---	---

NOTES: NONE.

NC CHASSIS	S	S	S	T
------------	---	---	---	---

NOTES: RR SHOCK IN THE BOTTOM BIRD CAGE HOLE, USE AN EXTENDED ROD END.

STORM CHASSIS	S	S	S	S
---------------	---	---	---	---

NOTES: LR SHOCK NEEDS AN EXTENDED ROD END.

TALON CHASSIS	S	S	S	S
---------------	---	---	---	---

NOTES: LR SHOCK NEEDS AN EXTENDED ROD END.

PROWLER RACE CARS	S	S	S	S
-------------------	---	---	---	---

NOTES: LR SHOCK NEEDS AN EXTENDED ROD END.

FISER RACE CARS	T	T	T	T
-----------------	---	---	---	---

NOTES: NONE.

EAGLE CHASSIS	S	S	S	S
---------------	---	---	---	---

NOTES: NONE.

T = TALL CONE S = SHORT CONE

3

PICK YOUR QUARTER MIDGET SHOCKS

523 = STANDARD, LOW FRICTION GAS PORT

524 = SCHRADER VALVE

52 SERIES (W/ SHORT CONE)	2.5" STROKE
3 VALVE	523-30-30-0
3-4 VALVE	523-30-40-0
3-5 VALVE	523-30-50-0
4 VALVE	523-40-40-0
5 VALVE	523-50-50-0
5-3 VALVE	523-50-30-0

52 SERIES (W/ TALL CONE)	2.5" STROKE
3 VALVE	523-30-30T-0
3-4 VALVE	523-30-40T-0
3-5 VALVE	523-30-50T-0
4 VALVE	523-40-40T-0
5 VALVE	523-50-50T-0
5-3 VALVE	523-50-30T-0

FOR EXTENDED ROD END USE, CHANGE "- 0" TO "- 1"



Upgrade your existing
51 Series Shocks into the
new 52 Series VRT Valving.

PART# 90008 - \$117.99

QUARTER MIDGET

REPLACEMENT PARTS

QM ROD GUIDE

PART#	PRICE
550100153	\$36.99



QM SHAFT REBUILD KIT

PART#	PRICE
200113	\$58.99



QM SEAL/SHAFT KIT

PART#	PRICE
200112	\$31.99



REPLACEMENT SHAFT

PART #	PRICE
550070140	\$26.99



SEAL KIT

PART#	PRICE
200037	\$10.99



TRAVEL MARKER

PART#	PRICE
550000232-5 (5 PACK)	\$6.41



QM SHOCK REBUILD KITS

DESCRIPTION	PART#	PRICE
51 SERIES REBUILD KIT	51QMR	\$320.99
52 SERIES REBUILD KIT	52QMR	\$320.99



COIL-OVER KITS

Shocks come with either short cone kit or tall cone kit.

DESCRIPTION	PART#	PRICE
SHORT SPRING CONE KIT	20114	\$69.99
TALL SPRING CONE KIT	20115	\$69.99
SHORT CONE ONLY	90231	\$31.99
TALL CONE ONLY	90232	\$29.99
NUT ONLY	90234	\$42.99
SPRING CLIP FOR COIL-OVER CONE	10243SR	\$4.27



ROD ENDS

DESCRIPTION	PART#	PRICE
.625" EXTENDED ROD END	550010381	\$42.99
STANDARD ROD END	550100154	\$42.99



AFCO PREMIUM SHOCK OIL

DESCRIPTION	PART#	PRICE
1 QUART	MT59506	\$21.39
5 GALLONS	165006	\$320.99



QUARTER MIDGET

TOOLS & SUPPLIES

QM ROD GUIDE WRENCH

PART#	PRICE
A700500171	\$49.99



QUARTER MIDGET WRENCH HANDLE & SLEEVE

Wrench and aluminum sleeve sold separately.

*NOTE: Sleeve is required for usage.

DESCRIPTION	PART#	PRICE
WRENCH HANDLE*	700500050	\$249.99
ALUMINUM SLEEVE*	700500164	\$34.99



BASE VALVE WRENCH

PART#	PRICE
550000314	\$44.99



QM OVERFLOW CUP

PART#	PRICE
550000302	\$89.99



QM DYNO CLEVIS PAIR

PART#	PRICE
550000315	\$89.99



SHOCK HEX BLEEDER TOOL

PART#	PRICE
700500180	\$9.99



SHOCK VISE AND MOUNTING STAND

PART#	PRICE
20113	\$299.99



QUARTER MIDGET 1-5/8" I.D. SPRINGS


- Super strong high tensile steel in a lightweight design.
- Consistent rates throughout full range of travel.
- Lifetime warranty.
- 4" or 5" free height.

AFCOIL LIFETIME WARRANTY

AFCOIL springs are manufactured using the finest spring material available. They are designed for extended life and consistent performance. They are guaranteed to do the job for which they are designed for as long as they are owned by the original purchaser.

COIL-OVER SPRINGS: AFCO will replace any AFCOIL spring that ever exceeds the maximum allowable 1% loss of free height from original nominal specification. One way freight is included.

1. Guarantee applies to original retail purchaser only.
2. Damaged springs not covered by warranty.
3. Spring must be returned to AFCO freight prepaid along with a copy of the original invoice.
4. No other warranty, either expressed or implied, applies to AFCOIL springs.
(Warranty not valid without invoice.)



4" SPRINGS

RATE	PART #	PRICE
65	29065-4	\$24.99
70	29070-4	\$24.99
75	29075-4	\$24.99
80	29080-4	\$24.99
85	29085-4	\$24.99
90	29090-4	\$24.99
95	29095-4	\$24.99
100	29100-4	\$24.99
105	29105-4	\$24.99
110	29110-4	\$24.99
115	29115-4	\$24.99
120	29120-4	\$24.99
125	29125-4	\$24.99
130	29130-4	\$24.99
135	29135-4	\$24.99
140	29140-4	\$24.99
145	29145-4	\$24.99
150	29150-4	\$24.99
155	29155-4	\$24.99
165	29165-4	\$24.99

QUARTER MIDGET SHOCK ADJUSTMENTS

OPTIONS TO CORRECT A FRONT END PUSH CONDITION. (UNDERSTEER)

Tight on CORNER ENTRY:

- 1) Increase rebound in L.R. shock.
- 2) Increase compression in R.R. shock.
- 3) Increase rebound in front shocks.
- 4) Reduce compression in front shocks.

Tight in MIDDLE OF CORNER:

- 1) Increase compression in R.R. shock.
- 2) Increase rebound in front shocks.
- 3) Reduce compression in front shocks.
- 4) Increase pressure in R.R. shock.

Tight on CORNER EXIT:

- 1) Reduce rebound in L.R. shock.
- 2) Increase compression in R.R. shock.
- 3) Increase rebound in front shocks.
- 4) Increase pressure in R.R. shock.

OPTIONS TO CORRECT A LOOSE REAR END CONDITION. (OVERSTEER)

Loose on CORNER ENTRY:

- 1) Increase compression in front shocks.
- 2) Reduce rebound in L.R. shock.
- 3) Reduce rebound in L.F. shock.
- 4) Reduce compression in R.R. shock.
- 5) Reduce pressure in rear shocks.

Loose in MIDDLE OF CORNER:

- 1) Increase compression in front shocks.
- 2) Reduce compression in R.R. shock.
- 3) Reduce rebound in L.F. shock.
- 4) Reduce rebound in R.F. shock.
- 5) Reduce pressure in rear shocks.

Loose on CORNER EXIT:

- 1) Reduce compression in R.R. shock.
- 2) Increase rebound in L.R. shock.
- 3) Reduce rebound in front shocks.
- 4) Reduce pressure in R.R. shock.

QUARTER MIDGET ADDITIONAL PARTS AND SERVICES

For a complete listing of quarter midget parts, visit:

UltimateQM.com



SHOCK TECH

SHOCK PISTON 101

AFCO's engineering department utilizes the "EMA" dyno to develop new internal shock components, evolve existing shock packages, and prove new technology. The EMA dyno also allows AFCO to "play back" data collected from the onboard data acquisition system. This "play back" function allows the Engineering staff the ability to see the forces being applied to the shock in "Real Time" at any position on the race track.



A low level view of how AFCO engineers compare on-track data acquisition with state of the art dyno equipment to create the perfect shocks for your race car.



Low Shock Speeds


Helps tune chassis dynamics through the corner to optimize driver feel.

High Shock Speeds

Helps tune chassis dynamics through bumps and ruts, tune quick transitions on and off throttle, and tune quick transitions on and off brake.


LINEAR-LINEAR VALVING

- Reduced Low Speed Forces that promote driver feel.
- Mid to High Speed to control bumps and ruts.




DIGRESSIVE-DIGRESSIVE VALVING

- More low speed control to stabilize car.
- Modifieds use digressive valving on LR compression to slow down travel and maintain roll steer.
- Open Wheel cars utilize digressive valving on LR rebound on mid-exit to drive off corner.
- Pavement Late Models use digressive valving on front shocks with big bar/soft spring setups.



PROGRESSIVE-PROGRESSIVE VALVING

- Soft low to mid speeds to promote driver feel and chassis movement.
- High speed damping to control car over bumps.



NOTE: Any AFCO shock can be made with any combination of these three types of valving. For example: Linear-Linear, Digressive-Linear, Progressive-Digressive, etc.

TWIN TUBE VS. GAS

UNDERSTANDING THE DIFFERENCES



TWIN TUBE

FEATURES / BENEFITS

- Outer body shell with inner tube (twin tube).
- Use of smaller piston, due to smaller inner tube diameter.
- Inner tube contains oil which is displaced by the piston upon travel.
- Pressure bag between outer body shell and inner tube.
- Causes no preload of suspension for good driver feel of available traction and superior slick track performance.
- Can be used on left rear to limit left side hike-up (on fast/heavy tracks).
- Body dents do not affect function.
- Adjuster knob for compression adjustments.



GAS

FEATURES / BENEFITS

- Gas pressure eliminates cavitation to provide superior rough track performance.
- Large piston helps improve overall racecar stability.
- Gas pressure can be used to increase chassis hike.
- Schrader valve for variable gas pressure adjustments.
- Single outer body shell (monotube).
- Use of a floating piston to separate gas charged chamber and oil filled chamber.
- Use of larger piston for more oil displacement and smoother ride.

RACEWISE SUSPENSION GEOMETRY SOFTWARE



By: Wm. C. Mitchell Software

- Designed to teach suspension with specific hands-on lessons and includes fully illustrated handbook and help files.
- Provides immediate analysis of adjustments - from simple to complex w/ numerical & graphical representations.
- Realistic, on-screen, multi-angle suspension views.
- Full, 3-dimensional accuracy.
- 3 Years in-field development.



DESCRIPTION	PART #	PRICE
RACEWISE FRONT SUSPENSION SOFTWARE	RWFRONT	\$249.99
RACEWISE REAR SUSPENSION SOFTWARE	RWREAR	\$249.99

EVALUATING/TUNING YOUR SUSPENSION

FRONT SUSPENSION

- Allows Steer, Roll and Bump or Rebound Suspension Movements.
- Computes/Reports All Critical Front suspension change.

Factors:

- Roll Center Location/Migration
- Moment Arm Length
- Caster & Camber Curves
- Bump Steer
- Shock & Spring Travel
- Anti-Dive
- Ackermann
- and much more...

REAR SUSPENSION

- Allows Roll and Bump or Rebound Suspension Movements.
- Use to Analyze All Popular Oval Track Coil Spring Rear Suspensions.
- Computes/Reports All Critical Rear Suspension change.

Factors:

- Drive Angle
- Roll Steer
- Indexing
- Spring & Shock Travel
- Lateral Axle Movement
- 5th Coil Travel/Axle Wrap
- and much more...

STREET STOCK - TUNING GUIDE

4-LINK TUNING

TO TIGHTEN

CORNER ENTRY

(off throttle)

- Stiffen LF spring.
- Decrease compression RR shock.
- Decrease rebound LR shock.
- Soften RF spring³.
- Decrease compression RF shock.
- Decrease LS weight %.
- Shorten RS wheelbase/lengthen LS.

CORNER EXIT

(on throttle)

- Stiffen LR spring.
- Increase wedge¹.
- Stiffen RF spring¹.
- Decrease rebound LF shock.
- Decrease rebound RF shock.
- Decrease compression LR shock.

TO LOOSEN

CORNER ENTRY

(off throttle)

- Soften LR spring.
- Increase rebound LR shock.
- Increase rebound LF shock.
- Stiffen RF spring⁴.
- Increase LS weight %.
- Lengthen RS wheelbase/lengthen LS.

CORNER EXIT

(on throttle)

- Soften LF spring.
- Decrease wedge²
- Soften RF spring²
- Increase rebound front shocks.
- Stiffen RR spring².
- Increase compression RR shock¹.
- Lengthen RS wheelbase / lengthen LS.

1. Can also loosen off-throttle handling.

2. Can also tighten off-throttle handling.

3. Can also loosen on-throttle handling.

4. Can also tighten on-throttle handling.

**OVERALL CHASSIS TUNING
APPLIES TO ALL TYPES OF
CHASSIS:**

To Loosen:
Increase stagger
Lower ballast
Decrease rear weight %

To Tighten:
Reduce stagger
Raise ballast
Increase rear weight %



SPRINT CAR - TUNING GUIDE

NON-WING SPRINTS

SHOCK BASELINE

HEAVY TRACK

- Left Front: 1674-6/1674-6S.
- Right Front: 1675/1675S.
- Left Rear: 1693-9S.
- Right Rear: 1695S.

INTERMEDIATE TRACK

- Left Front: 1675-3/1675-3S.
- Right Front: 1675-3/1675-3S.
- Left Rear: 1693-8S.
- Right Rear: 1695S.

SLICK TRACK

- Left Front: 1675-3 / 1675-3S.
- Right Front: 1675-2 / 1675-2S.
- Left Rear: 1693-7S or 1693-8S.
- Right Rear: 1694S.

**Tuning Note: The amount of Left Rear tie-down may vary by the amount of stagger and driving style. The above shock valvings are baseline suggestions only. The most critical shock to tune with on non-wing sprint cars is the left rear.

WINGED SPRINTS

SHOCK BASELINE

HEAVY TRACK

- Left Front: 1674-6/1674-6S.
- Right Front: 1675/1675S.
- Left Rear: 1694-8S.
- Right Rear: 1695S.

INTERMEDIATE TRACK

- Left Front: 1675/1675S.
- Right Front: 1675/1675S.
- Left Rear: 1694-8S.
- Right Rear: 1694-5S.

SLICK TRACK

- Left Front: 1674/1674S.
- Right Front: 1675-2/1675-2S.
- Left Rear: 1693-8S.
- Right Rear: 1694S.

**Tuning Note: Be cautious of using easy-up front shocks in slick conditions on winged sprint cars. The combination of a rearward mounted wing and easy-up front shocks can reduce front grip to the point of causing an extreme push condition.

QUARTER MIDGET - TUNING GUIDE

SHOCK ADJUSTMENTS

UNDERSTEER

TO CORRECT A FRONT END PUSH CONDITION.

TIGHT ON CORNER ENTRY

- Increase rebound in LR shock.
- Increase compression in RR shock.
- Increase rebound in front shocks.
- Reduce compression in front shocks.

TIGHT IN MIDDLE OF CORNER

- Increase compression in RR shock.
- Increase rebound in front shocks.
- Reduce compression in front shocks.
- Increase pressure in RR shock.

TIGHT ON CORNER EXIT

- Reduce rebound in LR shock.
- Increase compression in RR shock.
- Increase rebound in front shocks.
- Increase pressure in RR shock.

OVERSTEER

TO CORRECT A LOOSE REAR END CONDITION.

HEAVY TRACK

- Increase compression in front shocks.
- Reduce rebound in LR shock.
- Reduce rebound in LF shock.
- Reduce compression in RR shock.
- Reduce pressure in rear shocks.

INTERMEDIATE TRACK

- Increase compression in front shocks.
- Reduce compression in RR shock.
- Reduce rebound in LF shock.
- Reduce rebound in RF shock.
- Reduce pressure in rear shocks.

SLICK TRACK

- Reduce compression in RR shock.
- Increase rebound in LR shock.
- Reduce rebound in front shocks.
- Reduce pressure in RR shock.

AFCO APPAREL & MORE



Black
T-Shirt:
\$14.99

DESCRIPTION	PART #
T-SHIRT - AFCO BLACK (S)	89116-S
T-SHIRT - AFCO BLACK (L)	89116-L



Black
T-Shirt:
\$14.99

DESCRIPTION	PART #
T-SHIRT - AT BLACK (S)	89108-S
T-SHIRT - AT BLACK (M)	89108-M
T-SHIRT - AT BLACK (L)	89108-L
T-SHIRT - AT BLACK (XL)	89108-XL
T-SHIRT - AT BLACK (2X)	89108-XXL
T-SHIRT - AT BLACK (3X)	89108-XXXL



Black
T-Shirt:
\$14.99

DESCRIPTION	PART #
T-SHIRT - AFCO BLACK (S)	89100-S



Black
T-Shirt:
\$14.99

DESCRIPTION	PART #
T-SHIRT - AFCO BLACK (M)	89117-M
T-SHIRT - AFCO BLACK (L)	89117-L
T-SHIRT - AFCO BLACK (3X)	89117-XXXL
T-SHIRT - AFCO BLACK (4X)	89117-XXXXL



AFCO Hoodie:
\$29.99

DESCRIPTION	PART #
HOODIE - AT SERIES AFCO	89115-S
HOODIE - AT SERIES AFCO	89115-M
HOODIE - AT SERIES AFCO	89115-L
HOODIE - AT SERIES AFCO	89115-XL
HOODIE - AT SERIES AFCO	89115-XXL
HOODIE - AT SERIES AFCO	89115-XXXL
HOODIE - AT SERIES AFCO	89115-XXXXL



Charcoal
T-Shirt:
\$14.99

DESCRIPTION	PART #
T-SHIRT - AFCO CHARCOAL (S)	89099-S
T-SHIRT - AFCO CHARCOAL (2X)	89099-XXL
T-SHIRT - AFCO CHARCOAL (3X)	89099-XXXL




AFCO Speed Equip.
Work Shirt:
\$34.99



AFCO Speed Equip.
Work Jacket:
\$69.99

DESCRIPTION	PART #
WORK SHIRT - AFCO NAVY (L)	89086-L
WORK SHIRT - AFCO NAVY (XL)	89086-XL
WORK SHIRT - AFCO NAVY (3X)	89086-XXXL

DESCRIPTION	PART #
WORK JACKET - AFCO NAVY (L)	89085-L
WORK JACKET - AFCO NAVY (XL)	89085-XL
WORK JACKET - AFCO NAVY (2X)	89085-XXL
WORK JACKET - AFCO NAVY (3X)	89085-XXXL



AFCO Banner:
\$19.99
LIT-215



LONGACRE

▶ LONGACRE PIT
GEAR BAG **\$39⁹⁹**
52-11911



▶ BLACK TWILL
HAT **\$19⁹⁹**
52-11655



▶ LONGACRE PIT
GLOVES **\$24⁹⁹**
52-11208



APPAREL & MORE

DYNATECH

DYNATECH T-SHIRT **\$14⁹⁹** 89118



DESCRIPTION	PART #
T-SHIRT - DYNATECH HEADERS (S)	89118-S
T-SHIRT - DYNATECH HEADERS (M)	89118-M
T-SHIRT - DYNATECH HEADERS (L)	89118-L
T-SHIRT - DYNATECH HEADERS (XL)	89118-XL
T-SHIRT - DYNATECH HEADERS (XXXL)	89118-XXXL
T-SHIRT - DYNATECH HEADERS (XXXXL)	89118-XXXXL

DYNATECH HOODIE **\$29⁹⁹** 89090



DESCRIPTION	PART #
HOODIE - DYNATECH HEADERS (M)	89090-M
HOODIE - DYNATECH HEADERS (XXXL)	89090-XXXL

STRETCH FIT **\$24⁹⁹** 89045



8' x 3' BANNER **\$21⁹⁹** BANNER



CAN COOLIE **\$2⁹⁹** 89098



UltimateQM.com

ULTIMATE QM BLACK T-SHIRT **\$14⁹⁹** 89119



DESCRIPTION	PART #
T-SHIRT - ULTIMATE QM BLACK (YS)	89119-YS
T-SHIRT - ULTIMATE QM BLACK (YM)	89119-YM
T-SHIRT - ULTIMATE QM BLACK (YL)	89119-YL
T-SHIRT - ULTIMATE QM BLACK (M)	89119-M
T-SHIRT - ULTIMATE QM BLACK (L)	89119-L
T-SHIRT - ULTIMATE QM BLACK (2X)	89119-XXL

PRO SHOCKS

PRO T-SHIRT **\$14⁹⁹** 89107



DESCRIPTION	PART #
T-SHIRT - PRO SHOCKS (S)	89101-S
T-SHIRT - PRO SHOCKS (XL)	89101-XL
T-SHIRT - PRO SHOCKS (XXL)	89101-XXL
T-SHIRT - PRO SHOCKS (XXXL)	89101-XXXL

PRO COOLIE **\$2⁹⁹** 89107



AFCO

PERFORMANCE GROUP

Visit www.AFCOPERFORMANCEGROUP.com to view all of our brands and download or request our catalogs!



AFCO Oval Track Racing



AFCO Drag Racing, Muscle, Street Rod, High Performance



Dynatech® Headers



PRO Shocks



Longacre® Racing Products



DeWitts Radiator

CONTACT INFO

MAILING ADDRESS

P.O. Box 548
Boonville, IN 47601

SALES AND TECHNICAL SUPPORT

800-632-2320
Open Daily Monday-Friday
8 a.m. - 5:00 p.m. CST

PHYSICAL ADDRESS

977 Hyrock Blvd.
Boonville, IN 47601

MARKETING PARTNERS



LIMITED WARRANTY

AFCO Performance Group, LLC will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group, LLC makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group, LLC be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group, LLC has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group, LLC by any such person, entity or agent are void. AFCO Performance Group, LLC products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

© Copyright 2019 AFCO Performance Group • Printed in the U.S.A.

This catalog may not, in whole or in part, be copied, photocopied, reproduced, or converted to any electronic or machine-readable form without written consent of AFCO Performance Group.

UltimateM.com

Visit us today to order a complete car and purchase parts for all your quarter midget needs!



WWW.AFCORACING.COM

Visit us online at AFCOracing.com for more great products from the AFCO product line!

AFCO Racing Products has been dedicated to building speed, power and performance for over three decades. For more information on our Shocks, Suspension, Cooling and Brake components, find us online today.



Follow us on Facebook to keep up with the action and all things AFCO related!

For the latest news from AFCO Racing Products on new product development, technical bulletins, travel schedules, how-to videos and event results, find us online at Facebook.com/AFCORacingProducts.



AFCO Racing Products

► 977 Hyrock Blvd., Boonville, IN 47601
► Ph: 800.632.2320 Fax: 800.319.2551

Distributed by: **WINNING PROMOTIONS** P.O. Box 548, Boonville, IN 47601